2023

Home Appliances

teka.com

Home Appliances

Global Catalogue
2023



We believe in the magic that occurs around the kitchen.







HOME APPLIANCES 2023

Our company 09

Cook your way to life 10

Brand values 12

Infinity Design 14

Product Editions 18

Emblematic projects 22

Novelties 30

Our Range

- Ovens 52
- Compacts 116
- Microwaves 158
- Hobs 184
- Free Standing Cookers 294
- Outdoor Products 302
- Small Appliances 306
- Hoods 314
- Dishwashers 396
- Cold Line 424
- Laundry 484
- Water Heaters 518
- Kitchen Accessories 536

Key icons 548





TEKA | GROUP

Thousands of solutions.
Millions of moments.

Teka Group comprehends different worldwide leading brands, such as Teka, Küppersbusch, Intra or Thor. The group, with more than 140 years of history, has become an international example of household appliances manufacturing. Teka brand is one of the most important European manufacturers of stainless-steel sinks, built-in kitchen appliances, and bath solutions. As of today, Teka owns 15 factories and 4.000 workers around the world, with presence in more than 120 countries in five continents.

TEKA Küppersbusch FÜR KÜCHEN MIT STIL intra SCANDINAVIAN DESIGN THOR

Cook your **way to life**

The kitchen is the heart of your home. *In Teka, we design appliances to be the soul of your kitchen. Because it is here where life happens, where some of the best moments of our lives take place.*

The kitchen is more for us than just a place where meals are made. It is a place to laugh, to dream, to contribute, to talk, to make decisions, to share news, to make life plans and, in the end, a place to live unforgettable moments. For all these reasons, we design and manufacture appliances to bring solutions and real innovation to the kitchen, solutions that fit your lifestyle and are in harmony with your home. Every day we work to better understand your needs and bring new solutions to help you out by finding new possibilities in the kitchen. Our trademark, born in Germany, relies on quality, technology and innovation. Teka products are known worldwide for their reliability, efficiency and precision. Today, after almost 100 years of history, Teka keeps working exhaustively to give all of its products the best functionalities and design to reach excellence in every step. Our values, deeply rooted in our company, are clear: Honesty, Generosity and Originality.

This means we work for you and we are always by your side, helping you to solve your everyday problems with world class quality solutions. Customer satisfaction is our main concern. We have strived from our very beginning towards best quality products, the most modern and original designs, and the best innovations at a fair price.





Inspiring **meaningful moments**



Honesty

We are on your side

We connect with our customers, with a responsible, clear and transparent dialogue. Teka is close to you, understands your needs and enables you to discover new possibilities in your kitchen.

Generosity

We do more

We focus on the genuine and essential: our aim is to transform the functional into humans. That's why we care about providing outstanding technology, innovation and original design, at fair prices. To combine home stories with our heritage of superiors.

Originality

A relevant alternative

We awaken emotions and preference, thanks to our singular way of doing things. Our goal is to connect with people by enabling experiences that go beyond product features and innovation. For us, inspiration is the right path towards becoming our customer

Enter the **Infinity Design**

Infinity is the way we understand design and how we apply it to our product range.

In Teka we integrate our Infinity Design concepts at every step along the way to create our range of products and kitchen solutions.

Infinity Design was born based on one core idea: “everybody deserves great design.” Teka takes the concept to reality and turns everyday actions in the kitchen into unique experiences.

Teka Infinity design is based on the following principles:



MINIMALISM
WITH PERFORMANCE

We use pure, clean shapes and lines to show off the best of our products.



DARING
TO BE UNIQUE

As we dare to be different and set ourselves apart from the mainstream.



STYLISH
WITH ATTITUDE

The use of outstanding accent colours, new materials and high-quality finishing reveals the attitude behind our products.

INTUITIVE
WITH SIMPLICITY

Easy-to-use and intuitive displays are a must for our kitchen articles, where plainness and handiness work together with style. This is Teka INFINITY DESIGN.



Where Cooking **Meets Art**



Design is where science and art come together.

Art should disrupt and provoke emotions, as design does. Our goal is to inspire people to bring art into the kitchen, not only turning cooking into art but also turning your kitchen into a space to create.

Gastronomy has been part of mankind for as long as any other fine art. Trends and history have found their way into cuisine, reflecting the evolution of humanity.

Food, cooking, and everyday life inside the kitchen generate memories and feelings as small works of art, becoming a source of pleasure and other deep emotions.

Food colours and textures, the essence of culinary art, are full of shades to awaken all your senses. This symbiotic relationship between art and food is the place to be for Teka.

Museums

We are passionate about architecture, design and art. That is why we collaborate with different associations and institutions to support art and design.

THYSSEN-BORNEMISZA
MUSEO NACIONAL



Teka sponsors the gastronomic tour of the Thyssen-Bornemisza National Museum in Madrid, made up of 17 masterpieces from the 15th to the 20th century, representing gastronomy as a source of pleasure and emotion.

MUSEO MODERNO



Teka is present as a sponsor in one of the main Modern Art museums in Latin America, the MAMBA. Teka has sponsored different modern art exhibitions, by artists such as Sergio De Loof, Alberto Greo or Lea Lublin.

MEAM



Located in the Born district in Barcelona, the European Museum of Modern Art is an architectural gem located in the Gomis Palace. Teka, collaborates in the cultural dissemination that it carries out through art exhibitions, shows or concerts.

Product **Editions**

Infinity | G1 Edition

The Infinity | G1 Edition promises a cooking experience and kitchen look like no other. Inspired by the latest design trends in luxury jewelry and vehicles, and the ultimate technology for premium electronic devices, its shades of matt black, touches of copper details and velvet touch come together for an incomparable finishing.



Urban Colors Edition

Inspired by iconic urban elements from the world's largest capitals, such as London, Berlin, or Amsterdam, Choose your favourite colour among five different collections. For the first time, enjoy having the same hue on all of your kitchen appliances.



Germany-inherited **Quality**

German guarantee and safety are present in all Teka products, just as our quality certified processes, which comply with the most demanding standards.

Every year, more than 10 million consumers worldwide trust our products, and this is our brand's best banner. This has turned Teka into one of the most relevant European domestic appliances manufacturers.



Our most **emblematic projects**

Teka products are present in some of the greatest architectonic projects in the world. These are some of them.



1



2

1

PARIS, FRANCE

Eiffel Tower. Eiffel Tower, Paris.

2

BANGKOK, THAILAND

Laviq. 33 stories luxury tower, located in Bangkok.

3

DUBAI, UAE

Damac Heights. 335 meters residential tower in Dubai.

4

DUBAI, UAE

Park Tower. Two-tower mixed-use complex in the heart of Dubai International Financial Centre.





4



5

5

BERLIN, GERMANY

Adlon Hotel. Adlon Kempinski Hotel in Berlin.

6

ABU DHABI, UAE

Millenium Bab Al Qsar Hotel. Five Stars hotel located in front of the Emirates Palace.

7

BANGKOK, THAILAND

The Esse Asoke. 275.000 square meters, 39 stories, 239 homes.

8

MADRID, SPAIN

Santiago Bernabéu Stadium. Real Madrid F.C. stadium.



6



7



8



9



10



11



12



13

9

HO CHI MINH, VIETNAM

Vinhomes Central Park. One of Vietnam's mayor residential complex, with over 10,000 square meters

10

DUBAI, UAE

Princess Tower. The second tallest residential tower in the world.

11

DUBAI, UAE

Ocean Heights. 310 meters high and 83 stories residential skyscraper located in Dubai Marina.

12

BANGKOK, THAILAND

The Monument Sanampao. A monument to generations. A monument to patrimony.

13

BANGKOK, THAILAND

Park Origin Thonglor. 1,182 apartments in two buildings with incredible views and amenities.


Made for your
lifestyle



***We work to make your life easier**, and to design products to be the perfect complement for your kitchen.*

As we truly believe that the kitchen is the heart of our homes and our lives, we create products to be in harmony with your lifestyle. To help you choose the products that better suit you, we have created three different lifestyle product categories, to facilitate the search and comparison of products, and so that you can find the one that is right for you.

MAESTRO

The **MAESTRO** range products are designed for the most demanding ones. For those in love with the kitchen, who want the latest innovations, and who enjoy high-quality cuisine at home. With this range, you will get the most out of your gastronomic skills, and you will have at your disposal the best options for your appliances.

TOTAL

The **TOTAL** range is made for those who love to cook and do not want to give up having the best options at their fingertips.

An option designed for those who want the best results with the minimum consumption.

EASY

The **EASY** range is designed for those looking for convenient, functional appliances, with good performance and at a fair price. Simple but smart solutions affordable for everyone.

Discover **Infinity | G1 Edition**

GERMAN HEART, **ITALIAN DESIGN.**

Inspired by latest and emerging design trends in exclusive vehicles, jewelry, or the ultimate technology for premium electronic devices, Infinity | G1 Edition comes to life through the mutual work of two remarkable brands: Teka and Italdesign Giugiaro.

Bringing together the 50+ experience of Italdesign Giugiaro, the acclaimed design and engineering automotive company, and Teka's vast knowledge of creating kitchen products.

Infinity | G1 Edition line of design goes beyond the established. Every feature included is thought to be technically and aesthetically flawless, intended to convey depth and sophistication. Its black matt finishing, along with copper details, promise an exclusive look with a velvet touch, like no other.




TEKA

Revolutionary concepts that make the way to the future

Introducing solutions that will make your life better, because they challenge the status quo bringing the best proposals to the table. Our unique and innovative products will meet your cooking skills, for you to get results you never thought possible.



Restaurant Quality at Home

Discover our Restaurant Quality at Home concept through our innovative ovens, which will always deliver epic results, through both, its special feature recipes, as with the rest of traditional dishes cooked with multifunction ovens.

From a perfect steak, to a restaurant Neapolitan pizza, the new Teka ovens will deliver professional results always.





Discover **SteakMaster oven**

RESTAURANT QUALITY STEAK. **AT HOME.**

The one and only oven capable of cooking a perfect Steak from top to bottom, with perfect restaurant-like results.

Welcome **Meat Lovers.**



Introducing **MaestroPizza**

BECOME A **PIZZA LEGEND.**

Enjoy an authentic Neapolitan pizza in the comfort of your own home, with a result so incredible, that will automatically take your mind to Italy.



New **AirFry oven**

CRUNCHY. HEALTHY. **OIL FREE!**

Enjoy your delicious fries and nuggets with the crunchy finish that you love, and without a single drop of oil.

Meet the pleasure without guilt.




15:24
TEKA

Discover the **induction of the future**

Introducing the Intelligent Induction concept, a new era has arrived for Teka Hobs. This concept comes to revolutionize the world of inductions, with the launch of new technologies to facilitate the cooking process and bring better results. These induction hobs include temperature sensors to precisely control the result of each recipe.

Also, new functions are added to automatically prepare a dish from the beginning to the end, along with a vast variety of features, such as MultiSlider control, the 320 mm XXL zone or the FullFlex zone, that allows kitchenware of up to 400 mm.




p Frying
Pan Frying
Quick Boiling
TEKA

Meet the **MasterSense series**

DISCOVER THE **INTELLIGENT INDUCTION.**

Our complete **MasterSense series hob range will not stop to amaze you.** Discover direct functions through temperature sensors and the most flexible cooking zones and intuitive interface.

New **DirectSense hob**

The first induction with **automatic Rice Cooking function.** Endless functions and versatility to surpass your expectations.



New **MasterSense Air** Induction hob

HIGH PERFORMANCE HOOD & HOB, **FINALLY UNITED**

A new concept. The perfect fusion of two top of the line appliances, for the most minimalistic look and simple use.

Reimagine your kitchen.



Welcome to the **intelligent cooking**

THE CONNECTED APP TO **COOK WITH YOUR PHONE AND YOUR VOICE.**

Discover Teka Home. Our new intelligent products range bring a new world of possibilities in the kitchen, so that you can enjoy without limits. Connect your mobile with your oven, hob and hood through our Teka Home App, and cook whenever and from wherever you are.



ALEXA,
I WANT TO COOK RICE



Small in size, **mighty in nature**

MEET THE NEW MEMBERS OF OUR FAMILY, **SMALL APPLIANCES THAT WILL DELIVER AS MUCH AS ITS BIG BROTHERS**

New GrandChef oven

Experience the full power of our GrandChef oven, with the space saving that meets nowadays needs. With temperatures that reach up to 220ºC, it's 90 minutes timer, 4 cooking functions and double-glazed door for extra protection, our GrandChef oven becomes a powerful partner for your everyday cooking needs, with the versatility of a free-standing appliance. Moreover, our oven incorporates our HydroClean® system for easier cleaning.



New EliteGrill

The grill that is much more than a grill. Compact, installation-free and with 5 different functions, our EliteGrill has an easy cleaning process. With its 180º opening, our grill is designed to give you 2 grilling zones at once, or one that provides heat and power from top to bottom and bottom up at the same time.

Grill everywhere. Grill everything. **Grill at any time.**





Gourmet **outdoor cooking**

COOKING IN YOUR GARDEN **HAS NEVER BEEN SO EXQUISITE**

Fresh air and green grass have collected a new meaning for us all. Enjoy the sunny, or not-so-sunny days, with a powerful BBQ that will make your family time outdoor, a delicious moment.

Become the grill king, with the kitchen expert by your side.



Each bottle **as perfect as ever**

WINE TASTING WILL NEVER BE THE SAME.

Designed for those who find a new ritual in each bottle of wine, and who care for taste, perfect conservation and harmony in design.

It's wine o'clock! For the perfect host.





Ovens

The best moments are born
in the kitchen



WORLDWIDE **NOVELTY**

Infinity | G1 Edition

VELVET FEELING, A TOUCH LIKE NO OTHER

Feel the difference and get an exclusive composition out of your kitchen.

With its unique black matt finishing, copper details, and advanced cooking functions, our new Infinity | G1 Edition 60cm Oven promises an experience at the next level.

Black matt finishing

And a velvet touch that won't stop surprising you time after time.

Temperature

Ideal temperature for the perfect homemade pizza with its MaestroPizza function.

Discover the complete edition

Get the most out of your Infinity | G1 Edition 60cm oven, by matching it with the rest of the products of the edition.

SCAN AND **DISCOVER**

WORLDWIDE **NOVELTY**

SteakMaster oven

WELCOME **MEAT LOVERS**



The first and only oven capable of cooking a perfect steak at home is here.

High temperatures that reach up to 700°C, along with the cast iron grid will give your meat cuts a unique grill flavour in just a few minutes.

Choose to cook manually to manage every step and how you would like your steak cooked, or simply select one of its 20 automatic programs: SteakMaster is designed to temper the meat, keep it juicy, and seal the cut, recreating the heat process of a professional grill.

Additionally, the SteakMaster is a pyrolytic multifunction oven capable of cooking all the recipes you want.

700 °C

Temperature

Grill that reaches up to 700°C for a perfect finish.

20

Automatic Programs

20 automatic programs, special for each meat cut.

Cast Iron Grid

The perfect grill for meat at its best.

Pyrolytic Oven

Hygiene with the power of heat.



SCAN AND
DISCOVER

WORLDWIDE **NOVELTY**

MaestroPizza oven

BECOME **A PIZZA LEGEND**





The perfect oven to cook an authentic Neapolitan pizza at home has arrived, and it reaches up to 340°C in the cavity for an epic result.

The combination of high temperature and cooking speed, along with the pizza stone, results on a crunchy crust and savouring ingredients. With MaestroPizza you'll be able to prepare 10 pizzas in only 30 minutes, getting always the same result: perfect.

Besides, MaestroPizza is a last generation multifunction oven, with dual cleaning system: Pyrolysis and HydroClean.

Temperature

The perfect temperature to cook pizza with epic results.

Pizza Stone

For a crunchy finish, as in a wood oven.

Speed

Your pizza ready in only 3 minutes.

Pizza Peel

Everything you need to cook like a real chef.

SCAN AND
DISCOVER

NOVELTY

AirFry oven

CRUNCHY. HEALTHY. **OIL FREE!**

This multifunction oven's special AirFry function gets an oil-free crunchy finish, offering pleasure without guilt.

The AirFry function, along with the oven's FryMaster Box and its SurroundTemp technology, which distributes the heat evenly through the cavity, will give you the crunchy finish that you love, without the need to turn the food over, or using oil.

All of this in a multifunction oven, capable of preparing any recipes you want, with a 70 net litres capacity, more than +30% compared to other ovens*.



AirFry function

Special AirFry function for oil-free crunchy finish.

FryMaster Box

Die cut tray that allows an even heat circulation, without turning over the food.

Surroundtemp

An additional rear electrical resistance distributes the heat evenly through the cavity.

Oil-free

Ideal for French fries, nuggets and chicken wings.



SCAN AND
DISCOVER

* When compared to other ovens of the same range.

WORLDWIDE **NOVELTY**

Cook from **your sofa**

WELCOME TO **INTELLIGENT COOKING.**

This oven connects to your mobile phone through enabling you to cook from wherever you want.

Voice control

Cook by voice with the help of Alexa®

Remote control

Control and manage your oven from your mobile phone.

Teka Home App

Discover all the different features on the Teka Home App.





just ask alexa

ANDROID APP ON Google Play

Available on the App Store

TEKA

Our ovens are designed to **adapt to your lifestyle**

Discover all the possibilities available to suit your needs, whatever they are, with our oven's varied and practical features.

Try steam cooking for the healthiest diet.
Keep your food's nutrients, while maintaining the purest flavours and textures.

Steamer Oven

Cook the healthiest dishes with our Steamer ovens. Following very simple steps, your steam cooked meals will quickly be ready, delivering the highest nutrients and flavour preservation, and the lowest fat.

Combi Steamer Oven

Our Combi Steamer ovens combine the best of two worlds.

Prepare healthy steam cooked dishes to preserve all the flavour, vitamins and minerals of the food, with a multifunction oven also capable of cooking any recipe you want the traditional way. Give up on nothing.

SteamBox

The SteamBox turns your oven into a steam one.

Your food will keep all nutrients, vitamins and minerals without any oil, preserving flavour, texture and original aroma. You can cook with water or even wine for a tasty touch, but always with the healthiest results.



Find all the features and tools you need for professional results, at your reach.

SurroundTemp

This technology guarantees an even distribution of the heat, even when cooking at different levels, thanks to an additional rear electrical resistance, along with the internal ventilation.

MeatProbe

Precise cooking point from the inside of every piece of food. You will get the right texture you are looking for in your dishes through a complete control of the cooking temperature. Perfect for meat, poultry and fish.

Automatic programs

Take advantage of the pre-defined programs, designed to consistetly deliver perfect results, for up to 50 international recipes*.

* Depending on the model.

Save your time for the really important things

Deciding and cooking your next meal will bring nothing but pleasure to you, as the after cleaning will be solved by your oven.

Hang up the cleaning gloves and enjoy your delicious meal without a single worry. Choose your favourite cleaning system and make your life easier.



Pyrolitic

The oven heats up to a very high temperature (almost 500ºC), leaving only a thin layer of ash that can be easily wiped with a cloth once the oven is cooled. Forget about spending time with unhealthy products to keep the oven clean and ready for every use.

HydroClean

When the water reaches high temperatures (steam), it softens the grease adhered to the walls of the oven, and when it cools down it allows to clean the oven easily, without effort. 90ºc + 4' heating + 20' cooling down. Automatic or Manual versions available.

Full Detachable doors for easy cleaning

Safety is one of our main goals, and because of that our ovens have up to 4 door glasses (CoolTouch system). And yes, we also know how hard it can be to clean a grease stain in the third glass. So we have created an easy access system. Just push the side of the door panel and you will find the way into each glass for a complete cleaning.

Safety first

In Teka we know that, even with the comfort and convenience that our products bring into your life, safety comes first for you and your family.

For us, safety is non-negotiable as well, and we provide with several options to take care of you and your loved ones.

Door lock

Block the door for as long as you need, for maximum safety. This safety system is available in all pyrolytic ovens.

Child lock

Block the control panel to keep the oven functioning on check.

SoftClose

Say goodbye to annoying noises thanks to the soft open and close door of the oven. An extra of durability and security (your fingers will be happy about it too).

Cool front

We go beyond regulation with the minimal door temperature thanks to up to 4 removable glasses on door.



Always delivering **comfort and convenience**

From cooking several meals at once, to having the safest and fullest access to check on your recipes whenever you like.

Never miss convenience and the most thoughtful features for you to choose from.



5

Chromed supports with 5 cooking levels:

Cook several meals at once with up to 5 cooking levels within your oven. Save time and energy, without compromising great results every time.

Full extension telescopic guides

Smoother running, full precision and total extraction with the new Full extension telescopic guides. 100% of the tray is extracted to make easier the access to your recipes.

Plus Extension telescopic guides

Up to 75% of extraction of the tray for a superior comfort and adaptability.

76L

Extra Capacity ovens, up to 76 litres:

The up to 76 litres of capacity on our ovens will turn you into the best dinner host for the whole family. Invite them all over and let your oven do the cooking for you.

SCAN AND **DISCOVER**



NEW

MAESTRO **INFINITY | G1 EDITION**

- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Multifunction SurroundTemp oven**
- Up to 340ºC in cavity for perfect pizza finish
- Temprature range for traditional recipes: 50-250º
- Exclusive matte black finishing
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- Automatic disconnection security system
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included
- Capacity (gross/net): 71 /70 litres



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO **HLB 8700 P BK**

- **Teka Home: smart appliances with Wi-Fi connection**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- Automatic disconnection security system
- SoftClose system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres
- FryMaster Box included



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO **STEAKMASTER**

- **SteakMaster oven**
- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 13 cooking functions
- Powerful SteakGrill (700ºC)
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- 20 automatic programs for meat
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Special cast iron grid for steaks included
- Capacity (gross/net): 71 / 63 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO **STEAKMASTER**

- **SteakMaster oven**
- **Multifunction SurroundTemp oven**
- 13 cooking functions
- Powerful SteakGrill (700ºC)
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- 20 automatic programs for meat
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Special cast iron grid for steaks included
- Capacity (gross/net): 71 / 63 litres



COLOR

Black Glass with StainlessSteel frame

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO **MAESTROPIZZA**

- **MaestroPizza oven**
- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Up to 340ºC in cavity for perfect pizza finish
- Temprature range for traditional recipes: 50-250º
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Manual quick heating
- Anti-tip deep tray, baking tray and reinforced grid
- Special pizza stone included
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

MAESTRO **AIRFRY**

- **AirFry oven**
- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Special FryMaster Box to cook without oil
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



NEW

TOTAL **AIRFRY**

- **AirFry oven**
- **Multifunction SurroundTemp oven**
- 9 cooking funtions
- Special FryMaster Box to cook without oil
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **IOVEN P**

- **Multifunction SurroundTemp oven**
- 18 cooking funtions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Full Touch control display
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 50 automatic programs
- Chrome supports with 5 cooking levels
- Full Extension Telescopic guides
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray, baking tray and 2 reinforced grids
- The SteamBox included
- Meatprobe included
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **IOVEN**

- **Multifunction SurroundTemp oven**
- 18 cooking funtions
- Automatic HydroClean system
- Full Touch control display
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 50 automatic programs
- Chrome supports with 5 cooking levels
- Full Extension Telescopic guides
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray, baking tray and 2 reinforced grids
- The SteamBox included
- Meatprobe included
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8600 P**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Full Extension Telescopic guides
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 860 P**

- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean V
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Full Extension Telescopic guides
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400 P**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400 P**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400 P**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 840 P**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 840 P**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8600**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8600**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8600**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Steam Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8600**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm





MAESTRO **HLB 8600**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres



COLOR

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm

MAESTRO **HLB 860**

- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 860 WH**

- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 850**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres

COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 840**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 840**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray, baking tray and reinforced grid
- Capacity (gross/net): 71 / 70 litres



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLB 830**

- **Multifunction oven**
- 6 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 635 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 630 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 630 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 625 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 620P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 620P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 645**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres

COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 640**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres

COLOR

Black

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 640**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres

COLOR

White

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 635**

- **Multifunction oven**
- 8 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 630**

- **Multifunction oven**
- 8 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 630**

- **Multifunction oven**
- 8 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 615**

- **Multifunction oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 610**

- **Multifunction oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres

COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSB 610**

- **Multifunction oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HCB 6535 P**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip baking tray
- Capacity (gross/net): 71 / 70 litres



EASY **HCB 6435 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Manual quick preheating
- Anti-tip baking tray
- Capacity (gross/net): 70 / 65 litres



COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HCB 6545**

- **Multifunction SurroundTemp oven**
- 9 cooking funtions
- Automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HCB 6535**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



NEW

EASY **HCB 6535**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HCB 6535**

- **Multifunction SurroundTemp oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



NEW

EASY **HCB 6525**

- **Multifunction SurroundTemp oven**
- 6 cooking functions
- Automatic HydroClean system
- Mechanical control with pop in-out knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



NEW

EASY **HCB 6515**

- **Multifunction SurroundTemp oven**
- 6 cooking functions
- HydroClean system
- Mechanical control with pop in-out knobs
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HCB 6435**

- **Multifunction oven**
- 6 cooking functions
- Automatic HydroClean system
- Touch control display with pop in-out knobs
- Electronic timer(Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip baking tray
- Capacity (gross/net): 70 / 65 litres



EASY **HCB 6415**

- **Multifunction oven**
- 6 cooking functions
- HydroClean system
- Mechanical control with pop in-out knobs
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Manual quick preheating
- Anti-tip baking tray
- Capacity (gross/net): 70 / 65 litres



TOTAL **HRB 6400**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6400**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6400**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6400**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6300**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6300**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6300**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



TOTAL **HRB 6300 AT**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



EASY **HRB 6100**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HRB 6100**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HRB 6100**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HRB 6100**

- **Country Style Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HBB 635**

- **Multifunction oven**
- 8 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HBB 615 GD**

70 L | A

- **Multifunction oven**
- 8 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep and baking trays
- Capacity (gross/net): 71 / 70 litres



EASY **HBB 605**

70 L | A

- **Multifunction oven**
- 6 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 71 / 70 litres



EASY **HBB 535**

76 L | A

- **Conventional oven**
- 3 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 77 / 76 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HBB 510**

76 L | A

- **Conventional oven**
- 3 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 77 / 76 litres



EASY **HBB 510**

76 L | A

- **Conventional oven**
- 3 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 77 / 76 litres



EASY **HBB 490**

72 L | A

- **Conventional oven**
- 3 cooking functions
- Mechanical control knobs
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 75 / 72 litres



COLOR

Black

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

White Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

White

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



EASY **HBB 435**

- **Conventional oven**
- 3 cooking functions
- Mechanical control knobs
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 75 / 72 litres



MAESTRO **HLF 940**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Full Extension Telescopic guides
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray, baking tray and reinforced grid
- Capacity (gross/net): 91 / 77 litres



MAESTRO **HLF-840**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 91 / 77 litres



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 537+22mm



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 480mm **Width** 890mm **Depth** 538+22mm



COLOR

Black Glass with StainlessSteel frame

EXTERNAL DIMENSIONS

Height 580mm **Width** 760mm **Depth** 560mm



TOTAL **HSF 900**

- **Multifunction SurroundTemp oven**
- 7 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 91 / 77 litres



MAESTRO **HLB 760 G 127**

- **Multifunction gas with electric gril oven**
- 5 cooking functions
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray and reinforced grid
- The SteamBox included
- Capacity (gross/net): 71 / 65 litres



NEW

TOTAL **HSB 750**

- **Multifunction gas with electric grill oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Anti-tip deep tray
- Capacity (gross/net): 71 / 65 litres



COLOR

Stainless Steel

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 480mm **Width** 890mm **Depth** 538+22mm



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 543+22mm



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 543+22mm

OVENS



NEW

TOTAL **HSB 740 G**

- **Multifunction gas oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray
- Capacity (gross/net): 71 / 60 litres



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 595mm **Depth** 543+22mm



MAESTRO **HLF 924 G**

69L

- **Multifunction gas with electric grill oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 88 / 69 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 898mm **Depth** 525mm



TOTAL **HLF 824 G**

69L

- **Multifunction gas with electric grill oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 88 / 69 litres



COLOR

Black Glass with StainlessSteel frame

EXTERNAL DIMENSIONS

Height 595mm **Width** 798mm **Depth** 525mm



TOTAL **HSF 924 G**

69L

- **Multifunction gas with electric grill oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 88 / 69 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 898mm **Depth** 525mm



TOTAL **HSF 824 G**

69L

- **Multifunction gas with electric grill oven**
- 5 cooking functions
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 88 / 69 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 595mm **Width** 798mm **Depth** 525mm

OVENS

Model	MaestroPizza HLB 85 Infinity G1	STEAKMASTER	STEAKMASTER	HLB 8510 P	HLB 8416	HSB 646	IOVEN P	IOVEN	HLB 8600 P
INNER CAVITY DIMENSIONS									
Heigth (mm)	364	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402	402
Volume Net (L)	70	63	63	70	70	70	70	70	70
ELECTRICAL FEATURES									
Maximum Nominal Power (W)	3.552	3.518	3.518	3.552	3.215	3.215	3.552	3.198	3.552
Bottom Heating Element (W)	1.050	1.050	1.050	1.050	1.150	1.150	1.050	1.150	1.050
Grill (W)	1.400	2.400	2.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.450	3.450	3.450	2.450	2.500	2.500	2.450	2.500	2.450
Turbo (W)	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
Multifunction motor (W)	25	25	25	25	22	22	25	22	25
Inner Light	25	2x25	2x25	25	25	25	25	4	25
Cooling fan motor (W)	30	30	30	30	18	18	30	18	30
Cable connection lenght (cm)	150	150	150	190	150	150	150	150	150
SAFETY SYSTEMS									
Automatic disconnection security system	√	√	√	√	–	–	√	√	√
Children safety	√	√	√	√	–	–	√	√	√
Grill protection	√	√	√	√	√	√	√	√	√
Full glazed door	4	4	4	4	3	2	4	3	4
CLEANING SYSTEMS									
Hydroclean ECO	–	–	–	–	–	–	–	–	–
Hydroclean PRO	√	√	√	√	√	√	√	√	√
Pyrolytic	√	√	√	√	–	–	√	–	√
Crystal Clean Enamel	√	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY									
Energy Efficiency Class	A+	A	A	A+	A+	A+	A+	A+	A+

Model	HLB 860 P	HLB 8400 P	HLB 8400 P	HLB 8400 P	HLB 840 P	HLB 840 P	HLB 8600	HLB 8600
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.552	3.552	3.552	3.552	3.552	3.552	3.215	3.215
Bottom Heating Element (W)	1.050	1.050	1.050	1.050	1.050	1.050	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.450	2.450	2.450	2.450	2.450	2.450	2.500	2.500
Turbo (W)	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
Multifunction motor (W)	25	25	25	25	25	25	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	30	30	30	30	30	30	18	18
Cable connection lenght (cm)	150	110	110	110	110	110	150	150
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	√	√	√	√	√	√
Children safety	√	√	√	√	√	√	√	√
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	4	4	4	4	4	4	3	3
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	–	–	–
Hydroclean PRO	√	√	√	√	√	√	√	√
Pyrolytic	√	√	√	√	√	√	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	A+	A+	A+

Model	HLB 8600	HLB 8600	HLB 8600	HLB 860	HLB 860 WH	HLB 850	HLB 8400	HLB 8400
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	3.215	3.215	3.215	3.215	3.215	3.215	3.215
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500
Turbo (W)	2.000	2.000	2.000	2.000	2.000	2.000	2.000	2.000
Multifunction motor (W)	22	22	22	22	22	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	150	150	150	150	150	150	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	√	√	√	–	–	–
Children safety	√	√	√	√	√	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	3	3	3	3	3	3	2	2
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	–	–	–
Hydroclean PRO	√	√	√	√	√	√	√	√
Pyrolytic	–	–	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	A+	A+	A+

Model	HLB 8400	HLB 840	HLB 840	HLB 830	HSB 635 P	HSB 630 P	HSB 630 P	HSB 625 P
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	3.215	3.215	2.593	3.552	3.552	3.552	3.552
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.050	1.050	1.050	1.050
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.500	2.500	–	2.450	2.450	2.450	2.450
Turbo (W)	2.000	2.000	2.000	–	–	–	–	–
Multifunction motor (W)	22	22	22	22	25	25	25	25
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	30	30	30	30
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	–	√	√	√	√
Children safety	–	–	–	–	√	√	√	√
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	2	2	2	4	4	4	3
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	–	–	–
Hydroclean PRO	√	√	√	√	√	√	√	√
Pyrolytic	–	–	–	–	√	√	√	√
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	A+	A+	A+

Model	HSB 620P	HSB 620P	HSB 645	HSB 640	HSB 640	HSB 635	HSB 630	HSB 630
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.552	3.552	3.215	3.215	3.215	2.615	2.615	2.615
Bottom Heating Element (W)	1.050	1.050	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.450	2.450	2.500	2.500	2.500	2.500	2.500	2.500
Turbo (W)	–	–	2.000	2.000	2.000	–	–	–
Multifunction motor (W)	25	25	22	22	22	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	30	30	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	–	–	–	–	–	–
Children safety	√	√	–	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	3	3	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	–	–	–
Hydroclean PRO	√	√	√	√	√	√	√	√
Pyrolytic	√	√	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A+	A+	A+	A+	A+

Model	HSB 615	HSB 610	HSB 610	HCB 6535 P	HCB 6435 P	HCB 6545	HCB 6535	HCB 6535
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	446	475	446	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	65	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.615	2.615	2.615	3.552	3.552	2.615	2.615	2.615
Bottom Heating Element (W)	1.150	1.150	1.150	1.050	1.050	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	–	–	–	2.450	2.450	2.500	2.500	2.500
Turbo (W)	–	–	–	–	–	2.000	–	–
Multifunction motor (W)	22	22	22	25	25	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	30	30	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	√	√	–	–	–
Children safety	–	–	–	√	√	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	2	2	3	3	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	√	√	√	–	–	–	–	–
Hydroclean PRO	–	–	–	√	√	√	√	√
Pyrolytic	–	–	–	√	√	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A	A	A+	A+	A+	A+	A+

Model	HCB 6535	HCB 6525	HCB 6515	HCB 6435	HCB 6415	HRB 6400	HRB 6400	HRB 6400
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	446	446	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	65	65	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.615	2.615	2.615	2.615	2.615	3.215	3.215	3.215
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	–	–	2.500	–	2.500	2.500	2.500
Turbo (W)	–	–	–	–	–	2.000	2.000	2.000
Multifunction motor (W)	22	22	22	22	22	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	150	150	150
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	–	–	–	–	–
Children safety	–	–	–	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	2	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	–	√	√	–	√	–	–	–
Hydroclean PRO	√	–	–	√	–	√	√	√
Pyrolytic	–	–	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A	A	A+	A	A+	A+	A+

Model	HRB 6400	HRB 6300	HRB 6300	HRB 6300	HRB 6300 AT	HRB 6100	HRB 6100	HRB 6100
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	–	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	402	402	402	402	402
Volume Net (L)	70	70	70	70	70	70	70	70
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.215	3.215	3.215	3.215	3.215	2.615	2.615	2.615
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.500	2.500	2.500	2.500	–	–	–
Turbo (W)	2.000	2.000	2.000	2.000	2.000	–	–	–
Multifunction motor (W)	22	22	22	22	22	22	22	22
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	150	150	150	150	150	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	–	–	–	–	–
Children safety	–	–	–	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	2	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	√	√	√
Hydroclean PRO	√	√	√	√	√	–	–	–
Pyrolytic	–	–	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A	A	A	A	A	A	A

Model	HRB 6100	HBB 635	HBB 615 GD	HBB 605	HBB 535	HBB 510	HBB 510	HBB 490
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	364	364	364	364	364	364	364
Width (mm)	475	475	475	475	475	475	475	446
Depth (mm)	402	402	402	402	441	441	441	441
Volume Net (L)	70	70	70	70	76	76	76	72
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.615	2.615	2.615	2.615	2.593	2.593	2.593	2.593
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	–	2.500	2.500	–	–	–	–	–
Turbo (W)	–	–	–	–	–	–	–	–
Multifunction motor (W)	22	22	22	22	–	–	–	–
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	–	–	–	–	–
Children safety	–	–	–	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	2	2	2	2	2	2	2
CLEANING SYSTEMS								
Hydroclean ECO	√	–	√	√	√	√	√	–
Hydroclean PRO	–	√	–	–	–	–	–	–
Pyrolytic	–	–	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A+	A	A	A	A	A	A

Model	HBB 435	HLF 940	HLF-840	HSF 900	HLB 760 G 127	HSB 750	HSB 740 G	HLF 924 G
INNER CAVITY DIMENSIONS								
Heigth (mm)	364	318	380	318	342	342	342	308
Width (mm)	446	639	639	639	475	475	475	615
Depth (mm)	441	380	318	380	402	402	402	388
Volume Net (L)	72	77	77	77	65	65	60	69
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	2.593	3.553	3.553	2.848	1.470	1.470	70	1.998
Bottom Heating Element (W)	1.150	1.055	1.055	1.055	2.350	2.350	2.350	4.000
Grill (W)	1.400	1.700	1.700	1.700	14	14	19	19
Maxigrill (W)	–	2.750	2.750	2.750	–	–	–	–
Turbo (W)	–	2.400	2.400	–	27	27	27	–
Multifunction motor (W)	–	30	30	30	27	27	27	30
Inner Light	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	18	18	18	18
Cable connection lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	√	√	–	–	–	–	–
Children safety	–	√	√	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√
Full glazed door	2	3	3	2	2	2	2	3
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	√	–	–	–	–
Hydroclean PRO	–	√	–	–	–	–	–	–
Pyrolytic	–	–	–	–	–	–	–	–
Crystal Clean Enamel	√	√	√	√	√	√	√	√
ENERGY EFFICIENCY								
Energy Efficiency Class	A	A	A	A	A+	A+	A+	B

Model	HLF 824 G	HSF 924 G	HSF 824 G
INNER CAVITY DIMENSIONS			
Heigth (mm)	308	308	308
Width (mm)	615	615	615
Depth (mm)	388	388	388
Volume Net (L)	69	69	69
ELECTRICAL FEATURES			
Maximum Nominal Power (W)	1.998	1.998	1.998
Bottom Heating Element (W)	4.000	4.000	4.000
Grill (W)	19	19	19
Maxigrill (W)	–	–	–
Turbo (W)	–	–	–
Multifunction motor (W)	30	30	30
Inner Light	25	25	25
Cooling fan motor (W)	18	18	18
Cable connection lenght (cm)	110	110	110
SAFETY SYSTEMS			
Automatic disconnection security system	–	–	–
Children safety	–	–	–
Grill protection	√	√	√
Full glazed door	3	2	2
CLEANING SYSTEMS			
Hydroclean ECO	–	–	–
Hydroclean PRO	–	–	–
Pyrolytic	–	–	–
Crystal Clean Enamel	√	√	√
ENERGY EFFICIENCY			
Energy Efficiency Class	B	B	B

Compacts

Sharing a cup of coffee on a Sunday morning
is like a warm fireplace for the soul



WORLDWIDE **NOVELTY**

Infinity | G1 Edition

EXCLUSIVE LOOK FOR THE HIGH TIER KITCHEN

The best looking duo, ready to amaze and perform over and over.

By choosing our new Infinity | G1 Edition Compact Oven and Drawer, you'll not only get a set of products that will fit your cooking needs conveniently, but this goal will be achieved through the most outstanding looking pair, with a black matt finish and velvet touch, like you have not yet seen.

Black matt finishing

A velvet soft touch and unique matt finishing.

Convenient solution

Seize the space in your kitchen and solve all your needs at once: cooking plus plate warmer or vacuum sealer.

Discover the complete edition

Get the most out of your Infinity | G1 Edition Compact Oven and Drawer, by matching it with the rest of the products of the edition.

SCAN AND
DISCOVER

Infinite possibilities for **limited space**

OUR SPACE-SAVING RANGE NOW **MORE VERSATILE THAN EVER**

The smallest details are usually the most important, and so it happens with Teka Compacts in your kitchen. Not only because of an amazing style and design, but also thanks to their many features. Countless possibilities, infinite advantages with a compact size that is huge in performance. Teka combines smart solutions in hardly 45 centimetres –or less - to suit all your needs at home.



More solutions, same space

Now you can have it all in the same 60 cm space. With our Compact products you will be able to combine solutions as ovens, microwaves or coffee machines, with plate warmers or vacuum sealers, so that no need will be left unsatisfied.

Mix and match with our compact solutions.





OUR COMPACT PRODUCTS LET YOU **MIX AND MATCH SOLUTIONS TO YOUR NEEDS**

SCAN AND **DISCOVER**

Space-efficient solutions for the day to day

All the functions of a regular oven or microwave, in a space-saving solution.

Choose from a wide variety of high capacity compact products that match the rest of your appliances, and bring the best solutions for your kitchen and your lifestyle.



Steam ovens

The highest nutrients and flavour preservation, and the lowest fat, trough simple steps cooking with our steam ovens. Healthy recipes every time.

Combi Steam ovens

Our Combi Steamer ovens combine the best of two appliances. Healthy steam cooked dishes with all the flavour, vitamins and minerals, or any traditional recipe with a multifunction oven. Everything you may need in just one appliance.

Microwaves

Quickly cook, defrost and heat up any meal or ingredient, without giving up on the flavour, and with all the convenience of a high capacity microwave.

Combi Ovens + Microwaves

Combine the high capacity of a multifunction oven with the convenience of a fast microwave, in just one appliance.



Delicious coffee, now faster and **more flavouring than ever**

Share unique moments around a cup of exquisite espresso or cappuccino. Our automatic coffee machine adds an exclusive touch of personality and refinement, while amplifying the aromas and flavours of your favourite blends. Choose among built-in capsule coffee machines or with coffee grinder. Because great conversations start with delicious coffee.





SCAN AND
DISCOVER

Keeping it fresh for days to come

Time goes by, but not necessarily for your food.

Keep all the nutrients and freshness of food, making it last longer, and saving storage space in your refrigerator and freezer. Have it all through one appliance as discreet as a drawer.





A distinguished way to serve your delicious meals

Turn every meal into comfort food, keeping not only the heat, but also the texture and aroma you wanted when you conceived the recipe. Make the whole cooking and eating experience perfect by making sure that the plating is the best possible as well.





NEW

MAESTRO **HLC 84-G1 C BM**

40L

- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Multifunction SurroundTemp oven + Microwave**
- Exclusive matte black finishing
- 11 cooking functions
- 5 power levels + 1000 W microwave power
- 2500 W grill
- HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Automatic disconnection security system
- Anti-tip deep tray, reinforced grid and glass tray
- Capacity (gross/net): 41 /40 litres



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **CLC 855 GM**

- **Urban Colors Edition**
- **Automatic built-in coffee machine**
- Self-cleaning function
- Touch control display with knobs
- 30 automatic programs
- Capacity: 2 cups at once
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Integrated steel grinder for natural coffee beans
- Coffee beans container, 200 grams capacity
- Availability for ground coffee
- 15 bar pump pressure
- 1.8 litres water tank
- Waste container
- Descaling function
- Installation with telescopic rails for easy pull out of the coffee make



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 592mm **Depth** mm



MAESTRO **CLC 855 GM**

- **Urban Colors Edition**
- **Automatic built-in coffee machine**
- Self-cleaning function
- Intensity and coffee size regulation
- Touch control display with knobs
- 30 automatic programs
- Capacity: 2 cups at once
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Integrated steel grinder for natural coffee beans
- Coffee beans container, 200 grams capacity
- Availability for ground coffee
- 15 bar pump pressure
- 1.8 litres water tank
- Waste container
- Descaling function
- Installation with telescopic rails for easy pull out of the coffee maker



COLOR

Reflex glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 412mm



MAESTRO **CLC 855 GM**

- **Urban Colors Edition**
- **Automatic built-in coffee machine**
- Self-cleaning function
- Intensity and coffee size regulation
- Touch control display with knobs
- 30 automatic programs
- Capacity: 2 cups at once
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Integrated steel grinder for natural coffee beans
- Coffee beans container, 200 grams capacity
- Availability for ground coffee
- 15 bar pump pressure
- 1.8 litres water tank
- Waste container
- Descaling function
- Installation with telescopic rails for easy pull out of the coffee maker



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 412mm



MAESTRO **CLC 855 GM**

- **Urban Colors Edition**
- **Automatic built-in coffee machine**
- Self-cleaning function
- Intensity and coffee size regulation
- Touch control display with knobs
- 30 automatic programs
- Capacity: 2 cups at once
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Integrated steel grinder for natural coffee beans
- Coffee beans container, 200 grams capacity
- Availability for ground coffee
- 15 bar pump pressure
- 1.8 litres water tank
- Waste container
- Descaling function
- Installation with telescopic rails for easy pull out of the coffee maker



COLOR

Steam Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 412mm



MAESTRO **CLC 855 GM**

- **Automatic built-in coffee machine**
- Self-cleaning function
- Intensity and coffee size regulation
- Touch control display with knobs
- 30 automatic programs
- Capacity: 2 cups at once
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Integrated steel grinder for natural coffee beans
- Coffee beans container, 200 grams capacity
- Availability for ground coffee
- 15 bar pump pressure
- 1.8 litres water tank
- Waste container
- Descaling function
- Installation with telescopic rails for easy pull out of the coffee maker



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 412mm



MAESTRO **CLC 8350 MC BK**

- **Urban Colors Edition**
- **Multi capsule and ground built-in coffee machine**
- Coffee size regulation
- Touch control display with knobs
- Capacity: 1 cup
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Availability for ground coffee
- 3 storage drawers
- 19 bar pump pressure
- 1 litre water tank
- Descaling function
- Capsule adaptors suitable for: Nespresso®, Lavazza®, Caffitaly®, E.S.E.



COLOR

Black

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 330mm



MAESTRO **CLC 835 MC BK-SS**

- **Multi capsule and ground built-in coffee machine**
- Coffee size regulation
- Touch control display with knobs
- Capacity: 1 cup
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Availability for ground coffee
- 3 storage drawers
- 19 bar pump pressure
- 1 litre water tank
- Descaling function
- Capsule adaptors suitable for: Nespresso®, Lavazza®, Caffitaly®, E.S.E.



NEW

MAESTRO **CLC 835 MC WH-SS**

- **Multi capsule and ground built-in coffee machine**
- Coffee size regulation
- Touch control display with knobs
- Capacity: 1 cup
- Adjustable height system for different cup sizes
- Milk frother and hot water pipe
- Availability for ground coffee
- 3 storage drawers
- 19 bar pump pressure
- 1 litre water tank
- Descaling function
- Capsule adaptors suitable for: Nespresso®, Lavazza®, Caffitaly®, E.S.E.



MAESTRO **HLC 860 P**

- **Multifunction SurroundTemp oven**
- 12 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable quadruple glazed door
- Automatic disconnection security system
- Children safety lock
- Safety door lock
- Automatic quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 330mm



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 330mm



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSC 635 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Children safety lock
- Automatic disconnection security system
- Safety door lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 45 / 44 litres



EASY **HBC 625 P**

- **Multifunction oven**
- 8 cooking functions
- Pyrolysis self-cleaning system and automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Safety door lock
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 45 / 44 litres



MAESTRO **HLC 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm


TEKA
TEKA
TEKA



MAESTRO **HLC 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Children safety lock
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Steam Grey Glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 8400**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 840**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 840**

- **Multifunction SurroundTemp oven**
- 9 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



TOTAL **HSC 635**

- **Multifunction oven**
- 8 cooking functions
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 3 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- Manual quick preheating
- Anti-tip deep tray
- Capacity (gross/net): 45 / 44 litres



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



EASY **HBC 535**

- **Conventional oven**
- 3 cooking functions
- HydroClean system
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 4 cooking levels
- Removable triple glazed door
- Anti-tip deep tray
- Capacity (gross/net): 49 / 48 litres



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 537+22mm



MAESTRO **HLC 8471 S**

- **Multifunction SurroundTemp oven + Steamer**
- 15 cooking functions
- Temperature range 30-100 ºC
- 1 litre water tank
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Slow cook, sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and special grid for perforated tray
- MeatProbe included
- Capacity (gross/net): 45 /44 litres



COLOR

Steam Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **HLC 8471 SC**

- **Urban Colors Edition**
- **Multifunction SurroundTemp oven + Steamer**
- 15 cooking functions
- Temperature range 30-100 ºC
- 1 litre water tank
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Slow cook, sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and Special grid for perforated tray
- MeatProbe included
- Capacity (gross/net): 45 /44 litres



COLOR

Steam Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



NEW

TOTAL **HLC 847 S**

- **Multifunction SurroundTemp oven + Steamer**
- Temperature range 30-100 ºC
- 1 litre water tank
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray,anti-tip gastronorm tray and reinforced grid
- Capacity (gross/net): 48 / 49 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **HLC 847 SC**

- **Multifunction SurroundTemp oven + Steamer**
- 15 cooking functions
- Temperature range 30-100 ºC
- 1 litre water tank
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Slow cook, sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray, anti-tip gastronorm tray and reinforced grid
- MeatProbe included
- Capacity (gross/net): 45 / 44 litres



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm


TEKA
TEKA
TEKA



NEW

MAESTRO **HLC 8471 S**

- **Multifunction SurroundTemp oven + Steamer**
- Temperature range 35-100 ºC
- 1 litre water tank
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and special grid for perforated tray
- Capacity (gross/net): 49 / 48 litres



COLOR

Reflex glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



NEW

MAESTRO **HLC 8471 SC**

- **Multifunction SurroundTemp oven + Steamer**
- 15 cooking functions
- Temperature range 30-100 ºC
- 1 litre water tank
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Slow cook, sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable quadruple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and special grid for perforated tray
- MeatProbe included
- Capacity (gross/net): 45 /44 litres



COLOR

Reflex glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **HLC 8471 S**

- **Urban colors Edition**
- **Steam oven**
- Temperature range 35-100 ºC
- 1 litre water tank
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and special grid for perforated tray
- Capacity (gross/net): 49 / 48 litres



COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **HLC 8471 S**

- **Steam oven**
- Temperature range 35-100 ºC
- 1 litre water tank
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Sterilization and regeneration function
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick preheating
- Anti-tip deep tray,anti-tip gastronorm tray, reinforced grid and special grid for perforated tray
- Capacity (gross/net): 49 /48 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



TOTAL **HSC 644 S**

- **Steam oven**
- Temperature range 50-100 ºC
- 1 litre water tank
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip deep tray, anti-tip gastronorm tray and special grid for perforated tray
- Capacity (gross/net): 49 / 48 litres



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **HLC 847 C**

- **Multifunction SurroundTemp oven + Microwave**
- 16 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Automatic HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Personal cooking assistant: 20 automatic programs
- Slow cook function
- Chrome supports with 5 cooking levels
- Plus Extension Telescopic guides
- Removable triple glazed door
- SoftClose system
- Automatic disconnection security system
- Children safety lock
- Automatic quick heating
- Anti-tip glass tray and reinforced grid
- Capacity (gross/net): 41 / 40 litres



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



NEW

MAESTRO **HLC 844 C**

- **Multifunction SurroundTemp oven + Microwave**
- 11 cooking functions
- 5 power levels + 1000 W microwave power
- 2500 WgGrill
- Defrost by time and weight
- HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip glass tray and reinforced grid
- Capacity (gross/net): 41 / 40 litres





COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

NEW

MAESTRO **HLC 844 C**

- **Multifunction SurroundTemp oven + Microwave**
- 11 cooking functions
- 5 power levels + 1000 W microwave power
- 2500 W grill
- Defrost by time and weight
- HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip glass tray and reinforced grid
- Capacity (gross/net): 41 / 40 litres



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

NEW

TOTAL **HSC 644 C**

- **Multifunction SurroundTemp oven + Microwave**
- 11 cooking functions
- 5 power levels + 1000 W microwave power
- 2500 W grill
- Defrost by time and weight
- HydroClean system
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable triple glazed door
- Automatic disconnection security system
- Children safety lock
- Anti-tip glass tray and reinforced grid
- Capacity (gross/net): 41 / 40 litres



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



MAESTRO **MLC 8440**

- **Urban Colors Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Reinforced grid
- Capacity (gross/net): 45 / 44 litres



MAESTRO **MLC 8440**

- **Urban Colors Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Reinforced grid
- Capacity (gross/net): 45 / 44 litres



NEW

MAESTRO **MLC 844**

- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Glass tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm



COLOR

Black Glass

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm


19:24
TEKA







NEW

MAESTRO MLC 844

44 L

- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time and weight
- Touch control display with knobs
- Electronic timer (Delay/Start function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Glass tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

TOTAL MSC 642

44 L

- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Glass tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm

MAESTRO MSC 642 WH

44 L

- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1400 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Chrome supports with 5 cooking levels
- Removable double glazed door
- Automatic disconnection security system
- Glass tray and reinforced grid
- Capacity (gross/net): 45 / 44 litres



COLOR

White Glass with StainlessSteel frame

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 559mm







TOTAL MWR 32 BI ATB

32 L

- **Country Style Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1500 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Removable triple glazed door
- Automatic disconnection security system
- Capacity (gross/net): 38 / 32 litres



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm

TOTAL MWR 32 BI BCB

32 L

- **Country Style Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1500 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Removable triple glazed door
- Automatic disconnection security system
- Capacity (gross/net): 38 / 32 litres



COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm

TOTAL MWR 32 BI ATB

32 L

- **Country Style Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1500 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Removable triple glazed door
- Automatic disconnection security system
- Capacity (gross/net): 38 / 32 litres



COLOR

Anthracite Silver

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm



TOTAL **MWR 32 BI BCB**

- **Country Style Edition**
- **Microwave + Grill**
- 3 cooking functions
- 5 power levels + 1000 W microwave power
- 1500 W grill
- Defrost by time
- Mechanical control knobs
- Mechanical timer (Stop function)
- Removable triple glazed door
- Automatic disconnection security system
- Capacity (gross/net): 38 / 32 litres



COLOR

Vanilla Silver

EXTERNAL DIMENSIONS

Height 455mm **Width** 595mm **Depth** 472mm



NEW

MAESTRO **VS 1520 GS**

- **Urban Colors Edition**
- **Vacuum sealer**
- Kitchen scale
- Push-pull opening system
- 2 roll holders
- Optional frontal glass :
- 111890002 - Black Glass
- 111890003 - White Glass
- 111890004 - Stone Grey Glass
- 111890005 - Steam Grey Glass
- 111890006 - London Brick Brown Glass
- 111890008 - Vanilla Glass
- 111890009 - Antrazit Glass
- 111890007 - Reflex Glass



FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 140mm **Width** 595mm **Depth** 557mm



MAESTRO **VS 152 GS**

- **Vacuum sealer**
- Kitchen scale
- Push-pull opening system
- 2 roll holders



COLOR

Black Glass

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 140mm **Width** 595mm **Depth** 557mm



NEW

MAESTRO **CP 150 GS**

- **Urban Colors Edition**
- **Plate warmer**
- Temperature range: 30°-80°
- 6 plates setting
- Push-pull opening system
- Anti-sliding base
- Cold front door
- Safety thermostat
- Optional frontal glass:
- 111890002 - Black Glass
- 111890006 - London Brick Brown Glass
- 111890004 - Stone Grey Glass
- 111890005 - Steam Grey Glass
- 111890003 - White Glass
- 111890008 - Vanilla Glass
- 111890009 - Antrazit Glass
- 111890007 - Reflex Glass



FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 140mm **Width** 595mm **Depth** 557mm



MAESTRO **CP 15 GS**

- **Plate warmer**
- Temperature range: 30°-80°
- 6 plates setting
- Push-pull opening system
- Anti-sliding base
- Cold front door
- Safety thermostat



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 140mm **Width** 595mm **Depth** 557mm



MAESTRO **CP 15 GS**

- **Plate warmer**
- Temperature range: 30°-80°
- 6 plates setting
- Push-pull opening system
- Anti-sliding base
- Cold front door
- Safety thermostat



COLOR

White Glass

FRAME Stainless Steel

EXTERNAL DIMENSIONS

Height 140mm **Width** 595mm **Depth** 557mm

Model	HLC 84 Infinity G1	HLC 860 P	HSC 635 P	HBC 625 P	HLC 8400	HLC 8400	HLC 8400	HLC 8400	HLC 8400
INNER CAVITY DIMENSIONS									
Heigth (mm)	232	232	232	232	232	232	232	232	232
Width (mm)	475	475	475	475	475	475	475	475	475
Depth (mm)	365	402	402	402	402	402	402	402	402
Net Volume (L)	40	44	44	44	44	44	44	44	44
Gross Volume (L)	41	45	45	45	45	45	45	45	45
ELECTRICAL FEATURES									
Maximum Nominal Power (W)	3.400	2.915	2.515	2.515	3.015	3.015	3.015	3.015	3.015
MWO Power (W)	–	–	–	–	–	–	–	–	–
Static oven (W)	1.000	1.050	1.050	1.050	2.550	2.550	2.550	2.550	2.550
Bottom Heating Element (W)	1.000	1.050	1.050	1.050	1.150	1.150	1.150	1.150	1.150
Grill (W)	–	1.400	1.400	1.400	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	2.450	2.450	2.450	2.500	2.500	2.500	2.500	2.500
Turbo (W)	1.600	1.800	–	–	1.800	1.800	1.800	1.800	1.800
Multifunction motor (W)	30	22	22	25	22	22	22	22	22
Inner light (W)	25	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	30	30	30	18	18	18	18	18
Cable connection length (cm)	110	150	110	110	110	110	110	110	110
SAFETY SYSTEMS									
Automatic disconnection security system	√	√	√	√	–	–	–	–	–
Children safety	√	√	√	√	–	–	–	–	–
Grill protection	√	√	√	√	√	√	√	√	√
Full glazed door	3	4	3	3	3	3	3	3	3
CLEANING SYSTEMS									
Hydroclean ECO	√	–	–	–	–	–	–	–	–
Hydroclean PRO	–	√	√	√	√	√	√	√	√
Pyrolytic	–	√	√	√	–	–	–	–	–
ENERGY EFFICIENCY									
Energy Efficiency Class	–	A+	A+	A+	A+	A+	A+	A+	A+

Model	HLC 840	HLC 840	HSC 635	HBC 535	HLC 8471 S	HLC 8471 SC	HLC 847 S	HLC 847 SC
INNER CAVITY DIMENSIONS								
Heigth (mm)	232	232	232	229	232	232	232	232
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	402	402	402	441	405	385	405	405
Net Volume (L)	44	44	44	48	48	44	48	44
Gross Volume (L)	45	45	45	49	49	45	49	45
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.015	3.015	2.615	2.593	3.000	3.000	3.000	3.000
MWO Power (W)	–	–	–	–	–	–	–	–
Static oven (W)	2.550	2.550	2.550	2.550	–	2.250	–	2.250
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.150	1.150	1.150
Grill (W)	1.400	1.400	1.400	1.400	–	1.400	–	1.400
Maxigrill (W)	2.500	2.500	2.500	–	–	2.500	–	2.500
Turbo (W)	1.800	1.800	–	–	–	1.800	–	1.800
Multifunction motor (W)	22	22	22	–	–	22	–	22
Inner light (W)	25	25	25	25	25	25	25	25
Cooling fan motor (W)	18	18	18	18	35	35	35	35
Cable connection length (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	–	–	–	–	√	√	√	√
Children safety	–	–	–	–	√	√	√	√
Grill protection	√	√	√	√	–	√	–	√
Full glazed door	3	3	3	3	3	4	3	4

Model	HLC 840	HLC 840	HSC 635	HBC 535	HLC 8471 S	HLC 8471 SC	HLC 847 S	HLC 847 SC
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	√	–	–	–	–
Hydroclean PRO	√	√	√	–	–	√	–	√
Pyrolytic	–	–	–	–	–	–	–	–
ENERGY EFFICIENCY								
Energy Efficiency Class	A+	A+	A+	A	–	A+	–	A+

Model	HLC 8471 S	HLC 8471 SC	HLC 8471 S	HLC 8471 S	HSC 644 S	HLC 847 C	HLC 844 C	HLC 844 C
INNER CAVITY DIMENSIONS								
Heigth (mm)	232	232	232	232	232	232	232	232
Width (mm)	475	475	475	475	475	475	475	475
Depth (mm)	405	385	405	405	405	365	365	365
Net Volume (L)	48	44	48	48	48	40	40	40
Gross Volume (L)	49	45	49	49	49	41	41	41
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	3.000	3.000	3.000	3.000	2.300	3.400	3.400	3.400
MWO Power (W)	–	–	–	–	–	1.000	1.000	1.000
Static oven (W)	–	2.250	–	–	–	2.100	2.100	2.100
Bottom Heating Element (W)	1.150	1.150	1.150	1.150	1.150	1.000	1.000	1.000
Grill (W)	–	1.400	–	–	–	1.400	–	–
Maxigrill (W)	–	2.500	–	–	–	2.500	2.500	2.500
Turbo (W)	–	1.800	–	–	–	1.600	1.600	1.600
Multifunction motor (W)	–	22	–	–	–	30	30	30
Inner light (W)	25	25	25	25	25	25	25	25
Cooling fan motor (W)	35	35	35	35	35	18	18	18
Cable connection length (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Automatic disconnection security system	√	√	√	√	√	√	√	√
Children safety	√	√	–	–	√	√	√	√
Grill protection	–	√	–	–	–	√	√	√
Full glazed door	3	4	3	3	3	3	3	3
CLEANING SYSTEMS								
Hydroclean ECO	–	–	–	–	–	–	√	√
Hydroclean PRO	–	√	–	–	–	√	–	–
Pyrolytic	–	–	–	–	–	–	–	–
ENERGY EFFICIENCY								
Energy Efficiency Class	–	A+	–	–	–	–	–	–

Model	HSC 644 C	MLC 8440	MLC 8440	MLC 844	MLC 844	MSC 642
INNER CAVITY DIMENSIONS						
Heigth (mm)	232	232	232	232	232	232
Width (mm)	475	475	475	475	475	475
Depth (mm)	365	365	365	365	365	405
Net Volume (L)	40	44	44	44	44	44
Gross Volume (L)	41	45	45	45	45	45
ELECTRICAL FEATURES						
Maximum Nominal Power (W)	3.400	3.200	3.200	3.200	3.200	3.200
MWO Power (W)	1.000	1.000	1.000	1.000	1.000	1.000
Static oven (W)	2.100	–	–	–	–	–
Bottom Heating Element (W)	1.000	–	–	–	–	–
Grill (W)	–	1.400	1.400	1.400	1.400	1.400
Maxigrill (W)	2.500	–	–	–	–	–
Turbo (W)	1.600	–	–	–	–	–
Multifunction motor (W)	30	–	–	–	–	–
Inner light (W)	25	25	25	25	25	25

Model	HSC 644 C	MLC 8440	MLC 8440	MLC 844	MLC 844	MSC 642
Cooling fan motor (W)	18	18	18	18	18	18
Cable connection length (cm)	110	110	110	110	110	110
SAFETY SYSTEMS						
Automatic disconnection security system	√	√	√	√	√	√
Children safety	√	–	–	–	–	–
Grill protection	√	√	√	√	√	√
Full glazed door	3	2	2	2	2	2
CLEANING SYSTEMS						
Hydroclean ECO	√	–	–	–	–	–
Hydroclean PRO	–	–	–	–	–	–
Pyrolytic	–	–	–	–	–	–
ENERGY EFFICIENCY						
Energy Efficiency Class	–	–	–	–	–	–

Model	MSC 642 WH	MWR 32 BI ATB	MWR 32 BI BCB	MWR 32 BI ATB	MWR 32 BI BCB
INNER CAVITY DIMENSIONS					
Heigth (mm)	232	210	210	210	210
Width (mm)	475	420	420	420	420
Depth (mm)	405	390	390	390	390
Net Volume (L)	44	32	32	32	32
Gross Volume (L)	45	38	38	38	38
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	3.200	3.300	3.300	3.300	3.300
MWO Power (W)	1.000	1.000	1.000	1.000	1.000
Static oven (W)	–	-	-	-	-
Bottom Heating Element (W)	–	-	-	-	-
Grill (W)	1.400	1.500	1.500	1.500	1.500
Maxigrill (W)	–	1.500	1.500	1.500	1.500
Turbo (W)	–	-	-	-	-
Multifunction motor (W)	–	-	-	-	-
Inner light (W)	25	20	20	20	20
Cooling fan motor (W)	18	35	35	35	35
Cable connection length (cm)	110	150	150	150	150
SAFETY SYSTEMS					
Automatic disconnection security system	√	√	√	√	√
Children safety	–	–	–	–	–
Grill protection	√	–	–	–	–
Full glazed door	2	3	3	3	3
CLEANING SYSTEMS					
Hydroclean ECO	–	–	–	–	–
Hydroclean PRO	–	–	–	–	–
Pyrolytic	–	–	–	–	–
ENERGY EFFICIENCY					
Energy Efficiency Class	–	-	-	-	-

Model	CLC 855 GM	CLC 855 GM	CLC 855 GM	CLC 855 GM	CLC 855 GM	CLC 8350 MC BK	CLC 835 MC BK-SS	CLC 835 MC WH-SS
Multicapsule	–	–	–	–	–	√	√	√
INNER CABINET DIMENSIONS								
Cabinet height (mm)	–	–	–	–	–	–	–	–
Cabinet width (mm)	–	–	–	–	–	–	–	–
Cabinet depth (mm)	–	–	–	–	–	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	1.350	1.350	1.350	1.350	1.350	2.200	2.200	2.200
Cable connection length (cm)	180	180	180	180	180	110	110	110

Model	VS 1520 GS	VS 152 GS	CP 150 GS	CP 15 GS	CP 15 GS
INNER CABINET DIMENSIONS					
Cabinet height (mm)	–	100	100	100	100
Cabinet width (mm)	–	470	470	470	470
Cabinet depth (mm)	–	500	500	500	500
ELECTRICAL FEATURES					
Maximum Nominal Power (W)	115	115	420	420	420
Cable connection length (cm)	110	110	110	110	110

Free Standing Cookers

Turning great cooking experiences
into memorable moments

SCAN AND
DISCOVER



TOTAL **FS 3RS966 GG X**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 2 triple ring burners, 4.6 kW
- 1 fast burner, 3.00 kW
- 3 semi fast burners, 1.7 kW
- 4 cooking functions
- Cast iron grids
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 17450 W
- Oven heat source: Gas
- Oven capacity: 142 litres
- Timer
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 5 cooking levels
- 2 deep trays



TOTAL **FS 3RL966 GGX**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 2 triple ring burners, 4.6 kW
- 1 fast burner, 3.00 kW
- 3 semi fast burners, 1.7 kW
- 4 cooking functions
- Cast iron grids
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 17450 W
- Oven heat source: Gas
- Oven capacity: 142 litres
- Timer
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 5 cooking levels
- 2 deep trays



NEW

EASY **FS 902 5GG SS LPG**

- **Free standing cooker**
- Gas hob
- 5 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 2.9 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0.95 kW
- 3 cooking functions
- Cast iron grids
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 10750 W
- Oven heat source: Gas
- Oven capacity: 106 litres
- Minute minder
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels
- 1 deep tray



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 900mm **Depth** 635mm



NEW

EASY **FS 901 5GE SS LPG**

- **Free standing cooker**
- Gas hob
- 5 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 2.9 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0,95 kW
- 7 cooking functions
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 10750 W
- Oven heat source: Electric
- Oven capacity: 100 litres
- Timer
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels
- 1 deep tray



EASY **FS 605 4GG SS (INA)**

- **Free standing cooker**
- Gas hob
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0.95 kW
- 3 cooking functions
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 7850 W
- Oven heat source:Gas
- Oven capacity: 59 litres
- Minute minder
- Removable double glazed door
- Chromed supports with 4 cooking levels
- Inner light
- 1 baking tray



EASY **FS 605 4GG SS (THA)**

- **Free standing cooker**
- Gas hob
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0.95 kW
- 3 cooking functions
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 7850 W
- Oven heat source: Gas
- Oven capacity: 59 litres
- Minute minder
- Removable double glazed door
- Chromed supports with 4 cooking levels
- Inner light
- 1 baking tray



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 900mm **Depth** 635mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 852mm **Width** 598mm **Depth** 633mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 852mm **Width** 598mm **Depth** 633mm



NEW

EASY **FS 601 4GG SS LPG**

A

- **Free standing cooker**
- Gas hob
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0.95 kW
- 3 cooking functions
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 7850 W
- Oven heat source:Gas
- Oven capacity: 59 litres
- Safety thermostat
- Removable double glazed door
- Chromed supports with 4 cooking levels
- Inner light
- 1 deep tray

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 852mm **Width** 598mm **Depth** 633mm



NEW

EASY **FS 502 4GG WH LPG**

- **Free standing cooker**
- Gas hob
- 3 cooking zones
- 1 fast burner, 2.9 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 0.95 kW
- 2 cooking functions
- Automatic safety disconnection
- Maximum nominal power: 7250 W
- Oven heat source: Gas
- Oven capacity: 43 litres
- Removable double glazed door
- Chromed supports with 4 cooking levels
- 1 baking tray



COLOR

White

EXTERNAL DIMENSIONS

Height 813mm **Width** 500mm **Depth** 564mm



NEW

EASY **FS 903 5VE SS**

- **Free standing cooker**
- Electric hob
- 5 cooking zones
- 1 high lights Ø 140/250 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 140 mm
- 8 cooking functions
- Maximum nominal power: 11286W
- Oven heat source: Electric
- Oven capacity: 100 litres
- Timer
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels
- 1 deep tray



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 900mm **Depth** 635mm



NEW

EASY **FS 502 4VE WH**

- **Free standing cooker**
- Electric hob
- 3 cooking zones
- 1 high lights Ø 180 mm
- 2 high lights Ø 140 mm
- 3 cooking functions
- Maximum nominal power: 7615 W
- Oven heat source: Electric
- Oven capacity: 48 litres
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels
- 1 baking tray



COLOR

White

EXTERNAL DIMENSIONS

Height 852mm **Width** 498mm **Depth** 633mm



NEW

EASY **FS 603 4VE SS**

A

- **Free standing cooker**
- Vitroceramic hob
- 4 cooking zones
- 2 high lights Ø 180 mm
- 2 high lights Ø 140 mm
- 8 cooking functions
- Maximum nominal power: 5800 W
- Oven heat source: Electric
- Oven capacity: 59 litres
- Timer
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels
- 1 deep tray



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 852mm **Width** 598mm **Depth** 633mm



TOTAL **EMGG 8660 S RX**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 2 fast burners, 2.20 kW
- 4 semi fast burners, 1.9 kW
- 1 cooking function
- Cast iron grids
- Auto-ignition
- Maximum nominal power: 13800 W
- Oven heat source: Gas
- Oven capacity: 134 litres
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 5 cooking levels



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 780mm **Width** 760mm **Depth** 640mm



TOTAL **EMGG 8665 S RX**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 1 double ring burner, 3.30 kW
- 1 fast burner, 2.20 kW
- 4 semi fast burners, 1.9 kW
- 2 cooking functions
- Cast iron grids
- Auto-ignition
- Maximum nominal power: 14100 W
- Oven heat source: Gas
- Oven capacity: 134 litres
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels



TOTAL **FSGG 8665 S RXFSGG 8665 S RX**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 1 double ring burner, 3.30 kW
- 1 fast burner, 2.20 kW
- 4 semi fast burners, 1.9 kW
- 1 cooking function
- Cast iron grids
- Auto-ignition
- Maximum nominal power: 14100 W
- Oven heat source: Gas
- Oven capacity: 134 litres
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 4 cooking levels



TOTAL **FSGG 8660 S RX**

- **Free standing cooker**
- Gas hob
- 6 cooking zones
- 2 fast burners, 2.20 kW
- 4 semi fast burners, 1.9 kW
- 1 cooking functions
- Cast iron grids
- Auto-ignition
- Maximum nominal power: 13800 W
- Oven heat source: Gas
- Oven capacity: 134 litres
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 5 cooking levels



TOTAL **FS3R S965GG XL**

- **Free standing cooker**
- Gas hob
- 4 cooking zones
- 1 triple ring burner, 4.2 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- 4 cooking functions
- Cast iron grids
- Auto-ignition
- Automatic safety disconnection
- Maximum nominal power: 11750 W
- Oven heat source: Gas
- Oven capacity: 115 litres
- Minute minder
- Safety thermostat
- Removable double glazed door
- Inner light
- Chromed supports with 5 cooking levels
- 2 baking trays



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 780mm **Width** 760mm **Depth** 640mm



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 970mm **Width** 760mm **Depth** 640mm



COLOR

Stainless Steel - Reflex

EXTERNAL DIMENSIONS

Height 970mm **Width** 760mm **Depth** 640mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 860-905mm **Width** 895mm **Depth** 600mm

Microwaves

The kitchen is where family
memories are homemade

WORLDWIDE **NOVELTY**

Infinity | G1 Edition

THE BEST LOOKING **CONVENIENCE**

The microwave, reinvented.

Convenience and fast cooking solutions will be only part of the advantages of our new Infinity | G1 Edition Microwave Oven, which will fulfill all of these cooking needs, in such a stylish way, rarely seen in a microwave oven.

Black matt finishing

For an exclusive look. Soft touch and attractive design.

Convenient solution

Your quick cooking needs, solved in the most elegant and convenient way possible.

Discover the complete edition

Get the most out of your Infinity | G1 Edition Microwave Oven, by matching it with the rest of the products of the edition.



SCAN AND
DISCOVER

Design and performance **to suit your life**

OUR MICROWAVES RANGE WILL PROVE TO BE **AN IDEAL ALLY FOR YOUR EVERYDAY COOKING NEEDS**

Cooking fast and easy without saying goodbye to that unique taste of our traditional recipes.

Teka microwaves offer countless and intuitive functions with an exclusive design. Our microwaves style fits perfectly with our ovens and compacts, creating harmony in every kitchen. Make your kitchen a piece of art.



Cooking meals to share **was never so fast and easy**

Ceramic base

Don't get another hot-but-cold dish thanks to our homogeneous heat system. Waves distribution comes from the lower ceramic base with no need to use turntable plates.

Our microwaves have wide cooking surfaces to use bigger plates, and a completely flat cavity, easier to clean and to reach any part of it where food stains may remain. Great efficiency comes included too.

Crunch plate

You can do a potato omelette without turning it upside down. Cook a quiche or even do some crunchy French fries. You can have crispy pizzas thanks to the plate, reaching very high temperatures to turn the borders golden brown and crusty.

Memory

With our microwaves you can select different power memories and heating times so you can repeat your favourite recipes as many times as you wish.

Easy installation

Frontal trim kit is included in the microwave for an easy installation. The frame is already fixed to the microwave oven instead of the cabinet, so the assembly process is faster. Thanks to this, you can get your new microwave ready in just 5 minutes and using only 4 screws.





NEW

MAESTRO **ML 82 INFINITY G1**

- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Built-in Microwave + Grill**
- Exclusive matte black finishing
- Ceramic base with uniform heating
- 3 cooking functions
- 5 power levels, 850 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 /21.56 litres
- Stainless steel cavity
- Crunch plate included



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



NEW

MAESTRO ML 8220 BIS

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Crunch plate included
- Tangential ventilation



COLOR

Black Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



NEW

MAESTRO ML 8220 BIS L

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Crunch plate included
- Tangential ventilation



COLOR

White Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



NEW

MAESTRO ML 8220 BIS

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Crunch plate included
- Tangential ventilation



COLOR

Steam Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



NEW

MAESTRO ML 8220 BIS L

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Crunch plate included
- Tangential ventilation



COLOR

Stone Grey Glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



NEW

MAESTRO ML 8220 BIS L

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Crunch plate included
- Tangential ventilation



COLOR

London brick brown glass

FRAME Infinity glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm



MAESTRO ML 822 BIS

- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with right opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

MICROWAVES







MAESTRO ML 822 BIS L

- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation

MAESTRO ML 822 BIS R

- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 9 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with right opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation

TOTAL MS 622 BI L

- **Built-in Microwave**
- Ceramic base with uniform heating
- 1 cooking function
- 5 power levels, 1400 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with right opening
- Automatic disconnection when open door
- Incandescent inner light
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation







COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm







TOTAL MS 622 BIS L

- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 2 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation

TOTAL MS 622 BIS R

- **Built-in Microwave + Grill**
- Ceramic base with uniform heating
- 3 cooking functions
- 2 direct access menus
- 5 power levels, 2500 W
- Grill power: 1200 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Dropdown grill
- Quick start
- Capacity (gross/net): 22 / 21.56 litres
- Stainless steel cavity
- Tangential ventilation

TOTAL MWR 22 BI BRIGHT CREAM

- **Country Style Edition**
- **Built-in Microwave**
- Ceramic base with uniform heating
- 1 cooking function
- 5 power levels, 1400 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Tangential ventilation







COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 334mm

COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm



NEW

TOTAL MWR 22 BI

- **Country Style Edition**
- **Built-in Microwave**
- Ceramic base with uniform heating
- 1 cooking function
- 5 power levels, 1400 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Tangential ventilation



COLOR

Vanilla Silver

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm



TOTAL MWR 22 BI ANTHRACITE

- **Country Style Edition**
- **Built-in Microwave**
- Ceramic base with uniform heating
- 1 cooking function
- 5 power levels, 1400 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Tangential ventilation



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm



NEW

TOTAL MWR 22 BI

- **Country Style Edition**
- **Built-in Microwave**
- Ceramic base with uniform heating
- 1 cooking function
- 5 power levels, 1400 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Electronic door opening
- Automatic disconnection when open door
- Incandescent inner light
- Capacity (gross/net): 22 / 21,56 litres
- Stainless steel cavity
- Tangential ventilation



COLOR

Anthracite Silver

EXTERNAL DIMENSIONS

Height 380/390mm **Width** 595mm **Depth** 334mm



MAESTRO ML 8200 BIS

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- 3 cooking functions
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Automatic disconnection when open door
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



MAESTRO ML 8200 BIS

- **Urban Colors Edition**
- **Built-in Microwave + Grill**
- 3 cooking functions
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Automatic disconnection when open door
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



COLOR

White

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



MAESTRO ML 820 BI

- **Built-in Microwave**
- 1 cooking function
- 5 power levels, 1200 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with right opening
- Automatic disconnection when open door
- Capacity (gross/net): 18 / 20 litres
- Stainless steel cavity



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



MAESTRO ML 820 BIS

- **Built-in Microwave + Grill**
- 3 cooking functions
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- Automatic disconnection when open door
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



MAESTRO ML 820 BIS

- **Built-in Microwave + Grill**
- 3 cooking functions
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- Automatic disconnection when open door
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



TOTAL MS 620 BIS

- **Built-in Microwave + Grill**
- 3 cooking functions
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- Automatic disconnection when open door
- Stainless steel (fingerprint proof)
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



COLOR

White Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



TOTAL MS 620 BIH

- **Built-in Microwave**
- 1 cooking function
- 3 direct access menus
- 1 memory
- 5 power levels, 1200 W
- Defrost by time and weight
- Touch control display with knobs
- Double glazed door with left opening
- Automatic disconnection when open door
- Stainless steel (fingerprint proof)
- Quick start
- Capacity (gross/net): 20 / 18 litres
- Stainless steel cavity



EASY MB 620 BI

- **Built-in Microwave**
- 1 cooking function
- 5 power levels, 1200 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Automatic disconnection when open door
- Stainless steel (fingerprint proof)
- Capacity (gross/net): 18 / 20 litres
- Stainless steel cavity



EASY MB 620 BI

- **Built-in Microwave**
- 1 cooking function
- 5 power levels, 1200 W
- Defrost by time
- Mechanical control knobs
- Double glazed door with left opening
- Automatic disconnection when open door
- Stainless steel (fingerprint proof)
- Capacity (gross/net): 18 / 20 litres
- Stainless steel cavity



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



COLOR

Stainless Steel

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



COLOR

White

FRAME White

EXTERNAL DIMENSIONS

Height 390mm **Width** 595mm **Depth** 325mm



EASY **MWE 202 FI**

- **Built-in Microwave + Grill**
- 3 cooking functions
- 8 direct access menus
- 5 power levels, 1250 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- LED inner light
- Capacity (gross/net): 20,31 / 20 litres
- Stainless steel cavity



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 340mm **Width** 463mm **Depth** 343mm



TOTAL **MWE 225 FI**

- **Built-in Microwave + Grill**
- 3 cooking functions
- 8 direct access menus
- 5 power levels, 1250 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- LED inner light
- Stainless steel (fingerprint proof)
- Quick start
- Capacity (gross/net): 20,31 / 20 litres
- Stainless steel cavity



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 340mm **Width** 463mm **Depth** 343mm



MAESTRO **ML 825 TFL**

- **Built-in Microwave + Grill**
- 3 cooking functions
- 8 direct access menus
- 2 memories
- 5 power levels, 1450 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with minute minder
- Double glazed door with right opening
- Electronic door opening
- Children safety lock
- Automatic disconnection when open door
- Incandescent inner light
- Quick start
- Capacity (gross/net): 25 / 23.6 litres
- Stainless steel cavity



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 384mm **Width** 595mm **Depth** 392mm



TOTAL **MWE 255 FI**

- **Built-in Microwave + Grill**
- 3 cooking functions
- 10 direct access menus
- 5 power levels, 1450 W
- Grill power: 1000 W
- Defrost by time and weight
- Touch control display with knobs and minute minder
- Double glazed door with right opening
- Children safety lock
- LED inner light
- Stainless steel (fingerprint proof)
- Quick start
- Capacity (gross/net): 25 / 23.6 litres
- Stainless steel cavity



COLOR

Black Glass with StainlessSteel frame

FRAME Stainless steel

EXTERNAL DIMENSIONS

Height 378mm **Width** 515mm **Depth** 413mm

Model	ML 82 Infinity G1	ML 8220 BIS	ML 8220 BIS L	ML 8220 BIS	ML 8220 BIS L	ML 8220 BIS L	ML 822 BIS	ML 822 BIS L	ML 822 BIS R
INNER CAVITY DIMENSIONS									
Heigth (mm)	220	220	220	220	220	220	220	220	220
Width (mm)	350	350	350	350	350	350	350	350	350
Depth (mm)	280	280	280	280	280	280	280	280	280
Volume (L)	21,56	22	22	22	22	22	22	22	22
ELECTRICAL FEATURES									
Maximum Nominal Power (W)	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500	2.500
Microwave Power (W)	850	850	850	850	850	850	850	850	850
Grill power (W)	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200
Cable connection length (cm)	110	110	110	110	110	110	110	110	110
SAFETY SYSTEMS									
Children safety block	√	–	–	–	–	–	√	√	√
Safety thermostat	√	√	√	√	√	√	√	√	√
Automatic disconnection when opening the door	√	√	√	√	√	√	√	√	√
Tangential ventilation	√	√	√	√	√	√	√	√	√

Model	MS 622 BI L	MS 622 BIS L	MS 622 BIS R	MWR 22 BI BRIGHT CREAM	MWR 22 BI	MWR 22 BI ANTHRACITE	MWR 22 BI	ML 8200 BIS
INNER CAVITY DIMENSIONS								
Heigth (mm)	220	220	220	220	220	220	220	210
Width (mm)	350	350	350	350	350	350	350	305
Depth (mm)	280	280	280	280	280	280	280	280
Volume (L)	22	22	22	22	22	22	22	20
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	1.400	2.500	2.500	1.400	1.400	1.400	1.400	1.200
Microwave Power (W)	850	850	850	850	850	850	850	750
Grill power (W)	–	1.200	1.200	–	–	–	–	1.000
Cable connection length (cm)	110	110	110	150	150	150	150	110
SAFETY SYSTEMS								
Children safety block	–	√	√	–	–	–	–	–
Safety thermostat	√	√	√	√	√	√	√	√
Automatic disconnection when opening the door	√	√	√	√	√	√	√	√
Tangential ventilation	√	√	√	√	√	√	√	–

Model	ML 8200 BIS	ML 820 BI	ML 820 BIS	ML 820 BIS	MS 620 BIS	MS 620 BIH	MB 620 BI	MB 620 BI
INNER CAVITY DIMENSIONS								
Heigth (mm)	210	210	210	210	210	210	210	210
Width (mm)	305	305	305	305	305	305	305	305
Depth (mm)	280	280	280	280	280	280	280	280
Volume (L)	20	20	20	20	20	20	20	20
ELECTRICAL FEATURES								
Maximum Nominal Power (W)	1.200	1.200	1.200	1.200	1.200	1.200	1.200	1.200
Microwave Power (W)	750	750	750	750	750	750	750	750
Grill power (W)	1.000	–	1.000	1.000	1.000	–	–	–
Cable connection length (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Children safety block	–	–	√	√	√	–	–	–
Safety thermostat	√	√	√	√	√	√	√	√
Automatic disconnection when opening the door	√	√	√	√	√	√	√	√
Tangential ventilation	–	–	–	–	–	–	–	–

Model	MWE 202 FI	MWE 225 FI	ML 825 TFL	MWE 255 FI
INNER CAVITY DIMENSIONS				
Heigth (mm)	218	218	206	206
Width (mm)	295	295	328	328
Depth (mm)	316	316	368	368
Volume (L)	20,0	20,0	25	23,6
ELECTRICAL FEATURES				
Maximum Nominal Power (W)	1.250	1.250	1.450	1.450
Microwave Power (W)	800	800	900	900
Grill power (W)	1.000	1.000	1.000	1.000
Cable connection length (cm)	–	–	110	–
SAFETY SYSTEMS				
Children safety block	√	√	√	√
Safety thermostat	√	√	√	√
Automatic disconnection when opening the door	–	–	√	–
Tangential ventilation	–	–	–	–

Hobs

Add some of your own magic
to each of your recipes

WORLDWIDE **NOVELTY**

Infinity | G1 Edition

COOKING WILL **NEVER BE THE SAME**

The new Infinity | G1 Edition Induction and Gas Hobs will be the solution to enjoy cooking like never before.

Their black matt finishing with copper details make them a work of art, with fine lines and tasteful details.

Our Infinity | G1 Edition Induction Hobs, with Flex cooking zones, ceramic glass surface and direct functions, will prove to be the ideal cooking assistant, accompanying you at every step of the cooking process.

In the case of our Infinity | G1 Edition Gas Hobs, their ergonomic knobs will be a pleasure to touch and use. Their glass top, easy to clean, gives an elegant touch to any kitchen.

Designed down to the last detail

Outstanding combination of black glass and copper details. Ergonomic and great-looking control panel, for the most absolute convenience.

Options to choose from

Induction or gas: choose your favorite and enjoy either way.

Discover the complete edition

Get the most out of your Infinity | G1 Edition Hobs, by matching them with the rest of the products of the edition.

SCAN AND
DISCOVER

WORLDWIDE **NOVELTY**

MasterSense Air induction hob

REDEFINING INTEGRATION

The perfect combination for a renewed kitchen: induction hob with direct functions through temperature sensors, intuitive control panel, and integrated high performance hood, with automatic ignite in sync with the hob.

The best of the two worlds, at once.



WORLDWIDE **NOVELTY**

Alexa, I want to make some rice

WELCOME TO **INTELLIGENT COOKING.**

This intelligent induction hob features voice control and an automatic Rice Cooking function. Alexa® Will give your step by step guidance on how to cook delicious rice.

Auto ignition

Your Hood turns itself on and is regulated automatically.

Always know what is going on

Access all the information on your hob from wherever you want.

Teka Home App

Discover all the different features on the Teka Home App.



MasterSense Series

THE HIGHEST **PRECISION**

The MasterSense series includes direct cooking functions with temperature sensors to guarantee perfect results on each recipe. It also has additional features, such as XXL zones, which detect the size and shape of different kitchenware and activate the heat accordingly, and Flex zones, for kitchenware of up to 40 cm.

Enjoy special features, such as SlideCooking, with this series available in different sizes and finishes, with the best design and durability, thanks to its worldwide renowned Schott ceramic glass.



SCAN AND
DISCOVER

The Hybrid Series

THE BEST OF THE **TWO WORLDS**

Why give up something when you can have it all?

Teka presents The Hybrid, a new concept of a mixed hob available in various sizes for your kitchen, combining gas and induction. Cook with gas or induction, depending on your needs.

SCAN AND
DISCOVER

VarioPro Series

REINVENT **YOUR KITCHEN**

Discover our new VarioPro series. A modular range that you can design to suit your kitchen and your lifestyle, with the hood where you need it most, next to your hob.

Choose and combine your hood as you wish with Induction, Gas, Highlight hobs or Teppanyaki.



SCAN AND
DISCOVER



A varied range, everything **delivering perfect results**



Induction

- Very fast
- Very easy to clean
- Direct heating
- Safety – Not burn in the surface

Vitroceramic

- Cost effective
- Use any kitchenware



Gas on Glass

- Ease-to-clean and elegant glass surface
- Traditional cooking
- Use any kitchenware
- Direct control
- Fast

Gas on Steel

- The power of gas plus cast iron grids
- Traditional cooking
- Robust stainless steel surface
- Use any kitchenware
- Exact power control
- Fast

Mixed

Enjoy the versatility of having two different cooking technologies at the same time. Traditional clay kitchenware or the latest pans; it's up to you.

SCAN AND **DISCOVER**

Choose your pan and meal size, **your hob will do the rest**

Temperature sensors

Find the right cooking temperature for the best results can be a challenge. Thanks to temperature sensors we can reach a uniform and constant cooking temperature. A smart and healthy way to give you a helping hand in the kitchen.

Direct Functions

A wide variety of cooking techniques can be easily performed with Direct Functions, which control the specific hob behaviour to reach the desired results. We take care of you through precision, thanks to the 10 intuitive functions.

- Grilling
- Pan Frying
- Deep Frying
- Quick Boiling
- Simmering
- Melting
- Keep Warm
- Confit
- Poach
- Rice Cooking



EXCLUSIVE **RICECOOKING FUNCTION**

Let your hob do it for you.

The first and only hob capable of automatically cooking a complete dish from beginning to end. Our DirectSense hob automatically prepares delicious rice, by only choosing the Direct Function on the control panel, adding the ingredients into the pan, and covering it.

This superb hob includes 9 more direct functions, and thanks to its FullFlex zone, it is possible to cook along the whole hob, or activate the XL zone, and take advantage of the whole induction surface, with kitchenware of up to 40 cm.

SCAN AND
DISCOVER

Wider and more intuitive cooking zones

FullFlex zones

Cook with no limits thanks to our FullFlex technology using the whole cooking surface. Use your imagination and cook with pans of any size.

XXL zones

Cooking for all the family or create that big paella you were talking about with friends weeks ago. With Paella zone XXL, 320mm, everybody is welcome at home to enjoy meals. Cook with big pans and create great memories.

Flex induction

Designed to use every single corner of the cooking area with different shape pans. Perfect for grill, Teppanyaki or rectangular pots.

SlideCooking

Just move the pan from one side to another and SlideCooking will do the rest. The hob automatically changes the power for maximum convenience, so you can cook with high intensity on the front zone of the hob, with medium intensity at the center, or you can slide your pan to the back to keep warm.







SCAN AND **DISCOVER**

One control **to rule them all**

iKnob

Feel the power of absolute control. An induction hob unique in every sense thanks to the exclusive design. Power and precision in just one control. The hob control works with the removable knob with a soft touch.

MultiSlider

Independent and direct control of each part of the hob to reach a higher precision level. Slide your finger or press the power you need. You will never be wrong with your recipes thanks to the new touch control MultiSlider.

ExactFlame

Trying to guess the power of the flame it's something of the past. With ExactFlame you can easily control flame power with the highest precision. You can choose a range of power from 1 to 9, ready for any kind of cooking you need at any time.

Ergonomic Gas Knobs

Designed to become one with your finger-tips, our Ergonomic Gas Knobs are shaped to offer subtle comfort at every touch.

SCAN AND
DISCOVER

High quality finishing to complement the safest technology

We know you choose Teka because you choose quality. That is why we work hard every day to make that claim our life philosophy, where durability and resistance are definitely important features.

Schott Ceran ®

Having a partnership with a market leader known for its supreme quality is no coincidence, when product quality is a promise. Schott® ceramic glass is a key component for our great long-lasting hobs.

Ceramic glass

Kitchen beauty and easy cleaning are only some of our ceramic glass hobs advantages, as they also increase your kitchen counter space, which is especially handy for reduced-space kitchens.

Total and Frontal Bevel

Smooth edges that turn our hobs into safer and more beautiful and resistant options. Edge bevel can be partial or total.

Rounded glass

For those who prefer originality above all. Our rounded glass hobs add a touch of design and uniqueness to any kitchen.

Stainless steel frame

Our hobs' inox frame adds a special finishing, and gives extra protection to the glass edges.

Caring for you and your loved ones

Child Lock

Our child lock feature helps you prevent your little ones from changing your hob settings.

Auto Lock

For safety, our hobs automatically locks itself after a period of no activity.

High Quality Burners

Because we know you prefer long-lasting products, our Gas hobs are equipped with high-quality burners that ensure perfect functioning for years to come.

Autoignition

Fast and easy ignition for your Gas hob at the simple touch of a key.







NEW

MAESTRO IBF 64 INFINITY G1

- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Flex induction hob**
- Exclusive matte black finishing
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 Flex zones Ø 235 X 188,5 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



NEW

MAESTRO GBC 64 INFINITY G1

- **Infinity | G1 Edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 4 cooking zones
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 6950 W



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm



NEW

MAESTRO GBC 75 INFINITY G1

- **Infinity | G1 Edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3,50 kW
- 1 fast burner, 2,80 kW
- 1 semi fast burner, 1,75 kW
- 1 semi fast burner, 1,40 kW
- 1 auxiliary burner, 1,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10450 W
- Optional: Wok support



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm



NEW

MAESTRO GBC 82 INFINITY G1

- **Infinity G1 special edition**
- **Designed in Italy by Giugiaro Italdesign**
- **Gas on Glass hob**
- Exclusive matte black finishing
- Frontal mechanical control panel with ergonomic design
- 2 cooking zones
- 2 double ring burners, 5,00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10000 W
- Wok support included



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 510mm



NEW

MAESTRO AFF 87600 MST BK

- **Induction hob with integrated hood**
- **Automatic hood activation**
- Direct functions: Confit, poach, grilling, pan frying, deep frying, slimmering, melting
- Touch control multiSlider
- 4 cooking zones
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power: 7200 (IH) + 200 (AH)
- Optional: Teppanyaki and grilling plate
- FreshAir function
- Brushless EcoPower Motor
- 9 speeds
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 43
- 2 aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator



COLOR

Black

EXTERNAL DIMENSIONS

Height 215mm **Width** 770mm **Depth** 490mm



NEW

MAESTRO AFC 87628 MST BK

- **Induction hob with integrated hood**
- **Automatic hood activation**
- Direct functions: Confit, poach, grilling, pan frying, deep frying, slimmering, melting
- Touch control multiSlider
- 3 cooking zones, including wide paella zone
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power Plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power: 7200 (IH) + 200 (AH)
- Optional: Teppanyaki and grilling plate
- FreshAir function
- Brushless EcoPower Motor
- 9 speeds
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 43
- 2 aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator



COLOR

Black

EXTERNAL DIMENSIONS

Height 215mm **Width** 770mm **Depth** 490mm



NEW

MAESTRO IZF 68780 MST BK

- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black

EXTERNAL DIMENSIONS

Height 57mm **Width** 600mm **Depth** 510mm



NEW

MAESTRO IZF 68770 MST BK

- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black

EXTERNAL DIMENSIONS

Height 57mm **Width** 600mm **Depth** 510mm



NEW

MAESTRO IZF 88770 MST BK

- **Induction hob**
- **Direct functions: Quick boiling and keep warm**
- **iKnob Touch Control**
- 3 cooking zones
- 1 zone Ø 190/300 mm
- 1 zone Ø 215 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black

EXTERNAL DIMENSIONS

Height 57mm **Width** 800mm **Depth** 510mm



NEW

MAESTRO IZF 99770 MST BK

- **Teka Home: smart appliances with Wi-Fi connection**
- **FullFlex Induction hob**
- SlideCooking function
- HobToHood, automatic hood connection during cooking
- Direct functions with temperature sensors: rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting, keep warm
- Touch Control MultiSlider
- 6 cooking zones
- 4 zones Ø 262,5 x 195 mm
- 2 zones Ø 252,8 x 195 mm
- Ceramic glass surface
- Auto-lock safety disconnection
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 11100 W



COLOR

Black

EXTERNAL DIMENSIONS

Height 57mm **Width** 900mm **Depth** 510mm



NEW

MAESTRO IZF 99700 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **FullFlex Induction hob**
- SlideCooking Function
- Direct functions with temperature sensors: Rice cooking, confit, keep warm, poaching, grilling, pan frying, deep frying, quick boiling, simmering and melting
- Touch Control MultiSlider
- 6 cooking zones
- 6 zone Ø 262,5 X 195 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 11.100 W



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 57mm **Width** 900mm **Depth** 510mm



NEW

MAESTRO IZF 88700 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **FullFlex Induction hob**
- SlideCooking Function
- Direct functions with temperature sensors: Rice cooking, keep warm, confit, poaching, grilling,keep warm, pan frying, deep frying, quick boiling, simmering and melting.
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 296,5 X 197,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 57mm **Width** 800mm **Depth** 510mm



NEW

MAESTRO IZF 68700 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **FullFlex Induction hob**
- Direct functions with temperature sensors: Rice cooking, confit, poaching, grilling, pan frying, deep frying, quick boiling,keep warn, simmering and melting.
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 262,5 X 195 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 57mm **Width** 600mm **Depth** 510mm



MAESTRO IT 6450 IKNOB

- **Induction hob**
- **Direct functions: Quick boiling and keep warm**
- **iKnob Touch Control**
- 4 cooking zones
- 1 zone Ø 210 mm
- 2 zones Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm



MAESTRO IKNOB IT 6350

- **Induction hob**
- **Direct functions: Quick boiling and keep warm**
- **iKnob Touch Control**
- 3 cooking zones
- 1 zone Ø 190/300 mm
- 1 zone Ø 215 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 50mm **Width** 605mm **Depth** 515mm



TOTAL IZS 97630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 5 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 10.800 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 510mm



MAESTRO IZS 96700 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zone Ø 228 x 200 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 510mm



MAESTRO IZS 86630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 800mm **Depth** 510mm



MAESTRO IZS 67620 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Confit, poach, grilling, pan frying, deep frying, simmering and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 280/150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZS 66800 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 228 x 200 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZS 34700 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Modular Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, simmering and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 255 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



MAESTRO IZC 63632 SM MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, pan frying, quick boiling, simmering and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Steam Grey Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63632 ST MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Stone Grey Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63632 BK MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63632 LB MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

London brick brown glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm

MAESTRO IZC 63632 WH MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep fryingq, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

White Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL IZC 94620 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 400mm



TOTAL IZC 93320 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poach, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 400mm



MAESTRO IZC 83620 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki





COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 800mm **Depth** 400mm

NEW

TOTAL IZC 64630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, confit, pan frying, deep frying, quick boiling, simmering, melting, deep frying and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL IZC 64630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

London brick brown glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL IZC 64630 SM MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, poaching, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Steam Grey Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL IZC 64630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep fryingq, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Stone Grey Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL IZC 64630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

White Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Quick boiling, confit, grilling, confit, pan frying, deep frying, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Quick boiling, grilling, pan frying, deep frying, simmering, melting, confit and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

White Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 63630 ST MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Confit, poaching, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Stone Grey Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZC 32600 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Modular Induction hob**
- Direct functions with temperature sensors: Confit, grilling, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



MAESTRO IZF 65320 BK MSP

- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 150/280 mm
- 2 zones Ø 230 X 188 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



MAESTRO IZF 64600 MSP

- **Urban Colors Edition**
- **FullFlex Induction hob**
- SlideCooking function
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 4 zones Ø 235 X 188,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution : Cooking timer, power plus, child lock, residual heat indicator and power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



TOTAL **IZF 64440 MSP**

- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 235 X 188 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **IZF 94300 MSP**

- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 235 x 188,5 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



MAESTRO **IZF 32400 MSP**

- **Urban Colors Edition**
- **Modular induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 235 x 188,5 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution : Cooking timer, power plus, child lock, residual heat indicator and power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 900mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



TOTAL **IZC 72310 MSP**

- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 185 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **IZC 64320 MSP**

- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 215 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **IZC 53320 MSP**

- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 6800 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 730mm **Depth** 430mm



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 435mm



TOTAL IZC 42400 MSP

- **Urban Colors Edition**
- **Modular Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 450mm **Depth** 510mm



TOTAL IZC 32310 MSP

- **Urban Colors Edition**
- **Modular induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



TOTAL IZC 63320 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



EASY IZC 63015 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 160/2800 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

FRAME Front Bevelled Glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 600mm **Depth** 510mm



EASY IZC 64010 MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 600mm **Depth** 510mm



MAESTRO ITS 67620 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Flex induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Grilling, poaching, confit, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 280/150 mm
- 2 zones Ø 228 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 606mm **Depth** 516mm



MAESTRO ITF 65320 BK MSP

- **Urban Colors Edition**
- **Flex Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 150/280 mm
- 2 zones Ø 230 X 188 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL ITC 64630 MST

- **Urban Colors Edition**
- **MasterSense Series**
- **Induction hob**
- Direct functions with temperature sensors: Grilling, confit, pan frying, deep frying, quick boiling, simmering, melting and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 1 zone Ø 215 mm
- 2 zones Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL ITC 63320 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Slim Metal Frame

EXTERNAL DIMENSIONS

Height 53mm **Width** 606mm **Depth** 516mm



COLOR

Black Glass

FRAME Slim Metal Frame

EXTERNAL DIMENSIONS

Height 53mm **Width** 606mm **Depth** 516mm



COLOR

Black Glass

FRAME Slim Metal Frame

EXTERNAL DIMENSIONS

Height 53mm **Width** 606mm **Depth** 516mm



TOTAL IRC 63320 MSP

- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting and keep warm
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 185 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



TOTAL IBC 64320 BK MSP

- **Urban Colors Edition**
- **Induction hob**
- Direct functions: Simmering, melting, quick bolling and keep warm
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 215 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



EASY IBC 64010 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 4 cooking zones
- 2 zones Ø 185 mm
- 2 zones Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 590mm **Depth** 510mm



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 600mm **Depth** 510mm



NEW

EASY IBC 64000 TTC

- **Urban Colors Edition**
- **Induction hob**
- Touch Control
- 4 cooking zones
- 2 zones Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



TOTAL IBC 63320 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 320/180 mm
- 1 zone Ø 215 mm
- 1 zone Ø 150 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 600mm **Depth** 510mm



EASY IBC 63015 BK MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 160/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged Glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 600mm **Depth** 510mm



NEW

EASY IBC 63010 MSS

- **Urban Colors Edition**
- **Induction hob**
- Touch Control MultiSlider
- 3 cooking zones
- 1 zone Ø 280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 5900 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged Glass

EXTERNAL DIMENSIONS

Height 50mm **Width** 600mm **Depth** 510mm



EASY IBC 32000 TTC

- **Urban Colors Edition**
- **Modular induction hob**
- Touch Control
- 2 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3600 W



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 53mm **Width** 300mm **Depth** 510mm



NEW

MAESTRO IZS 34600 DMS

- **Urban Colors Edition**
- **VarioPro Series**
- **Modular Flex Induction hob**
- SlideCooking function
- Direct functions with temperature sensors: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 2 zones Ø 255 x 200 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3500 W
- Optional: Grilling Plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 300mm **Depth** 510mm



NEW

TOTAL IZC 32300 DMS

- **Urban Colors Edition**
- **VarioPro Series**
- **Modular induction Hob**
- Direct functions with temperature sensors: Simmering, melting and keep warm
- Touch Control MultiSlider
- 2 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 3500 W
- Optional: Grilling Plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 510mm



TOTAL IBR 64040 BK TTC

- **Induction hob**
- Touch control
- 4 cooking zones
- 1 zone Ø 210 mm
- 1 zone Ø 185 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7200 W



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height mm **Width** mm **Depth** mm



MAESTRO IRC 9430 KS

- **Induction hob**
- Touch Control Slider
- 4 cooking zones
- 1 zone Ø 280 mm
- 2 zones Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power 7400 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS

Height 55mm **Width** 950mm **Depth** 520mm



NEW

MAESTRO TRC 83631

- **Urban Colors Edition**
- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 145/210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5700 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 800mm **Depth** 400mm



TOTAL TRB 84300 TCS

- **Urban Colors Edition**
- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Maximum nominal power 7500 W



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 800mm **Depth** 510mm



NEW

EASY TBC 64000 XFL BK

- **Urban Colors Edition**
- **Vitroceramic hob**
- 4 cooking zones
- 2 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Automatic safety disconnection
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6000 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 57mm **Width** 600mm **Depth** 510mm



EASY TBC 32010 TTC BK

- **Urban Colors Edition**
- **Modular vitroceramic hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W
- Optional: Grilling plate
- Optional: Teppanyaki



EASY TBC 32000 XFL BK

- **Urban Colors Edition**
- **Modular vitroceramic hob**
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W



TOTAL TT 642

- **Flex vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 1 high lights Ø 145 mm
- 1 high lights Ø 145mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W



TOTAL TT 6420

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W
- Optional: Grilling plate
- Optional: Teppanyaki



EASY TT 6415

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Maximum nominal power 6300 W



NEW

TOTAL TT 6320

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 300mm **Depth** 510mm



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 300mm **Depth** 510mm



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 51mm **Width** 605mm **Depth** 515mm



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Slim metal frame

EXTERNAL DIMENSIONS

Height 51mm **Width** 605mm **Depth** 515mm



EASY **TT 6315**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5400 W



NEW

TOTAL **TZ 6320**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W



NEW

EASY **TZ 6415**

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 510mm



NEW

EASY **TB 6415**

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W



NEW

EASY **TB 6315**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 5400 W
- Optional: Grilling plate
- Optional: Teppanyaki



NEW

EASY **TB 6310**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 180/230 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 5100 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



EASY **TB 5303**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 4500 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **TB 642**

- **Flex vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W



TOTAL **TBR 6420**

- **Vitroceramic hob**
- Control panel
- 4 cooking zones
- 1 high lights Ø 210/180 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Tempered glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation system
- Maximum nominal power 6200 W



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 435mm



COLOR

Black Glass

FRAME Frameless Glass

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



TOTAL **TR 6320**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5600 W



MAESTRO **TR 951**

- **Vitroceramic hob**
- Touch Control
- 5 cooking zones
- 1 high lights Ø 145/210/270 mm
- 1 high lights Ø 120/180 mm
- 3 high lights Ø 145 mm
- Ceramic glass surface
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Easy installation kit
- Maximum nominal power 8900 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **TR 642**

- **Flex vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 zone Ø 170 x 265 mm
- 1 high lights Ø 120/180/210 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Residual heat indicator
- Power plus
- Child lock
- Maximum nominal power 6900 W



COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 900mm **Depth** 510mm



COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



TOTAL **TR 6420**

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W



NEW

TOTAL **TC 6400**

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 160 mm
- 1 high lights Ø 145mm
- Ceramic glass surface
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6500 W
- Optional: Grilling plate
- Optional: Teppanyaki



NEW

EASY **TZ 6315**

- **Vitroceramic hob**
- Touch Control
- 3 cooking zones
- 1 high lights Ø 210/270 mm
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 5400 W



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 63mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

FRAME Full Bevelled glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 590mm **Depth** 510mm



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 510mm



NEW

TOTAL **TZ 6420**

- **Vitroceramic hob**
- Touch Control
- 4 cooking zones
- 1 high lights Ø 180/210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6200 W



TOTAL **TZC 32320 TTC BK**

- **Urban Colors Edition**
- **VarioPro Series**
- **Modular Vitroceramic hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 120/180 mm
- 1 high lights Ø 145 mm
- Ceramic glass surface
- Cooking timer
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 2900 W
- Optional: Grilling plate
- Optional: Teppanyaki



TOTAL **VTC R 2DC E**

- **Polyvalent vitroceramic hob**
- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 51mm **Width** 600mm **Depth** 510mm



COLOR

Black

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 58mm **Width** 300mm **Depth** 510mm



COLOR

Black Glass

FRAME Frameless

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm



TOTAL **VTC T 2DC E**

- **Polyvalent vitroceramic hob**
- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W



COLOR

Stainless Steel

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm



TOTAL **VTC B 2DC E**

- **Polyvalent vitroceramic hob**
- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Maximum nominal power 6800 W



COLOR

Black Glass

FRAME Frameless Glass

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm



EASY **VTC B INOX**

- **Polyvalent vitroceramic hob**
- Frontal knobs on oven
- 4 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 180 mm
- 2 high lights Ø 145 mm
- Ceramic glass surface
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 6300 W
- Optional: Grilling plate
- Optional: Teppanyaki



COLOR

Black Glass

FRAME Stainless Steel Frame

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm



TOTAL **JZC 96342 ABB**

- **Urban Colors Edition**
- **Hybrid Series**
- **Gas on glass + Induction hob**
- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control MultiSlider
- 6 cooking zones
- 1 fast burner, 2,8 kW
- 1 semi fast burner, 1.7 kW
- 1 semi fast burner, 1.4 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 3500 W
- Maximum nominal power(Induccion) 6950 W
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm



TOTAL **JZC 96324 AB**

- **Urban Colors Edition**
- **Hybrid Series**
- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 6 cooking zones
- 1 fast burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 210 mm
- 1 zone Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Induction:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Induction) 3400 W
- Maximum nominal power(Gas) 3800 W
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm



TOTAL **JZC 95314 AB**

- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiSlider
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 210 mm
- 1 zone Ø 180 mm
- 2 zones Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm



TOTAL JZC 94313 CB

- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiS-lider
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 180/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Wok support included
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm



TOTAL JZC 94313 ABN

- **Gas on glass + Induction hob**
- ExactFlame
- Frontal control knobs + Touch Control MultiS-lider
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 180/280 mm
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 7200 W
- Wok support included
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm



TOTAL JZC 64322 AB

- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control MultiS-lider
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Indution:
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Power management
- Easy installation kit
- Maximum nominal power(Gas) 3800 W
- Maximum nominal power(Induction) 3500 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL JZC 63312 AB

- **Urban Colors Edition**
- **Gas on glass + Induction hob**
- ExactFlame
- Direct functions: Simmering, melting and keep warm
- Frontal control knobs + Touch Control
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 zone Ø 210 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power(Gas) 4000 W
- Maximum nominal power(Induction) 3500 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



EASY CGC 60 4G AI AL

- **Polyvalent gas on glass hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 115mm **Width** 600mm **Depth** 510mm



EASY CG.1 60 4G AI AL

- **Polyvalent gas on glass hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W



COLOR

Black Glass

FRAME Stainless steel frame

EXTERNAL DIMENSIONS

Height 115mm **Width** 590mm **Depth** 510mm







NEW

TOTAL GZC 96310

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 6 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 3 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 12.700 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

FRAME Front bevelled glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm

TOTAL GZC 95320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 10.950 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 900mm **Depth** 510mm

TOTAL GZC 75330 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 700mm **Depth** 510mm







TOTAL GZC 75330 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support



COLOR

London brick brown glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 700mm **Depth** 510mm

TOTAL GZC 75330 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 700mm **Depth** 510mm

TOTAL GZC 75330 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 11.300 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 700mm **Depth** 510mm



TOTAL GZC 64320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL GZC 64320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

London brick brown glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL GZC 64320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Steam Grey Glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 510mm



TOTAL GZC 64320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL GZC 64320 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9550 W
- Optional: Wok support
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL GZC 64300 XB

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 semi fast burner, 1.4 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 6950 W
- Silver knobs accessory available



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



TOTAL **GZC 63310 XB**

- **Urban Colors Edition**
- **Gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7800 W
- Optional: Wok support
- Silver knobs accessory available



TOTAL **GZC 32309 XB**

- **Urban Colors Edition**
- **VarioPro Series**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 2 cooking zones
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner,1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 2750 W
- Silver knobs accessory available



EASY **GBC 75030 KB**

- **Gas on glass hob**
- Frontal control knobs with ergonomic design
- 5 cooking zones
- 1 double ring burner, 3.5 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 9000 W
- Optional: Wok support

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 600mm **Depth** 510mm



COLOR

Black

EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 700mm **Depth** 510mm



EASY **GBC 64002**

- **Gas on glass hob**
- Lateral control knobs
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W



EASY **GBC 64000 KB**

- **Urban Colors Edition**
- **Gas on glass hob**
- Frontal control knobs with ergonomic design
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W



EASY **GBC 64000 KB**

- **Gas on glass hob**
- Frontal control knobs with ergonomic desing
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W



COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 510mm



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 510mm



NEW

EASY GBC 64003

- **Gas on glass hob**
- Lateral control knobs with ergomic desing
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W



NEW

EASY GBC 64003

- **Gas on glass hob**
- Lateral control knobs with ergonomic desing
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Tempered glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 7300 W



TOTAL EFX 90.1 5G AI AL DR CI LEFT

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support

COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 435mm

COLOR

Black Glass

FRAME C-edged glass

EXTERNAL DIMENSIONS

Height 110mm **Width** 600mm **Depth** 435mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 860mm **Depth** 510mm



TOTAL EFX 70.1 5G AI AL DR CI LEFT

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support



TOTAL EFX 70.1 5G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.500 W
- Optional: Wok support



TOTAL EFX 60.1 4G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8500 W
- Optional: Wok support



COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 750mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 750mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 600mm **Depth** 510mm



TOTAL EFX 60.1 4G AI AL CI

- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7500 W
- Optional: Wok support



TOTAL EX 90.1 6G AI DR CI

- **Gas hob**
- Frontal control knobs
- 6 cooking zones
- 1 double ring burner, 4.00 kW
- 4 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 12.000 W
- Optional: Wok support



TOTAL EX 90.1 5G AI AL DR LEFT CI

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1. kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 12.050 W
- Optional: Wok support



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 600mm **Depth** 510mm



COLOR

Stainless Steel

FRAME Brushed stainless steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 860mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 860mm **Depth** 500mm



TOTAL EX 90.1 5G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 3 semi fast burners, 1.7 kW
- Stainless steel surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 12.050 W
- Optional: Wok support



TOTAL EX 70.1 5G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 11.300 W
- Optional: Wok support



TOTAL EX 60.1 4G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- 1 fast burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 9550 W
- Optional: Wok support



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 860mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 680mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm


TEKA



TOTAL EX 60.1 4G AI AL CI

- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 fast burner, 2.8 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 7300 W
- Optional: Wok support



TOTAL EX 60.1 3G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 3 cooking zones
- 1 double ring burner, 4.00 kW
- 1 fast burner, 2.8 kW
- 1 semi fast burner, 1.7 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8550 W
- Optional: Wok support



TOTAL EH 60 4G AI AL TR CI NTB VN OB

- **Country Style Edition**
- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 Auxiliary burner, 1 kW
- Enamelled surface
- Auto ignition
- Cast iron grids
- Maximum nominal power 9250 W



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm



COLOR

Vanilla

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm



TOTAL EH 60 4G AI AL TR CI NTB AT OB

- **Country Style Edition**
- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 Auxiliary burner, 1 kW
- Enamelled surface
- Auto ignition
- Automatic safety disconnection
- Cast iron grids
- Maximum nominal power 9250 W



TOTAL EH 60 4G AI AL TR CI NTB

- **Gas hob**
- Frontal control knobs
- 4 cooking zones
- 1 triple ring burner, 3.5 kW
- 1 fast burner, 3.00 kW
- 1 semi fast burner, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 9250 W



EASY HLX 60 4G AI AL

- **Gas hob**
- Lateral control knobs
- 4 cooking zones
- 1 fast burner, 3.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Maximum nominal power 7500 W



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 84mm **Width** 580mm **Depth** 500mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 35mm **Width** 580mm **Depth** 500mm



TOTAL **EFX 60.1 2G 2H AI AL**

- **Gas + Vitroceramic hob**
- Frontal control knobs
- 4 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 140 mm
- 1 burner, 1.8 kW
- 1 burner, 1.2 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 4000 W



TOTAL **EFX 90.1 4G 1H AI AL DR**

- **Gas + Induction hob**
- Frontal control knobs
- 5 cooking zones
- 1 double ring burner, 4.00 kW
- 2 semi fast burners, 1.7 kW
- 1 auxiliary burner, 1 kW
- 1 high light Ø 170 x 265 mm
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 8500 W
- Optional: Wok support



EASY **EFX 32300 IH**

- **Modular induction hob**
- Touch Control
- 2 cooking zones
- 1 high lights Ø 210 mm
- 1 high lights Ø 145 mm
- Stainless steel surface
- Auto-lock safety system
- Cooking timer
- Power plus
- Child lock
- Residual heat indicator
- Maximum nominal power 3600 W



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 600mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 860mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height mm **Width** mm **Depth** mm



TOTAL **EFX 30.1 2H**

- **Modular vitroceramic hob**
- 2 cooking zones
- 1 zone Ø 180 mm
- 1 zone Ø 145 mm
- Ceramic glass surface
- Auto-lock safety system
- Residual heat indicator
- Easy installation kit
- Maximum nominal power 3000 W



MAESTRO **EFX 30.1 2P**

- **Modular vitroceramic hob**
- Frontal control knobs
- 2 cooking zones
- 1 high lights Ø 180 mm
- 1 high lights Ø 145 mm
- Stainless steel surface
- Auto-lock safety system
- Maximum nominal power 3000 W



TOTAL **GZC 32300 XB**

- **Urban Colors Edition**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 2 cooking zones
- 1 fast ring burner, 2.8 kW
- 1 auxiliary burner, 1 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 3800 W



COLOR

Black Glass

FRAME Stainless Steel Frame

EXTERNAL DIMENSIONS

Height 45mm **Width** 305mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 45mm **Width** 305mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 300mm **Depth** 510mm



TOTAL GZC 31339 XB

- **Urban Colors Edition**
- **VarioPro Series**
- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 1 cooking zone
- 1 double ring burner, 3.5 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 3500 W
- Silver knobs accessory available
- Optional: Wok support



TOTAL GZC 31330 XB

- **Modular gas on glass hob**
- ExactFlame
- Frontal control knobs with ergonomic design
- 1 cooking zone
- 1 double ring burner, 5.00 kW
- Ceramic glass surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Easy installation kit
- Maximum nominal power 5000 W
- Optional: Wok support



TOTAL EFX 30.1 2G AI AL CI

- **Gas hob**
- Frontal control knobs
- 2 cooking zones
- 1 fast ring burner, 2.8 kW
- 1 auxiliary ring burner, 1 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 3800 W
- Optional: Wok support



TOTAL EFX 30.1 1G AI AL DR CI

- **Gas hob**
- Frontal control knobs
- 1 cooking zone
- 1 double ring burner, 4.00 kW
- Stainless steel surface
- Auto ignition
- Auto-lock safety system
- Cast iron grids
- Maximum nominal power 4000 W
- Optional: Wok support



TOTAL EFX 30.1 FRYER

- **Modular fryer hob**
- Frontal control knobs
- Maximum nominal power 2300 W



MAESTRO YZC 32600

- **VarioPro Series**
- **Modular teppanyaki hob**
- Frontal control knobs with ergonimic design
- 2 cooking zones
- 2 zones Ø 376 X 118 mm
- Ceramic glass surface
- Easy installation kit
- Maximum nominal power 2400 W



COLOR

Black

EXTERNAL DIMENSIONS

Height 55mm **Width** 300mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 98mm **Width** 300mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 305mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 91mm **Width** 305mm **Depth** 510mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 45mm **Width** 305mm **Depth** 510mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 79mm **Width** 300mm **Depth** 510mm



TOTAL **EFX 30 TEPPANYAKI**

- **Modular teppanyaki hob**
- Frontal control knobs
- 1 zone Ø 376 X 118 mm
- Maximum nominal power 2400 W



TOTAL **EFX 30.1 BBQ-GRILL**

- **Modular grill barbecue**
- Frontal control knobs
- Stainless Steel surface
- Maximum nominal power 2400 W



COLOR

Stainless Steel

FRAME Frameless

EXTERNAL DIMENSIONS

Height mm **Width** 305mm **Depth** 510mm



COLOR

Stainless Steel

FRAME Brushed Stainless Steel

EXTERNAL DIMENSIONS

Height 145mm **Width** 300mm **Depth** 510mm

Model	IBF 64 Infinity G1	GBC 64 Infinity G1	GBC 75 Infinity G1	GBC 82 Infinity G1	AFF 87600 MST BK	AFC 87628 MST BK
BUILT-IN DIMENSIONS						
Width (mm)	560	570	570	705	770	770
Depth (mm)	490	480	480	405	490	490
Height (mm)	49	49	49	50	215	215
COOKING ELEMENTS						
COOKING ZONE -left front , (Type)	FlexZone	SEMIRAPID	SEMIRAPID	–	Flex Zone	Flex Zone
COOKING ZONE -left center , (Type)	–	–	–	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	FlexZone	SEMIRAPID	SEMIRAPID	–	Flex Zone	Flex Zone
COOKING ZONE - center front , (Type)	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	FlexZone	AUXILIARY	AUXILIARY	–	Flex Zone	–
COOKING ZONE -right center, (Type)	–	–	–	DOUBLE RING	–	Double Zone
COOKING ZONE -right rear, (Type)	FlexZone	RAPID	RAPID	–	Flex Zone	–
COOKING ZONE -left front , mm	235 X 188,5	–	–	–	235x188,5	228x200
COOKING ZONE -left center , mm	–	–	–	–	–	–
COOKING ZONE -left rear , mm	235 X 188,5	–	–	–	235x188,5	228x200
COOKING ZONE -center front , mm	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–
COOKING ZONE -right front, mm	235 X 188,5	–	–	–	228x200	–
COOKING ZONE -right center, mm	–	–	–	–	–	280 / 160
COOKING ZONE -right rear , mm	235 X 188,5	–	–	–	228x200	–
COOKING ZONE -left front, (W)	1750-2200	1400	1400	–	1750-2200	1750-2000
COOKING ZONE -left center, (W)	–	–	–	5000	–	–
COOKING ZONE -left rear, (W)	1750-2200	1750	1750	–	1750-2200	1750-2000
COOKING ZONE -center front, (W)	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	3500	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1750-2200	1000	1000	–	1750-2000	–
COOKING ZONE -right center, (W)	–	–	–	5000	–	2500-3600
COOKING ZONE -right rear, (W)	1750-2200	2800	2800	–	1750-2000	–
ELECTRICAL FEATURES						
Maximum Nominal Power (W)(Induction or VTC)	7200	–	–	–	7200 (IH) + 200 (AH)	7200 (IH) + 200 (AH)
Maximum Nominal Power (W) (Gas)	–	6950	10450	10000	–	–
Wire lenght (cm)	110	100	100	100	100	100
SAFETY SYSTEMS						
Child Lock	√	–	–	–	√	√
Automatic safety disconnection	√	√	√	√	√	√
Residual heat indicator	√	–	–	–	√	√

Model	IZF 68780 MST BK	IZF 68770 MST BK	IZF 88770 MST BK	IZF 99770 MST BK	IZC 63632 SM MST
BUILT-IN DIMENSIONS					
Width (mm)	560	560	750	860	560
Depth (mm)	490	490	490	490	490
Height (mm)	53	53	53	53	49
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	FlexZone	FlexZone	FlexZone	FlexZone	Single Zone
COOKING ZONE -left center , (Type)	–	–	–	–	–
COOKING ZONE -left rear , (Type)	FlexZone	FlexZone	FlexZone	FlexZone	Single Zone
COOKING ZONE - center front , (Type)	–	–	–	FlexZone	–
COOKING ZONE -center center , (Type)	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	FlexZone	–
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	FlexZone	FlexZone	–
COOKING ZONE -right center, (Type)	–	–	–	–	Double Zone
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	FlexZone	FlexZone	–
COOKING ZONE -left front , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	262,5 X 195	150
COOKING ZONE -left center , mm	–	–	–	–	–
COOKING ZONE -left rear , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	262,5 X 195	215
COOKING ZONE -center front , mm	–	–	–	262,5 X 195	–
COOKING ZONE -center center, mm	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	262,5 X 195	–
COOKING ZONE -right front, mm	262,5 X 195	262,5 X 195	296,5 X 197,5	252,8 X 195	–
COOKING ZONE -right center, mm	–	–	–	–	320/180
COOKING ZONE -right rear , mm	262,5 X 195	262,5 X 195	296,5 X 197,5	252,8 X 195	–
COOKING ZONE -left front, (W)	2400-3000	2400-3000	2400-3000	2400-3000	1200-1600
COOKING ZONE -left center, (W)	–	–	–	–	–
COOKING ZONE -left rear, (W)	2400-3000	2400-3000	2400-3000	2400-3000	2100-3000
COOKING ZONE -center front, (W)	–	–	–	2400-3000	–
COOKING ZONE -center center, (W)	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	2400-3000	–
COOKING ZONE -right front, (W)	2400-3000	2400-3000	2400-3000	1850 - 2200	–
COOKING ZONE -right center, (W)	–	–	–	–	2500-3600
COOKING ZONE -right rear, (W)	2400-3000	2400-3000	2400-3000	1850 - 2200	–
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	7400	7400	7400	11000	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110
SAFETY SYSTEMS					
Child Lock	√	√	√	√	√
Automatic safety disconnection	√	√	√	√	√
Residual heat indicator	√	√	√	√	√

Model	IZF 99700 MST	IZF 88700 MST	IZF 68700 MST	IT 6450 IKNOB	IKNOB IT 6350	IZS 97630 MST	IZS 96700 MST	IZS 86630 MST
BUILT-IN DIMENSIONS								
Width (mm)	860	750	560	560	560	860	860	750
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	53	53	53	50	50	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	FlexZone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	Single Zone	Double Zone
COOKING ZONE -left rear , (Type)	FlexZone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	–	–
COOKING ZONE - center front , (Type)	FlexZone	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	Double Zone	Single Zone	Single Zone
COOKING ZONE -center rear , (Type)	FlexZone	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	FlexZone	FlexZone	FlexZone	Single Zone	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -right center, (Type)	–	–	–	–	Double Zone	–	–	–
COOKING ZONE -right rear, (Type)	FlexZone	FlexZone	FlexZone	Single Zone	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -left front , mm	262,5 X 195	296,5 X 197,5	262,5 X 195	145	145	150	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	280	280
COOKING ZONE -left rear , mm	262,5 X 195	296,5 X 197,5	262,5 X 195	210	210	215	–	–
COOKING ZONE -center front , mm	262,5 X 195	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	320/180	185	150
COOKING ZONE -center rear , mm	262,5 X 195	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	252,8 X 195	296,5 X 197,5	262,5 X 195	180	–	228x200 (TBC)	228x200	228x200
COOKING ZONE -right center, mm	–	–	–	–	190 / 300	–	–	–
COOKING ZONE -right rear , mm	262,5 X 195	262,5 X 195	262,5 X 195	–	–	228x200	228x200	228x200
COOKING ZONE -left front, (W)	2400-3700	2400-3700	2400-3700	1400 - 1800	1400 - 1800	1200-1600	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	2100-3000	2100-2500
COOKING ZONE -left rear, (W)	2400-3700	2400-3700	2400-3700	2300 - 3200	2300 - 3200	2100-3000	–	–
COOKING ZONE -center front, (W)	2400-3700	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	2500-3600	1200-1600	1200-1600
COOKING ZONE - center rear,(W)	2400-3700	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1850 - 2200	2400-3700	2400-3700	1850 - 2500	–	1750-2000	1750-2000	1750-2000
COOKING ZONE -right center, (W)	–	–	–	–	2500 - 3700	–	–	–
COOKING ZONE -right rear, (W)	1850 - 2200	2400-3700	2400-3700	1850 - 2500	–	1750-2000	1750-2000	1750-2000
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	11100	7400	7400	7400	7400	10800	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	–	–	–	√	√	–	–	–
Residual heat indicator	–	–	–	√	√	–	–	–

Model	IZS 67620 MST	IZS 66800 MST	IZS 34700 MST	IZC 63632 SM MST	IZC 63632 ST MST	IZC 63632 BK MST	IZC 63632 LB MST	IZC 63632 WH MST
BUILT-IN DIMENSIONS								
Width (mm)	560	560	280	560	560	560	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	FlexZone	Single Zone	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	FlexZone	Single Zone	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	–	–	FlexZone	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	FlexZone	–	–	–	–	–
COOKING ZONE -right front, (Type)	–	FlexZone	–	–	–	–	–	–
COOKING ZONE -right center, (Type)	Double Zone	–	–	Double Zone	Double Zone	Double Zone	Double Zone	Double Zone
COOKING ZONE -right rear, (Type)	–	FlexZone	–	–	–	–	–	–
COOKING ZONE -left front , mm	228x200	150	–	150	150	150	150	150
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	228x200	215	–	215	215	215	215	215
COOKING ZONE -center front , mm	–	–	255x200	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	255x200	–	–	–	–	–
COOKING ZONE -right front, mm	–	228x200	–	–	–	–	–	–
COOKING ZONE -right center, mm	280/150	–	–	320/180	320/180	320/180	320/180	320/180
COOKING ZONE -right rear , mm	–	228x200	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1750-2000	1200-1600	–	1200-1600	1200-1600	1200-1600	1200-1600	1200-1600
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750-2000	2100-3000	–	2100-3000	2100-3000	2100-3000	2100-3000	2100-3000
COOKING ZONE -center front, (W)	–	–	1750-2000	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	1750-2000	–	–	–	–	–
COOKING ZONE -right front, (W)	–	1750-2000	–	–	–	–	–	–
COOKING ZONE -right center, (W)	2500-3600	–	–	2500-3600	2500-3600	2500-3600	2500-3600	2500-3600
COOKING ZONE -right rear, (W)	–	1750-2000	–	–	–	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	3600	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	–	√	√	√	√	√
Automatic safety disconnection	–	–	–	√	√	√	√	√
Residual heat indicator	–	–	–	√	√	√	√	√

Model	IZC 94620 MST	IZC 93320 MST	IZC 83620 MST	IZC 64630 MST	IZC 64630 MST	IZC 64630 SM MST	IZC 64630 MST	IZC 64630 MST
BUILT-IN DIMENSIONS								
Width (mm)	860	860	780	560	560	560	560	560
Depth (mm)	380	380	380	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	Single Zone	Single Zone	Single Zone	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	Single Zone	Single Zone	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	Single Zone	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -right center, (Type)	Single Zone	Double Zone	Double Zone	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left front , mm	215	–	–	150	150	150	150	150
COOKING ZONE -left center , mm	150	215	215	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	215	215	215	215	215
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	150	150	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	185	–	–	185	185	185	185	185
COOKING ZONE -right center, mm	185	320/180	320/180	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	2100-3000	–	–	1200-1600	1200-1600	1200-1600	1200-1600	1200-1600
COOKING ZONE -left center, (W)	1200-1600	2100-3000	2100-3000	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	2100-3000	2100-3000	2100-3000	2100-3000	2100-3000
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	1200-1600	1200-1600	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1800-2100	–	–	1800-2100	1800-2100	1800-2100	1800-2100	1800-2100
COOKING ZONE -right center, (W)	1800-2100	2500-3600	2500-3600	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	1800-2100	1800-2100	1800-2100	1800-2100	1800-2100
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	–	–	–	√	√	√	√	√
Residual heat indicator	–	–	–	√	√	√	√	√

Model	IZC 63630 MST	IZC 63630 MST	IZC 63630 ST MST	IZC 32600 MST	IZF 65320 BK MSP	IZF 64600 MSP	IZF 64440 MSP	IZF 94300 MSP
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	280	560	560	560	860
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	Single Zone	Single Zone	–	FlexZone	FlexZone	Single Zone	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	Single Zone
COOKING ZONE -left rear , (Type)	Single Zone	Single Zone	Single Zone	–	FlexZone	FlexZone	Single Zone	–
COOKING ZONE - center front , (Type)	–	–	–	Single Zone	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	Single Zone
COOKING ZONE -center rear , (Type)	–	–	–	Single Zone	–	–	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -right center, (Type)	Double Zone	Double Zone	Double Zone	–	Double Zone	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–	FlexZone	FlexZone	FlexZone
COOKING ZONE -left front , mm	150	150	150	–	230 X 188	235 X 188,5	150	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	280
COOKING ZONE -left rear , mm	215	215	215	–	230 X 188	235 X 188,5	215	–
COOKING ZONE -center front , mm	–	–	–	150	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	185
COOKING ZONE -center rear , mm	–	–	–	215	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	235 X 188,5	235 X 188	235x188,5
COOKING ZONE -right center, mm	320/180	320/180	320/180	–	150/280	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	235x188,5
COOKING ZONE -left front, (W)	1200-1600	1200-1600	1200-1600	–	1750-2200	1750-2200	1200-1600	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	2100-2500
COOKING ZONE -left rear, (W)	2100-3000	2100-3000	2100-3000	–	1750-2200	1750-2200	2100-3000	–
COOKING ZONE -center front, (W)	–	–	–	1200-1600	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	1200-1600
COOKING ZONE - center rear,(W)	–	–	–	2100-3000	–	–	–	–
COOKING ZONE -right front, (W)	–	–	–	–	–	1750-2200	1750-2200	1750-2200
COOKING ZONE -right center, (W)	2500-3600	2500-3600	2500-3600	–	2500-3600	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–	1750-2200	1750-2200	1750-2200
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	3600	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	√	√
Automatic safety disconnection	√	√	√	–	√	√	√	–
Residual heat indicator	√	√	√	–	√	√	√	–

Model	IZF 32400 MSP	IZC 72310 MSP	IZC 64320 MSP	IZC 53320 MSP	IZC 42400 MSP	IZC 32310 MSP	IZC 63320 BK MSS	IZC 63015 BK MSS
BUILT-IN DIMENSIONS								
Width (mm)	280	695	560	580	420	280	560	560
Depth (mm)	490	360	490	415	490	490	490	490
Height (mm)	49	49	49	49	49	49	49	54
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	–	–	Single Zone	Single Zone	Single Zone	–	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	–	Single Zone	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	Single Zone	–	–	–	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	FlexZone	–	–	–	–	Single Zone	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	FlexZone	–	–	Single Zone	–	Single Zone	–	–
COOKING ZONE -right front, (Type)	–	–	Single Zone	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	Single Zone	–	Double Zone	–	–	Double Zone	Double Zone
COOKING ZONE -right rear, (Type)	–	–	Single Zone	–	Single Zone	–	–	–
COOKING ZONE -left front , mm	–	–	150	150	150	–	150	145
COOKING ZONE -left center , mm	–	185	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	215	–	–	–	215	180
COOKING ZONE -center front , mm	235x188,5	–	–	–	–	150	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	235x188,5	–	–	150	–	215	–	–
COOKING ZONE -right front, mm	–	–	215	–	–	–	–	–
COOKING ZONE -right center, mm	–	280	–	320/180	–	–	320/180	160/280
COOKING ZONE -right rear , mm	–	–	150	–	280	–	–	–
COOKING ZONE -left front, (W)	–	–	1200-1600	1200-1600	1200-1600	–	1200-1600	1200-1500
COOKING ZONE -left center, (W)	–	1800-2100	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	2100-3000	–	–	–	2100-3000	1700-2100
COOKING ZONE -center front, (W)	1750-2200	–	–	–	–	1200-1600	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	1750-2200	–	–	1200-1600	–	2100-3000	–	–
COOKING ZONE -right front, (W)	–	–	2100-3000	–	–	–	–	–
COOKING ZONE -right center, (W)	–	2100-2500	–	2500-3600	–	–	2500-3600	2500-3600
COOKING ZONE -right rear, (W)	–	–	1200-1600	–	2100-2500	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	3600	3600	7200	6800	3600	3600	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	–	√	√	√	√	√	√	√
Automatic safety disconnection	–	–	√	–	–	–	√	√
Residual heat indicator	–	–	√	–	–	–	√	√

Model	IZC 64010 MSS	ITS 67620 MST	ITF 65320 BK MSP	ITC 64630 MST	ITC 63320 BK MSS	IRC 63320 MSP	IBC 64320 BK MSP	IBC 64010 BK MSS
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	570	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	54	46	46	46	46	49	49	54
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single Zone	FlexZone	FlexZone	Single Zone	Single Zone	Single Zone	Single Zone	Single Zone
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	Single Zone	–	–	Single Zone	–	–	Single Zone	Single Zone
COOKING ZONE -right center, (Type)	–	Double Zone	Double Zone	–	Double Zone	Double Zone	–	–
COOKING ZONE -right rear, (Type)	Single Zone	–	–	Single Zone	–	–	Single Zone	Single Zone
COOKING ZONE -left front , mm	150	228x200	230 X 188	150	150	150	150	150
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	185	228x200	230 X 188	215	215	185	215	185
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	185	–	–	185	–	–	215	185
COOKING ZONE -right center, mm	–	280/150	150/280	–	320/180	320/180	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	150	–
COOKING ZONE -left front, (W)	1200-1500	1750-2000	1750-2200	1200-1600	1200-1600	1200-1600	1200-1600	1200-1500
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1700-2100	1750-2000	1750-2200	2100-3000	2100-3000	1800-2100	2100-3000	1700-2100
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	1700-2100	–	–	1800-2100	–	–	2100-3000	1700-2100
COOKING ZONE -right center, (W)	–	2500-3600	2500-3600	–	2500-3600	2500-3600	–	–
COOKING ZONE -right rear, (W)	1200-1500	–	–	1800-2100	–	–	1200-1600	1200-1500
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	7200	7200	7200	7200	7200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	110
SAFETY SYSTEMS								
Child Lock	√	–	√	√	√	√	√	√
Automatic safety disconnection	√	–	√	√	√	–	√	√
Residual heat indicator	√	–	√	√	√	–	√	√

Model	IBC 64000 TTC	IBC 63320 BK MSS	IBC 63015 BK MSS	IBC 63010 MSS	IBC 32000 TTC	IZS 34600 DMS	IZC 32300 DMS	IBR 64040 BK TTC
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	280	280	280	–
Depth (mm)	490	490	490	490	490	490	490	–
Height (mm)	50	49	54	50	49	63	55	–
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE - center front , (Type)	–	–	–	–	Single Zone	FlexZone	Single Zone	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	Single Zone	FlexZone	Single Zone	–
COOKING ZONE -right front, (Type)	Single Zone	–	–	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	Double Zone	Double Zone	Single Zone	–	–	–	–
COOKING ZONE -right rear, (Type)	Single Zone	–	–	–	–	–	–	–
COOKING ZONE -left front , mm	145	150	145	145	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	180	215	180	180	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	145	255x200	145	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	210	255x200	210	–
COOKING ZONE -right front, mm	180	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	320/180	160/280	280	–	–	–	–
COOKING ZONE -right rear , mm	145	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1200 - 1500	1200-1600	1200-1500	1200 - 1500	–	–	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1700 - 2000	2100-3000	1700-2100	1700 - 2000	–	–	–	–
COOKING ZONE -center front, (W)	–	–	–	–	1200-1600	1750 - 2200	1250-1800	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	2100-3000	1750 - 2200	2250-3000	–
COOKING ZONE -right front, (W)	1700 - 2000	–	–	–	–	–	–	–
COOKING ZONE -right center, (W)	–	2500-3600	2500-3600	2000 - 2300	–	–	–	–
COOKING ZONE -right rear, (W)	1200 - 1500	–	–	–	–	–	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7200	7200	7200	5900	3600	3500	3500	–
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	110	110	110	110	110	–
SAFETY SYSTEMS								
Child Lock	√	√	√	√	–	√	√	–
Automatic safety disconnection	√	√	√	√	–	√	√	–
Residual heat indicator	√	√	√	√	–	√	√	–

Model	IRC 9430 KS	TRC 83631	TRB 84300 TCS	TBC 64000 XFL BK	TBC 32010 TTC BK	TBC 32000 XFL BK	TT 642	TT 6420
BUILT-IN DIMENSIONS								
Width (mm)	930	780	750	560	270	270	560	560
Depth (mm)	500	380	490	490	490	490	490	490
Height (mm)	50	51	47	53	58	59	–	51
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single Zone	–	Triple High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -left center , (Type)	Single Zone	Single High Light	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	Single High Light	Single High Light	–	–	–	Double High Light
COOKING ZONE - center front , (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -center center , (Type)	–	Single High Light	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -right front, (Type)	Single Zone	–	Single High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -right center, (Type)	Single Zone	Triple High Light	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	Extended High Light	Single High Light	–	–	–	Single High Light
COOKING ZONE -left front , mm	280	–	120/ 180/210	180	–	–	–	145
COOKING ZONE -left center , mm	145	180	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	145	145	–	–	–	180 / 210
COOKING ZONE -center front , mm	–	–	–	–	145	145	–	–
COOKING ZONE -center center, mm	–	145	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	180	180	–	–
COOKING ZONE -right front, mm	180	–	180	145	–	–	–	145
COOKING ZONE -right center, mm	180	145 / 210 / 270	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	180	–	–	–	–
COOKING ZONE -left front, (W)	2300 - 3700	–	2300/1600/800	1800	–	–	–	1200
COOKING ZONE -left center, (W)	1400 - 1800	1800	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	1200	1200	–	–	–	1400 - 2000
COOKING ZONE -center front, (W)	–	–	–	–	1200	1200	–	–
COOKING ZONE -center center, (W)	–	1200	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	1800	1800	–	–
COOKING ZONE -right front, (W)	1800 - 2500	–	1800	1200	–	–	–	1200
COOKING ZONE -right center, (W)	1800 - 2500	1050 - 1950 - 2700	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	1400-2200	1800	–	–	–	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	7400	5700	7500	6000	3000	3000	6900	6200
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	150	–	110	110	110	110	110	100
SAFETY SYSTEMS								
Child Lock	√	√	√	–	–	–	–	√
Automatic safety disconnection	√	√	–	–	–	–	√	√
Residual heat indicator	√	√	–	–	–	–	√	√

Model	TT 6415	TT 6320	TT 6315	TZ 6320	TZ 6415	TB 6415	TB 6315	TB 6310
BUILT-IN DIMENSIONS								
Width (mm)	560	560	560	560	560	560	560	560
Depth (mm)	490	490	490	490	490	490	490	490
Height (mm)	–	51	–	51	51	63	51	63
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	–	Single High Light	–	Single High Light	Single High Light	Single High Light	Single High Light	Single High Light
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	Double High Light	–	Double High Light	Single High Light	Single High Light	Single High Light	Single High Light
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -right center, (Type)	–	Double High Light	–	Double High Light	–	–	Double High Light	Double High Light
COOKING ZONE -right rear, (Type)	–	–	–	–	Single High Light	Single High Light	–	–
COOKING ZONE -left front , mm	–	145	–	145	145	145	145	145
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	120 / 180	–	120 / 180	210	210	180	180
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	145	145	–	–
COOKING ZONE -right center, mm	–	210 / 270	–	210 / 270	–	–	210 / 270	180 / 230
COOKING ZONE -right rear , mm	–	–	–	–	–	180	–	–
COOKING ZONE -left front, (W)	–	1200	–	1200	1200	1200	1200	1200
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	700 - 1700	–	700 - 1700	2100	2100	1800	1800
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	–	–	–	–	1200	1200	–	–
COOKING ZONE -right center, (W)	–	1800 - 2700	–	1800 - 2700	–	–	1500 - 2400	1500 - 2400
COOKING ZONE -right rear, (W)	–	–	–	–	1800	1800	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	6300	5600	5400	5600	6300	6300	5400	5100
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	100	110	110	110	100	100	110	100
SAFETY SYSTEMS								
Child Lock	–	√	–	√	√	√	√	√
Automatic safety disconnection	√	√	√	√	√	√	√	√
Residual heat indicator	√	√	√	√	√	√	√	√

Model	TB 5303	TB 642	TBR 6420	TR 6320	TR 951	TR 642	TR 6420	TC 6400
BUILT-IN DIMENSIONS								
Width (mm)	580	560	560	560	860	560	560	570
Depth (mm)	415	490	490	490	490	490	490	492
Height (mm)	51	–	–	–	51	–	–	51
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single High Light	–	–	–	Double High Light	–	–	Double High Light
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	Triple High Light	–	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -right center, (Type)	Single High Light	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	Single High Light	–	–	Single High Light
COOKING ZONE -left front , mm	145	–	–	–	145	–	–	145
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	145	–	–	–	120 / 180	–	–	180 / 210
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	145 / 210 / 270	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	180	–	–	160
COOKING ZONE -right center, mm	210	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1200	–	–	–	1200	–	–	1200
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1200	–	–	–	700 - 1700	–	–	1400 - 2000
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	1050 - 1950 - 2700	–	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	–
COOKING ZONE -right front, (W)	–	–	–	–	1800	–	–	1500
COOKING ZONE -right center, (W)	2100	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	1500	–	–	1800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	4500	6900	6200	5600	8900	6900	6200	6500
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	–
Wire lenght (cm)	110	110	100	110	110	110	100	100
SAFETY SYSTEMS								
Child Lock	√	–	–	–	√	–	–	√
Automatic safety disconnection	√	√	√	√	√	√	√	√
Residual heat indicator	√	√	√	√	√	√	√	√

Model	TZ 6315	TZ 6420	TZC 32320 TTC BK	VTC R 2DC E	VTC T 2DC E	VTC B 2DC E	VTC B INOX	JZC 96342 ABB
BUILT-IN DIMENSIONS								
Width (mm)	560	560	270	560	560	560	580	860
Depth (mm)	490	490	490	492	492	492	492	490
Height (mm)	51	51	58	–	–	–	115	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	Single High Light	Single High Light	–	–	–	–	Single High Light	SEMIRAPID
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	Single High Light	Double High Light	–	–	–	–	Single High Light	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	Single High Light	–	–	–	–	AUXILIARY
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	–	–	Double High Light	–	–	–	–	RAPID
COOKING ZONE -right front, (Type)	–	Single High Light	–	–	–	–	Single High Light	Single Zone
COOKING ZONE -right center, (Type)	Double High Light	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	Single High Light	–	–	–	–	Single High Light	Single Zone
COOKING ZONE -left front , mm	145	145	–	–	–	–	210	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	180	180 / 210	–	–	–	–	145	–
COOKING ZONE -center front , mm	–	–	145	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	120 / 180	–	–	–	–	–
COOKING ZONE -right front, mm	–	145	–	–	–	–	145	180
COOKING ZONE -right center, mm	210 / 270	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	145
COOKING ZONE -left front, (W)	1200	1200	–	–	–	–	2100	1400
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1800	1400 - 2000	–	–	–	–	1200	1750
COOKING ZONE -center front, (W)	–	–	1200	–	–	–	–	1000
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	700 - 1700	–	–	–	–	2800
COOKING ZONE -right front, (W)	–	1200	–	–	–	–	1200	1250-1800
COOKING ZONE -right center, (W)	1500 - 2400	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	1800	–	–	–	–	1800	2250-3000
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	5400	6200	2900	6800	6800	6800	6300	3500
Maximum Nominal Power (W) (Gas)	–	–	–	–	–	–	–	6950
Wire lenght (cm)	110	100	110	90	90	90	90	110
SAFETY SYSTEMS								
Child Lock	√	√	√	–	–	–	–	√
Automatic safety disconnection	√	√	–	–	–	–	–	√
Residual heat indicator	√	√	–	√	√	√	√	√

Model	JZC 96324 AB	JZC 95314 AB	JZC 94313 CB	JZC 94313 ABN	JZC 64322 AB	JZC 63312 AB	CGC 60 4G AI AL	CG.1 60 4G AI AL
BUILT-IN DIMENSIONS								
Width (mm)	860	860	860	860	560	560	580	570
Depth (mm)	490	490	490	490	490	490	492	492
Height (mm)	49	49	49	49	49	49	115	–
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	AUXILIARY	–	–	–	AUXILIARY	–	SEMIRAPID	–
COOKING ZONE -left center , (Type)	–	DOUBLE RING	DOUBLE RING	DOUBLE RING	–	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	RAPID	–	–	–	RAPID	–	RAPID	–
COOKING ZONE - center front , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , (Type)	Single Zone	Single Zone	Single Zone	Single Zone	–	–	–	–
COOKING ZONE -right front, (Type)	Single Zone	Single Zone	–	–	Single Zone	Single Zone	AUXILIARY	–
COOKING ZONE -right center, (Type)	–	–	Double Zone	Double Zone	–	–	–	–
COOKING ZONE -right rear, (Type)	Single Zone	Single Zone	–	–	Single Zone	Single Zone	SEMIRAPID	–
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	145	145	145	145	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	210	210	180	180	–	–	–	–
COOKING ZONE -right front, mm	180	180	–	–	145	145	–	–
COOKING ZONE -right center, mm	–	–	180 / 280	180 / 280	–	–	–	–
COOKING ZONE -right rear , mm	145	145	–	–	210	210	–	–
COOKING ZONE -left front, (W)	1000	–	–	–	1000	–	1750	–
COOKING ZONE -left center, (W)	–	4000	5000	4000	–	4000	–	–
COOKING ZONE -left rear, (W)	2800	–	–	–	2800	–	3000	–
COOKING ZONE -center front, (W)	1200 - 1500	1200 - 1500	1200 - 1500	1200 - 1500	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE - center rear,(W)	2000 - 2300	2000 - 2300	1700 - 2100	1700 - 2100	–	–	–	–
COOKING ZONE -right front, (W)	1700 - 2100	1700 - 2100	–	–	1250-1800	1250-1800	1000	–
COOKING ZONE -right center, (W)	–	–	2500 - 3600	2500 - 3600	–	–	–	–
COOKING ZONE -right rear, (W)	1200 - 1500	1200 - 1500	–	–	2250-3000	2250-3000	1750	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	7200	7200	3500	3500	–	–
Maximum Nominal Power (W) (Gas)	3800	4000	5000	4000	3800	4000	7500	–
Wire lenght (cm)	110	110	110	110	110	110	–	–
SAFETY SYSTEMS								
Child Lock	√	√	√	√	√	√	–	–
Automatic safety disconnection	–	–	√	√	√	√	–	–
Residual heat indicator	–	–	√	√	√	√	–	–

Model	GZC 96310	GZC 95320 XB	GZC 75330 XB	GZC 75330 XB	GZC 75330 XB	GZC 75330 XB	GZC 64320 XB	GZC 64320 XB
BUILT-IN DIMENSIONS								
Width (mm)	850	850	570	570	570	570	570	570
Depth (mm)	480	480	480	480	480	480	480	480
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	AUXILIARY	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	DOUBLE RING	DOUBLE RING
COOKING ZONE -left center , (Type)	–	DOUBLE RING	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	RAPID	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	SEMIRAPID	SEMIRAPID	–	–	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	DOUBLE RING	DOUBLE RING	DOUBLE RING	–	–
COOKING ZONE -center rear , (Type)	SEMIRAPID	SEMIRAPID	–	–	–	–	–	–
COOKING ZONE -right front, (Type)	DOUBLE RING	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	SEMIRAPID	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1000	–	1750	1750	1750	1750	4000	4000
COOKING ZONE -left center, (W)	–	4000	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	2800	–	1750	1750	1750	1750	1750	1750
COOKING ZONE -center front, (W)	1400	1400	–	–	–	–	–	–
COOKING ZONE -center center, (W)	–	–	4000	4000	4000	4000	–	–
COOKING ZONE - center rear,(W)	1750	1750	–	–	–	–	–	–
COOKING ZONE -right front, (W)	4000	1000	1000	1000	1000	1000	1000	1000
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	1750	2800	2800	2800	2800	2800	2800	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	1100	–	–	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	12700	10950	11300	11300	11300	11300	9550	9550
Wire lenght (cm)	110	100	100	100	100	100	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	GZC 64320 XB	GZC 64320 XB	GZC 64320 XB	GZC 64300 XB	GZC 63310 XB	GZC 32309 XB	GBC 75030 KB	GBC 64002
BUILT-IN DIMENSIONS								
Width (mm)	570	570	570	570	570	280	570	570
Depth (mm)	480	480	480	480	480	490	480	480
Height (mm)	49	49	49	49	49	49	49	49
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	DOUBLE RING	DOUBLE RING	DOUBLE RING	SEMIRAPID	AUXILIARY	–	AUXILIARY	RAPID
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	RAPID	–	SEMIRAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	–	–	–	AUXILIARY	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	SEMIRAPID	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	–	–	AUXILIARY	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	DOUBLE RING	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	RAPID	–	–	SEMIRAPID	SEMIRAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	4000	4000	4000	1400	1000	–	1000	2800
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	2800	–	1750	1750
COOKING ZONE -center front, (W)	–	–	–	–	–	1000	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	3500	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	1750	–	–
COOKING ZONE -right front, (W)	1000	1000	1000	1000	–	–	1000	1000
COOKING ZONE -right center, (W)	–	–	–	–	4000	–	–	–
COOKING ZONE -right rear, (W)	2800	2800	2800	2800	–	–	1750	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	1100
Maximum Nominal Power (W) (Gas)	9550	9550	9550	6950	7800	2750	–	7300
Wire lenght (cm)	100	100	100	100	100	110	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	GBC 64000 KB	GBC 64000 KB	GBC 64003	GBC 64003	EFX 90.1 5G AI AL DR CI LEFT	EFX 70.1 5G AI AL DR CI LEFT	EFX 70.1 5G AI AL DR CI	EFX 60.1 4G AI AL DR CI
BUILT-IN DIMENSIONS								
Width (mm)	570	570	575	575	833	553	553	553
Depth (mm)	480	480	405	405	475	473	473	473
Height (mm)	49	49	49	49	45	45	45	45
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	SEMIRAPID	SEMIRAPID	RAPID	RAPID	–	–	AUXILIARY	DOUBLE RING
COOKING ZONE -left center , (Type)	–	–	–	–	DOUBLE RING	DOUBLE RING	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	RAPID	SEMIRAPID
COOKING ZONE - center front , (Type)	–	–	–	–	AUXILIARY	AUXILIARY	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	–	–	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	–	–	–	SEMIRAPID	SEMIRAPID	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	SEMIRAPID	SEMIRAPID	SEMIRAPID	AUXILIARY
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	SEMIRAPID	SEMIRAPID	RAPID	RAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	1750	1750	2800	2800	–	–	1000	4000
COOKING ZONE -left center, (W)	–	–	–	–	4000	4000	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	–	–	3000	1750
COOKING ZONE -center front, (W)	–	–	–	–	1000	1000	–	–
COOKING ZONE -center center, (W)	–	–	–	–	–	–	4000	–
COOKING ZONE - center rear,(W)	–	–	–	–	1750	1750	–	–
COOKING ZONE -right front, (W)	1000	1000	1000	1000	1750	1750	1750	1000
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	2800	2800	1750	1750	3000	3000	1750	1750
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	1100	1100	–	–	–	–
Maximum Nominal Power (W) (Gas)	7300	7300	7300	7300	11500	11500	11500	8500
Wire lenght (cm)	100	100	100	100	100	110	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	EFX 60.1 4G AI AL CI	EX 90.1 6G AI DR CI	EX 90.1 5G AI AL DR LEFT CI	EX 90.1 5G AI AL DR CI	EX 70.1 5G AI AL DR CI	EX 60.1 4G AI AL DR CI	EX 60.1 4G AI AL CI	EX 60.1 3G AI AL DR CI
BUILT-IN DIMENSIONS								
Width (mm)	553	833	833	833	553	553	553	553
Depth (mm)	473	475	475	475	473	473	473	473
Height (mm)	45	32	32	32	32	32	32	32
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	RAPID	AUXILIARY	–	–	AUXILIARY	AUXILIARY	AUXILIARY	–
COOKING ZONE -left center , (Type)	–	–	DOUBLE RING	DOUBLE RING	–	–	–	DOUBLE RING
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	–	–	SEMIRAPID	DOUBLE RING	SEMIRAPID	–
COOKING ZONE - center front , (Type)	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	–	–
COOKING ZONE -center center , (Type)	–	–	–	–	DOUBLE RING	–	–	–
COOKING ZONE -center rear , (Type)	–	SEMIRAPID	SEMIRAPID	SEMIRAPID	–	–	–	–
COOKING ZONE -right front, (Type)	AUXILIARY	SEMIRAPID	AUXILIARY	AUXILIARY	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	SEMIRAPID	DOUBLE RING	RAPID	RAPID	RAPID	RAPID	RAPID	RAPID
COOKING ZONE -left front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	3000	1000	–	–	1000	1000	1000	–
COOKING ZONE -left center, (W)	–	–	4000	4000	–	–	–	4000
COOKING ZONE -left rear, (W)	1750	1750	–	–	1750	4000	1750	–
COOKING ZONE -center front, (W)	–	1750	1750	1750	–	–	–	–
COOKING ZONE -center center, (W)	–	–	–	–	4000	–	–	–
COOKING ZONE - center rear,(W)	–	1750	1750	1750	–	–	–	–
COOKING ZONE -right front, (W)	1000	1750	1750	1750	1750	1750	1750	1750
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	1750	4000	2800	2800	2800	2800	2800	2800
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	7500	12000	12050	12050	11300	9550	7300	8550
Wire lenght (cm)	100	110	100	100	100	100	100	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	–
Residual heat indicator	–	–	–	–	–	–	–	–

Model	EH 60 4G AI AL TR CI NTB VN OB	EH 60 4G AI AL TR CI NTB AT OB	EH 60 4G AI AL TR CI NTB	HLX 60 4G AI AL	EFX 60.1 2G 2H AI AL	EFX 90.1 4G 1H AI AL DR	EFX 32300 IH	EFX 30.1 2H
BUILT-IN DIMENSIONS								
Width (mm)	553	553	553	553	553	833	–	282
Depth (mm)	473	473	473	473	473	475	–	482
Height (mm)	32	32	32	52	45	45	–	45
COOKING ELEMENTS								
COOKING ZONE -left front , (Type)	TRIPLE RING	TRIPLE RING	TRIPLE RING	RAPID	Single High Light	DOUBLE RING	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , (Type)	SEMIRAPID	SEMIRAPID	SEMIRAPID	SEMIRAPID	Single High Light	SEMIRAPID	–	–
COOKING ZONE - center front , (Type)	–	–	–	–	–	–	–	Single High Light
COOKING ZONE -center center , (Type)	–	–	–	–	–	Extended High Light	–	–
COOKING ZONE -center rear , (Type)	–	–	–	–	–	–	–	Single High Light
COOKING ZONE -right front, (Type)	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	AUXILIARY	SEMIRAPID	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (Type)	RAPID	RAPID	RAPID	SEMIRAPID	RAPID	AUXILIARY	–	–
COOKING ZONE -left front , mm	–	–	–	–	180	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	140	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–	–	–	145
COOKING ZONE -center center, mm	–	–	–	–	–	170x265	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–	–	–	180
COOKING ZONE -right front, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–	–	–	–
COOKING ZONE -left front, (W)	3500	3500	3500	–	1800	4000	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -left rear, (W)	1750	1750	1750	1750	1200	1750	–	–
COOKING ZONE -center front, (W)	–	–	–	–	–	–	–	1200
COOKING ZONE -center center, (W)	–	–	–	–	–	2200	–	–
COOKING ZONE - center rear,(W)	–	–	–	–	–	–	–	1800
COOKING ZONE -right front, (W)	1000	1000	1000	1000	1000	1750	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–	–	–	–
COOKING ZONE -right rear, (W)	3000	3000	3000	1750	3000	1000	–	–
ELECTRICAL FEATURES								
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–	–	–	3000
Maximum Nominal Power (W) (Gas)	9250	9250	9250	7500	4000	8500	–	–
Wire lenght (cm)	100	100	100	–	110	110	–	100
SAFETY SYSTEMS								
Child Lock	–	–	–	–	–	–	–	–
Automatic safety disconnection	–	–	–	–	–	–	–	√
Residual heat indicator	–	–	–	–	–	–	–	√

Model	EFX 30.1 2P	GZC 32300 XB	GZC 31339 XB	GZC 31330 XB	EFX 30.1 2G AI AL CI
BUILT-IN DIMENSIONS					
Width (mm)	–	280	280	280	282
Depth (mm)	–	490	490	490	482
Height (mm)	–	49	49	49	45
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	–	–	–	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	–	–
COOKING ZONE - center front , (Type)	–	AUXILIARY	–	–	AUXILIARY
COOKING ZONE -center center , (Type)	–	–	DOUBLE RING	DOUBLE RING	–
COOKING ZONE -center rear , (Type)	–	RAPID	–	–	RAPID
COOKING ZONE -right front, (Type)	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–
COOKING ZONE -left front , mm	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	–	–	–
COOKING ZONE -center center, mm	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	–	–	–
COOKING ZONE -right front, mm	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–
COOKING ZONE -left front, (W)	–	–	–	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	–	–
COOKING ZONE -center front, (W)	–	1000	–	–	1000
COOKING ZONE -center center, (W)	–	–	3500	5000	–
COOKING ZONE - center rear,(W)	–	2800	–	–	2800
COOKING ZONE -right front, (W)	–	–	–	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	–	–	–	–	–
Maximum Nominal Power (W) (Gas)	–	3800	3500	5000	3800
Wire lenght (cm)	–	100	110	100	100
SAFETY SYSTEMS					
Child Lock	–	–	–	–	–
Automatic safety disconnection	√	–	–	–	–
Residual heat indicator	–	–	–	–	–

Model	EFX 30.1 1G AI AL DR CI	EFX 30.1 FRYER	YZC 32600	EFX 30 TEPPANYAKI	EFX 30.1 BBQ-GRILL
BUILT-IN DIMENSIONS					
Width (mm)	282	282	280	282	282
Depth (mm)	482	160	490	482	160
Height (mm)	45	482	75	60	482
COOKING ELEMENTS					
COOKING ZONE -left front , (Type)	–	–	–	–	–
COOKING ZONE -left center , (Type)	–	–	–	–	–
COOKING ZONE -left rear , (Type)	–	–	–	–	–
COOKING ZONE - center front , (Type)	–	–	Stainless Steel plate	–	–
COOKING ZONE -center center , (Type)	DOUBLE RING	Electric resistance	–	–	Electric resistance
COOKING ZONE -center rear , (Type)	–	–	Stainless Steel plate	–	–
COOKING ZONE -right front, (Type)	–	–	–	–	–
COOKING ZONE -right center, (Type)	–	–	–	–	–
COOKING ZONE -right rear, (Type)	–	–	–	–	–
COOKING ZONE -left front , mm	–	–	–	–	–
COOKING ZONE -left center , mm	–	–	–	–	–
COOKING ZONE -left rear , mm	–	–	–	–	–
COOKING ZONE -center front , mm	–	–	376 X 118	–	–
COOKING ZONE -center center, mm	–	–	–	–	–
COOKING ZONE -center rear , mm	–	–	376 X 118	–	–
COOKING ZONE -right front, mm	–	–	–	–	–
COOKING ZONE -right center, mm	–	–	–	–	–
COOKING ZONE -right rear , mm	–	–	–	–	–
COOKING ZONE -left front, (W)	–	–	–	–	–
COOKING ZONE -left center, (W)	–	–	–	–	–
COOKING ZONE -left rear, (W)	–	–	–	–	–
COOKING ZONE -center front, (W)	–	–	1200	–	–
COOKING ZONE -center center, (W)	4000	–	–	–	–
COOKING ZONE - center rear,(W)	–	–	1200	–	–
COOKING ZONE -right front, (W)	–	–	–	–	–
COOKING ZONE -right center, (W)	–	–	–	–	–
COOKING ZONE -right rear, (W)	–	–	–	–	–
ELECTRICAL FEATURES					
Maximum Nominal Power (W)(Induction or VTC)	–	–	2400	2400	2400
Maximum Nominal Power (W) (Gas)	4000	–	–	–	–
Wire lenght (cm)	100	135	100	100	135
SAFETY SYSTEMS					
Child Lock	–	–	–	–	–
Automatic safety disconnection	–	√	–	–	–
Residual heat indicator	–	–	–	–	–

Hoods

Welcome fresh air into your kitchen

WORLDWIDE **NOVELTY**

Infinity | G1 Edition

ELEGANCE AND PERFORMANCE AT ITS BEST

Our new Infinity | G1 Edition Vertical Hood is so good looking, that it will simply blend into your kitchen like a piece of decoration.

With powerful extraction and discreet, yet functional illumination, our Infinity | G1 Edition Hood will prove its worth and capability to turn performance and fresh air into an easily achievable goal, while maintain harmony in your kitchen look and layout.

Unique finishing

Its black matt and velvet finishing, make it unique and special, ready to complement any kitchen, adding a touch of fine taste.

Efficiency and performance

A+ energy efficiency class, with up to 800 m3/h max speed exhaust capacity.

Convenience and flexibility

Up to four optional recirculation types of possible installation.

Discover the complete edition

Get the most out of your Infinity | G1 Edition Vertical Hood, by matching them with the rest of the products of the edition.





SCAN AND
DISCOVER

Elegant design that **delivers consistent freshness**

Our outstanding hoods, now with a more stylish presence.

Our goal is to create the best environment for you at home. Our hoods will preserve freshness, silence and harmony in every corner of your kitchen, saving money at the same time.



WORLDWIDE **NOVELTY**

This hood **reads your mind**

WELCOME TO **INTELLIGENT COOKING.**

This Hood turns on automatically when you start cooking and regulates the power.

Remote control

Turn on and control your Hood from your mobile phone.

Always know what is going on

Access all the information on your Hood from wherever you want.

Teka Home App

Discover all the different features on the Teka Home App.



Meet the new **Ceiling hood**

DISCRETION AND HIGH PERFORMANCE AT ITS BEST.

Our ceiling hood is as discreet as it gets. Discover all the possibilities with its FreshAir Function, which will always keep your kitchen fresh and odour-free with automatic extraction cycles that you can program.

Moreover, control its light intensity and colour temperature to create an even nicer atmosphere, while keeping low noise and high efficiency. All of this and more in a hood equipped to be easily installed, so that you will have no worries





EXTERNAL EXTRACTION OR RECIRCULATION, **THE CHOICE IS YOURS**

Depending on your needs and home design, you will have the option to install your ceiling hood with recirculation system, which will aspire the odours and bring fresh air back into your kitchen, or with direct external extraction, which will take the odours out of your home.

Discover our **DLV hoods**

Our DLV hoods show a unique vertical design to impress even the most demanding chefs. The hood is made of glass and anodized aluminium with high durability. The perfect combination also has a white display and an elegant LED lighting distributed all along the cooking area. Because your expectations deserve only the best, the elegance comes included.



SCAN AND
DISCOVER

The **Perfect A4 hood**

The perfect balance between efficiency, design and productivity. An incomparable hood thanks to a full 4 A energy label: A class in energy efficiency, fluidynamic, lightning and in grease filtering.

The hood can extract up to 800 m3 and remove 98% of the grease with its 12 layers filters. And from the hood to the dishwasher, because the stainless steel filters are designed to be washable, so forget about how to keep them clean.

- **Energy efficiency:** Energy efficiency index (EEI) It is calculated from annual consumption and from energy standard consumption.
- **Fluid Dynamic Efficiency:** Efficiency of the extraction system affected by different variables like the shape of the hoods.
- **Lighting efficiency class:** Indicates the efficiency with which the hood is able to illuminate the cooker hob.
- **Grease filtering efficiency class:** Indicates the hood efficiency to filter the grease from the cooking process.



The freshness that **you deserve**

RIM EXTRACTION: KEEP IT FRESH

A small slot is showed in the body of the hood and generates high pressure for a better and faster air extraction. Air cannot go further than the cooking area thanks to the speed and efficiency of the hood. Cook free of odours and fumes.



We help you choose **the right hood for your kitchen**

OUR WIDE VARIETY OF HOODS ALLOWS YOU TO CHOOSE **THE PERFECT MATCH FOR YOUR KITCHEN, DEPENDING ON YOUR NEEDS**

Just calculate your kitchen's volume.

For example, 12m² with 2,5m height.
That's how we get the total volume: 12m² x 2,5m = 30m³

Furniture must be taken into consideration. Approx. 40%. Final total volume: 18m³. Considering that the air is renovated 12 times per hour:

18m³ x 12 renovations = 216m³/h

In a 12m² kitchen we need a hood with 216m³/h for an effective extraction.





NEW

MAESTRO DVI 88 INFINITY G1

- **Infinity | G1 Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included



COLOR

Black

EXTERNAL DIMENSIONS

Height 800-1100 mm



NEW

MAESTRO DLV 99677 TOS BK

- **Teka Home: smart appliances with Wi-Fi connection**
- **Decorative vertical hood**
- Touch control
- HobToHood, automatic hood connection during cooking
- FreshAir function
- Rim extraction
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 993
- 1 LED lamp
- 2 aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included



COLOR

Black

EXTERNAL DIMENSIONS

Height 1001-1331 mm







NEW

MAESTRO **DHT 97670**

- **Ceiling hood**
- Electronic control
- FreshAir function
- Rim extraction
- Remote control
- Brushless EcoPower Motor
- 4 speeds + 2 intensive
- Free Outlet exhaust capacity (m3/h): 800
- Max speed exhaust capacity (m3/h): 808
- Intensive speed exhaust capacity (m3/h): 686
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 50
- 3 LED lamps
- Light intensity regulation
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Outlet reduction optional
- Optional Charcoal Filter: R1RES



COLOR

White

EXTERNAL DIMENSIONS

Height 900 mm

MAESTRO **DHT 1285**

- **Decorative island hood**
- Push buttons control
- Rim extraction
- Remote control
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed exhaust capacity (m3/h): 807
- Intensive speed sound level (dBA): 66
- Max speed sound level (dBA): 60
- Min speed sound level (dBA): 47
- 4 LED lamps
- 4 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: ZUB 9015



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1200 mm

TOTAL **DH2 ISLA 985**

- **Decorative horizontal island hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 796
- Max speed exhaust capacity (m3/h): 605
- Min speed exhaust capacity (m3/h): 311
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 4 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Easy-Clean inside panel
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/T1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm







TOTAL **DG3 ISLA 985**

- **Decorative glass wing island hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 796
- Max speed exhaust capacity (m3/h): 605
- Min speed exhaust capacity (m3/h): 311
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 4 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/T1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm

MAESTRO **CC 485**

- **Decorative tubular island hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):920
- Intensive speed exhaust capacity (m3/h):771
- Max speed exhaust capacity (m3/h):525
- Min speed exhaust capacity (m3/h): 305
- Intensive speed sound level (dBA): 78
- Max speed sound level (dBA): 72
- Min speed sound level (dBA): 50
- 2 LEDS lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/I1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 400 mm

TOTAL **DH2 ISLA 1285**

- **Decorative horizontal island hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 796
- Max speed exhaust capacity (m3/h): 605
- Min speed exhaust capacity (m3/h): 311
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 4 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Easy-Clean inside panel
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/T1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1200 mm



TOTAL ESTRUCTURA DH2 ISLA 1285

- **Decorative horizontal island hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 796
- Max speed exhaust capacity (m3/h): 605
- Min speed exhaust capacity (m3/h): 311
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 4 LED lamps
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Easy-Clean Inside Panel
- Operating pilot light
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Width mm



MAESTRO CUERPO DPL ISLA 1185

- **Decorative horizontal island hood**
- Electronic control with display
- Rim extraction
- EcoPower motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 69
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 54
- 4 LED lamps
- 3 aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/T1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 1100 mm



MAESTRO DPL 1185 ISLA

- **Decorative horizontal island hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 69
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 54
- 4 LED lamps
- 3 aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/T1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 1100 mm



MAESTRO DLV 99670 TOS BK

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 920
- Max speed exhaust capacity (m3/h): 625
- Min speed exhaust capacity (m3/h): 210
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 39
- 1 LED lamp
- 2 aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation: CFH 15200 O2C
- Optional regenerative recirculation kit without tube cover installation: RFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO DLV 98660 TOS WH

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

White

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO DLV 98660 TOS ST

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLV 98660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Steam Grey Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLV 98660 TOS LB**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

London brick brown glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLV 98660 TOS BK**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 696
- Max speed exhaust capacity (m3/h): 558
- Min speed exhaust capacity (m3/h): 290
- Intensive speed sound level (dBA): 69.9
- Max speed sound level (dBA):66.5
- Min speed sound level (dBA): 51.4
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLV 69670 TOS BK**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 880
- Max speed exhaust capacity (m3/h): 600
- Min speed exhaust capacity (m3/h): 200
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 41
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DLV 68660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (dBA): 725
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 232
- Intensive speed sound level (dBA):70,9
- Max speed sound level (dBA): 64,6
- Min speed sound level (dBA): 49,4
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DLV 68660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (dBA): 725
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 232
- Intensive speed sound level (dBA):70,9
- Max speed sound level (dBA): 64,6
- Min speed sound level (dBA): 49,4
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Stone Grey Glass

EXTERNAL DIMENSIONS

Height 600 mm





MAESTRO **DLV 68660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (dBA): 725
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 232
- Intensive speed sound level (dBA):70,9
- Max speed sound level (dBA): 64,6
- Min speed sound level (dBA): 49,4
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Steam Grey

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DLV 68660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (dBA): 725
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 232
- Intensive speed sound level (dBA):70,9
- Max speed sound level (dBA): 64,6
- Min speed sound level (dBA): 49,4
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

London brick brown glass

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DLV 68660 TOS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (dBA): 725
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 232
- Intensive speed sound level (dBA):70,9
- Max speed sound level (dBA): 64,6
- Min speed sound level (dBA): 49,4
- 1 LED lamp
- 1 Aluminium filter
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L3C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L3C
- Optional recirculation kit without tube cover installation:CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DVT 98660 TBS WH**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 74
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 52
- 2 LED lamps
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: CFH 15200 02C
- Optional regenerative recirculation kit without tube cover installation: FH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

White

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DVT 98660 TBS BK**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 74
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 52
- 2 LED lamps
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: CFH 15200 02C
- Optional regenerative recirculation kit without tube cover installation: FH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DVT 78660 TBS WH**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 74
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 52
- 2 LED lamps
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: CFH 15200 02C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 700 mm



MAESTRO **DVT 78660 TBS BK**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 74
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 52
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: RFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black

EXTERNAL DIMENSIONS

Height 700 mm



MAESTRO **DVT 68660 TBS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 64
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: RFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DVT 68660 TBS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control with display
- FreshAir function
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 698
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 307
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 64
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: CFH 15200 L2C
- Optional regenerative recirculation kit with tube cover installation: RFH 15200 L2C
- Optional recirculation kit without tube cover installation: RFH 15200 O2C
- Optional Charcoal Filter: C1RTK
- Optional Regenerative filter: R1RTK



COLOR

Black

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DVF 97670 TBS WH**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- FreshAir function
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h): 400
- Min speed exhaust capacity (m3/h): 270
- Intensive speed sound level (dBA): 59
- Max speed sound level (dBA): 48
- Min speed sound level (dBA): 42
- 2 LED lamps
- Light intensity regulation
- 2 Aluminium Filters
- Anti-return valve included
- Stop delay timer
- Filter saturation indicator
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D11CTP
- Optional regenerative recirculation kit with tube cover installation:Set D12CTP
- Optional Charcoal Filter: D11C
- Optional Regenerative filter: D12C



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 898 mm



MAESTRO **DVF 97670 TBS BK**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- FreshAir function
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h): 400
- Min speed exhaust capacity (m3/h): 270
- Intensive speed sound level (dBA): 59
- Max speed sound level (dBA): 48
- Min speed sound level (dBA): 42
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D11CTP
- Optional regenerative recirculation kit with tube cover installation:Set D12CTP
- Optional Charcoal Filter: D11C
- Optional Regenerative filter: D12C



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 898 mm



EASY **DVN 97050 TTC WH**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 64
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

White

EXTERNAL DIMENSIONS

Height 898 mm



EASY DVN 97050 TTC BK

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 61
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 898 mm



EASY DVN 77050 TTC WH

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 54
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

White

EXTERNAL DIMENSIONS

Height 698 mm



EASY DVN 77050 TTC BK

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 54
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D11C



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 698 mm



EASY DVN 67050 TTC WH

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 54
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

White

EXTERNAL DIMENSIONS

Height 598 mm



EASY DVN 67050 TTC BK

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):704
- Intensive speed exhaust capacity (m3/h): 640
- Max speed exhaust capacity (m3/h): 485
- Min speed exhaust capacity (m3/h): 260
- Intensive speed sound level (dBA):71
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 54
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 598 mm



NEW

EASY DVN 94030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C



COLOR

White

EXTERNAL DIMENSIONS

Height 898 mm



NEW

EASY DVN 94030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 898 mm



NEW

EASY DVN 74030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C

COLOR

White

EXTERNAL DIMENSIONS

Height 698 mm



NEW

EASY DVN 74030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 698 mm



NEW

EASY DVN 64030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA):72
- Max speed sound level (dBA): 66
- Min speed sound level (dBA):65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C
- Optional Regenerative filter: D13C

COLOR

White

EXTERNAL DIMENSIONS

Height 598 mm



NEW

EASY DVN 64030 TTC

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- Rim extraction
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h):460
- Intensive speed exhaust capacity (m3/h): 425
- Max speed exhaust capacity (m3/h): 410
- Min speed exhaust capacity (m3/h): 380
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 65
- 2 LED lamps
- 1 Aluminium Filter
- Stop delay timer
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D13CTP
- Optional Charcoal Filter: D9C

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 598 mm



MAESTRO DU 985

- **Decorative vertical hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 597
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 56
- 4 LED lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Easy-Clean inside panel
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: 1/M
- Optional Charcoal Filter: D4C

COLOR

Black

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DVF 67670 TBS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- FreshAir function
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h): 400
- Min speed exhaust capacity (m3/h): 270
- Intensive speed sound level (dBA): 59
- Max speed sound level (dBA): 48
- Min speed sound level (dBA): 42
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D11CTP
- Optional regenerative recirculation kit with tube cover installation: Set D12CTP
- Optional Charcoal Filter: D11C
- Optional Regenerative filter: D12C



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 598 mm



MAESTRO **DVF 67670 TBS**

- **Urban Colors Edition**
- **Decorative vertical hood**
- Touch control
- FreshAir function
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h): 400
- Min speed exhaust capacity (m3/h): 270
- Intensive speed sound level (dBA): 59
- Max speed sound level (dBA): 48
- Min speed sound level (dBA): 42
- 2 LED lamps
- 2 Aluminium Filters
- Stop delay timer
- Filter saturation indicator
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET D11CTP
- Optional regenerative recirculation kit with tube cover installation: Set D12CTP
- Optional Charcoal Filter: D11C
- Optional Regenerative filter: D12C



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 598 mm



MAESTRO **DPL 986 T**

- **Decorative horizontal hood**
- Electronic control with display
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 65
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 45
- 1 LED lamp
- 3 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DPL 786 T**

- **Decorative horizontal hood**
- Electronic control with display
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 65
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 45
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Black

EXTERNAL DIMENSIONS

Height 700 mm



MAESTRO **DPS 986**

- **Decorative horizontal hood**
- Electronic control with display
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 65
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 45
- 1 LED lamp
- 3 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DPS 786**

- **Decorative horizontal hood**
- Electronic control with display
- Rim extraction
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 782
- Max speed exhaust capacity (m3/h): 629
- Min speed exhaust capacity (m3/h): 331
- Intensive speed sound level (dBA): 65
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 45
- 1 LED lamp
- 2 Aluminium filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLH 1185 T**

- **Decorative horizontal hood**
- Touch control
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 795
- Intensive speed exhaust capacity (m3/h):740
- Max speed exhaust capacity (m3/h): 586
- Min speed exhaust capacity (m3/h): 306
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 54
- 1 LED lamp
- 3 Aluminium filters with 12 layers
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 1100 mm



MAESTRO **DLH 985 T**

- **Decorative horizontal hood**
- Electronic control with display
- EcoPower motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 795
- Intensive speed exhaust capacity (m3/h):740
- Max speed exhaust capacity (m3/h): 586
- Min speed exhaust capacity (m3/h): 306
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 54
- 1 LED lamp
- 3 Stainless Steel filters with 12 layers
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Exchangeable front panel
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLH 1186 T**

- **Decorative horizontal hood**
- Touch control
- EcoPower motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h):701
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 53
- 1 LED lamp
- 4 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET C1RTK
- Optional Charcoal Filter: D1C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 1100 mm



MAESTRO **DLH 986 T**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h):701
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 53
- 1 LED lamp
- 3 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET C1RTK
- Optional Charcoal Filter: D1C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **DLH 786 T**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h):701
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 53
- 1 LED lamp
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET C1RTK
- Optional Charcoal Filter: D1C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 700 mm



MAESTRO **DLH 686 T**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h):701
- Max speed exhaust capacity (m3/h): 584
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 53
- 1 LED lamp
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET C1RTK
- Optional Charcoal Filter: D1C



COLOR

Stainless Steel/Black Glass

EXTERNAL DIMENSIONS

Height 600 mm





TOTAL **DSH 985**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h):586
- Min speed exhaust capacity (m3/h): 306
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 56
- Min speed sound level (dBA): 42
- 1 LED lamp
- 3 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



TOTAL **DSH 785**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h): 586
- Min speed exhaust capacity (m3/h): 306
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 42
- 1 LED lamp
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



TOTAL **DSH 685**

- **Decorative horizontal hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 740
- Max speed exhaust capacity (m3/h):586
- Min speed exhaust capacity (m3/h): 306
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 56
- Min speed sound level (dBA): 42
- 1 LED lamp
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation:SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



EASY **DSJ 980**

- **Decorative horizontal hood**
- Electronic control with display
- 4 speeds
- Free Outlet exhaust capacity (m3/h): 638
- Max speed exhaust capacity (m3/h): 614
- Min speed exhaust capacity (m3/h): 268
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 45
- 1 LED lamp
- 3 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: D1CTP
- Optional Charcoal Filter: D1C



EASY **DSJ 680**

- **Decorative horizontal hood**
- Push buttons control
- 4 speeds
- Free Outlet exhaust capacity (m3/h): 638
- Max speed exhaust capacity (m3/h): 614
- Min speed exhaust capacity (m3/h): 268
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 60
- 2 LED lamp
- 2 Stainless Steel filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: D1CTP
- Optional Charcoal Filter: D1C



TOTAL **DG 985**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 42
- 2 LED lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 900 mm



TOTAL **DG 785**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 42
- 2 LED lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 700 mm



TOTAL **DG 685**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 42
- 2 LED lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 600 mm



TOTAL **NC 985**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds +1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 56
- 2 LED Lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 900 mm



TOTAL **NC 785**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds +1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 56
- 2 LED Lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 700 mm



TOTAL **NC 685**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds +1 intensive
- Free Outlet exhaust capacity (m3/h): 895
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 72
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 56
- 2 LED Lamps
- 1 Stainless Steel filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/N1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel Glass Wing

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **DQ2 985**

- **Decorative glass wing hood**
- Electronic control with display
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 920
- Intensive speed exhaust capacity (m3/h): 807
- Max speed exhaust capacity (m3/h): 631
- Min speed exhaust capacity (m3/h): 315
- Intensive speed sound level (dBA): 60
- Max speed sound level (dBA): 55
- Min speed sound level (dBA): 42
- 3 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Filter saturation indicator
- Easy-Clean inside panel
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/L
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 895 mm



TOTAL DOS 90.1

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Width 600/900mm



TOTAL DOS 90.1 VANILLA-BRASS

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Width 600/900mm



TOTAL DOS 90.1 VANILLA-SILVER

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Vanilla Silver

EXTERNAL DIMENSIONS

Width 600/900mm



TOTAL DOS 90.1 ANTHRACITE-SILVER

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Width 600/900mm



TOTAL DOS 60.1

- **Urban Colors Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Width 600/900mm



TOTAL DOS 60.1 VANILLA-BRASS

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



COLOR

Vanilla Brass

EXTERNAL DIMENSIONS

Width 600/900mm





TOTAL **DOS 60.1 VANILLA-SILVER**

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



TOTAL **DOS 60.1 ANTHRACITE-SILVER**

- **Country Style Edition**
- **Decorative pyramidal hood**
- Electronic control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 603
- Min speed exhaust capacity (m3/h): 256
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 51
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 4/D
- Optional Charcoal Filter: D5C



TOTAL **DSS 985**

- **Decorative pyramidal hood**
- Illuminated push buttons control
- EcoPower motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 792
- Intensive speed exhaust capacity (m3/h): 760
- Max speed exhaust capacity (m3/h): 597
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 73
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 54
- 1 LED lamp
- 3 Stainless Steel filters
- Stop delay timer
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation:SET 1/N1
- Optional Charcoal Filter: D4C



TOTAL **DSS 785**

- **Decorative pyramidal hood**
- Illuminated push buttons control
- EcoPower motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 792
- Intensive speed exhaust capacity (m3/h): 760
- Max speed exhaust capacity (m3/h): 597
- Min speed exhaust capacity (m3/h): 303
- Intensive speed sound level (dBA): 73
- Max speed sound level (dBA): 68
- Min speed sound level (dBA): 54
- 1 LED lamp
- 2 Stainless Steel filters
- Stop delay timer
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation:SET 1/N1
- Optional Charcoal Filter: D4C



EASY **DBP 90**

- **Decorative pyramidal hood**
- Push buttons control
- 4 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 613
- Min speed exhaust capacity (m3/h): 318
- Max speed sound level (dBA): 56
- Min speed sound level (dBA): 28
- 2 LED lamps
- 3 Stainless Steel filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C



EASY **DBP 70**

- **Decorative pyramidal hood**
- Push buttons control
- 4 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 613
- Min speed exhaust capacity (m3/h): 318
- Max speed sound level (dBA): 56
- Min speed sound level (dBA): 28
- 2 LED lamps
- 2 Stainless Steel filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C



COLOR

Vanilla Silver

EXTERNAL DIMENSIONS

Width 600/900mm



COLOR

Anthracite Brass

EXTERNAL DIMENSIONS

Width 600/900mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm



EASY **DBP 60**

- **Decorative pyramidal hood**
- Push buttons control
- 4 speeds
- Free Outlet exhaust capacity (m3/h): 650
- Max speed exhaust capacity (m3/h): 613
- Min speed exhaust capacity (m3/h): 318
- Max speed sound level (dBA): 56
- Min speed sound level (dBA): 28
- 2 LED lamps
- 2 Stainless Steel filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



EASY **DBB 90**

- **Decorative pyramidal hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):475
- Max speed exhaust capacity (m3/h): 380
- Min speed exhaust capacity (m3/h): 234
- Max speed sound level (dBA): 54
- Min speed sound level (dBA): 44
- 2 LED lamps
- 3 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



EASY **DBB 70**

- **Decorative pyramidal hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 475
- Max speed exhaust capacity (m3/h): 380
- Min speed exhaust capacity (m3/h): 234
- Max speed sound level (dBA): 54
- Min speed sound level (dBA): 44
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 700 mm



EASY **DBB 60**

- **Decorative pyramidal hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 475
- Max speed exhaust capacity (m3/h): 380
- Min speed exhaust capacity (m3/h): 234
- Max speed sound level (dBA): 54
- Min speed sound level (dBA): 44
- 2 LED lamps
- 2 Stainless Steel filters
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1/M1
- Optional Charcoal Filter: D4C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



MAESTRO **INTEGRA 96750**

- **Built-in hood**
- Rotary knob control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 630
- Max speed exhaust capacity (m3/h): 620
- Min speed exhaust capacity (m3/h): 255
- Max speed sound level (dBA): 70
- Min speed sound level (dBA): 50
- 2 LED lamps
- 2 Aluminium filters
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D9C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 894 mm



NEW

MAESTRO **INTEGRA 66750**

- **Built-in hood**
- Rotary knob control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 630
- Max speed exhaust capacity (m3/h): 620
- Min speed exhaust capacity (m3/h): 225
- Max speed sound level (dBA): 70
- Min speed sound level (dBA): 50
- 2 LED lamp
- 1 Aluminium filter
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D9C

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 894 mm













NEW

MAESTRO **FIH 16760**

- **Urban Colors Edition**
- **VarioPro Modular hood**
- Touch control
- FreshAir function
- Brushless EcoPower Motor
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 630
- Intensive speed exhaust capacity (m3/h): 600
- Max speed exhaust capacity (m3/h): 540
- Min speed exhaust capacity (m3/h): 415
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 62
- 1 mesh washable filter
- Stop delay timer
- Filter saturation indicator
- Operating pilot light
- Optional recirculation kit with tube cover installation: RFH 36100 F0A
- Optional Regenerative filter : R1RFB

MAESTRO **GFL 77650**

- **Built-in filter group**
- Rim extraction
- Electronic control
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 800
- Max speed exhaust capacity (m3/h): 559
- Min speed exhaust capacity (m3/h): 285
- Intensive speed exhaust capacity (m3/h): 646
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 2 LED lamps
- 1 Aluminium filter
- Stop Delay Time
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: C01RTK

MAESTRO **GFL 57650**

- **Built-in filter group**
- Rim extraction
- Electronic control
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 800
- Max speed exhaust capacity (m3/h): 559
- Min speed exhaust capacity (m3/h): 285
- Intensive speed exhaust capacity (m3/h): 646
- Intensive speed sound level (dBA): 71
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 52
- 2 LED lamps
- 1 Aluminium filter
- Stop Delay Time
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: C01RTK

TOTAL **GFG 2**

- **Built-in hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 444
- Max speed exhaust capacity (m3/h): 329
- Min speed exhaust capacity (m3/h): 223
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 53
- 1 LED lamp
- 1 Stainless Steel filter
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C

TOTAL **GFG2**

- **Built-in hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 444
- Max speed exhaust capacity (m3/h): 329
- Min speed exhaust capacity (m3/h): 223
- Max speed sound level (dBA): 67
- Min speed sound level (dBA): 53
- 1 LED lamp
- 1 aluminium filter
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C

TOTAL **GFH 73**

- **Built-in hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 367
- Max speed exhaust capacity (m3/h): 329
- Min speed exhaust capacity (m3/h): 223
- Max speed sound level (dBA): 52
- Min speed sound level (dBA): 42
- 2 LED lamps
- 2 aluminium filters
- Operating pilot light
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C













COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 110 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 712 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 532 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 550 mm

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 550 mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 730 mm


TEKA



TOTAL **GFH 55**

- **Built-in hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 367
- Max speed exhaust capacity (m3/h): 223
- Min speed exhaust capacity (m3/h): 329
- Max speed sound level (dBA): 52
- Min speed sound level (dBA): 42
- 2 LED lamps
- 2 Aluminium filters
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



MAESTRO **DHI 90**

- **Built-in hood**
- Electronic control
- 3 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 850
- Intensive speed sound level (dBA): 650
- Max speed exhaust capacity (m3/h): 400
- Min speed exhaust capacity (m3/h): 295
- Intensive speed sound level (dBA): 68
- Max speed sound level (dBA): 57
- Min speed sound level (dBA): 48
- 3 LED lamps
- 2 Stainless Steel filter
- Stop delay timer
- Easy-Clean inside panel
- Operating pilot light
- Anti-return valve included
- Outlet reduction included
- Optional recirculation kit with tube cover installation: SET 1S
- Optional Charcoal Filter: D4C



MAESTRO **CNL 9815 PLUS**

- **Pull-out hood**
- Electronic control
- 5 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 734
- Intensive speed exhaust capacity (m3/h): 730
- Max speed exhaust capacity (m3/h): 555
- Min speed exhaust capacity (m3/h): 295
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 65
- Min speed sound level (dBA):53
- 1 LED lamps
- 4 Stainless Steel filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D1C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 550 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



MAESTRO **CNL 6815 PLUS**

- **Pull-out hood**
- Electronic control
- 5 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 734
- Intensive speed exhaust capacity (m3/h):730
- Max speed exhaust capacity (m3/h): 555
- Min speed exhaust capacity (m3/h): 295
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 65
- Min speed sound level (dBA): 53
- 1 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D1C



MAESTRO **CNL 9415 PLUS**

- **Pull-out hood**
- Electronic control
- 5 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 393
- Intensive speed exhaust capacity (m3/h):385
- Max speed exhaust capacity (m3/h):293
- Min speed exhaust capacity (m3/h): 141
- Intensive speed sound level (dBA): 69
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 52
- 4 LEDS lamps
- 2 Stainless Steel filters
- Stop delay timer
- Operating pilot light
- Exchangeable Front Panel
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



MAESTRO **CNL 6415 PLUS**

- **Pull-out hood**
- Electronic control
- 5 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 393
- Intensive speed exhaust capacity (m3/h): 385
- Max speed exhaust capacity (m3/h): 293
- Min speed exhaust capacity (m3/h): 141
- Intensive speed sound level (dBA): 69
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 52
- 1 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



TOTAL **CNL 6415**

- **Pull-out hood**
- Electronic control
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 393
- Intensive speed exhaust capacity (m3/h): 385
- Max speed exhaust capacity (m3/h): 312
- Min speed exhaust capacity (m3/h): 226
- Intensive speed sound level (dBA): 69
- Max speed sound level (dBA): 64
- Min speed sound level (dBA): 57
- 2 LED lamps
- 2 Stainless Steel filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



TOTAL **CNL 9610**

- **Pull-out hood**
- Electronic control
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 745
- Intensive speed exhaust capacity (m3/h): 694
- Max speed exhaust capacity (m3/h): 445
- Min speed exhaust capacity (m3/h): 330
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 63
- Min speed sound level (dBA): 60
- 3 LED lamps
- 4 Aluminium filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D4C



TOTAL **CNL 6610**

- **Pull-out hood**
- Electronic control
- 2 speeds + 1 intensive
- Free Outlet exhaust capacity (m3/h): 745
- Intensive speed exhaust capacity (m3/h): 694
- Max speed exhaust capacity (m3/h): 445
- Min speed exhaust capacity (m3/h): 330
- Intensive speed sound level (dBA): 70
- Max speed sound level (dBA): 63
- Min speed sound level (dBA): 60
- 2 LED lamps
- 2 Aluminium filters
- Stop delay timer
- Fingerprint proof front panel
- Exchangeable Front Panel
- Anti-return valve included
- Outlet reduction included
- Optional Charcoal Filter: D4C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



EASY **C 9420**

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):422
- Max speed exhaust capacity (m3/h):375
- Min speed exhaust capacity (m3/h): 141
- Max speed sound level (dBA): 72
- Min speed sound level (dBA): 60
- 2 LEDS lamps
- 3 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter:C1R



EASY **C 6420**

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):422
- Max speed exhaust capacity (m3/h):375
- Min speed exhaust capacity (m3/h): 141
- Max speed sound level (dBA): 73
- Min speed sound level (dBA): 60
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter:C1R



EASY **C 6420**

- **Classic hood**
- Touch slider control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):422
- Max speed exhaust capacity (m3/h):375
- Min speed exhaust capacity (m3/h): 141
- Min speed sound level (dBA): 60
- Max speed sound level (dBA): 73
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter:C1R



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm



EASY C 9310

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):254
- Max speed exhaust capacity (m3/h):235
- Min speed exhaust capacity (m3/h): 124
- Max speed sound level (dBA): 62
- Min speed sound level (dBA): 45
- 2 LEDS lamps
- 3 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter:C2R



EASY C 8310

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):254
- Max speed exhaust capacity (m3/h):235
- Min speed exhaust capacity (m3/h): 124
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 49
- 2 Halogen lamps
- 2 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter:C2R



EASY C 7310

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h):254
- Max speed exhaust capacity (m3/h):235
- Min speed exhaust capacity (m3/h): 124
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 49
- 2 Halogen lamps
- 3 Aluminium filters
- Operating pilot light
- Fingerprint proof front panel
- Anti-return valve included
- Optional Charcoal Filter: C1R



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Width mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Width mm



EASY C 6310

- **Classic hood**
- Push buttons control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 254
- Max speed exhaust capacity (m3/h): 235
- Min speed exhaust capacity (m3/h): 124
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 49
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Optional Charcoal Filter: C2R



EASY C 6310

- **Classic hood**
- Touch slider control
- 3 speeds
- Free Outlet exhaust capacity (m3/h): 254
- Max speed exhaust capacity (m3/h): 235
- Min speed exhaust capacity (m3/h): 124
- Max speed sound level (dBA): 66
- Min speed sound level (dBA): 49
- 2 LED lamps
- 2 Aluminium filters
- Operating pilot light
- Anti-return valve included
- Optional Charcoal Filter: C2R



EASY TL 9310

- **Pull-out hood**
- Mechanical control
- 2 speeds
- Free Outlet exhaust capacity (m3/h): 366
- Max speed exhaust capacity (m3/h): 332
- Min speed exhaust capacity (m3/h): 233
- Max speed sound level (dBA): 54
- Min speed sound level (dBA): 45
- 2 LED lamps
- 4 Aluminium filters
- Exchangeable front panel
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm



COLOR

White

EXTERNAL DIMENSIONS

Height 600 mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 900 mm



EASY **TL 6310**

- **Pull-out hood**
- Mechanical control
- 2 speeds
- Free Outlet exhaust capacity (m3/h): 366
- Max speed exhaust capacity (m3/h): 332
- Min speed exhaust capacity (m3/h): 233
- Max speed sound level (dBA): 54
- Min speed sound level (dBA): 45
- 2 LED lamps
- 2 Aluminium filters
- Exchangeable front panel
- Anti-return valve included
- Optional Charcoal Filter: CNL 1C



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 600 mm

Model	DVI 88 Infinity G1	DVI 88-G1 EOS BM	DHT 97670	DHT 1285	DH2 ISLA 985	DG3 ISLA 985	CC 485	DH2 ISLA 1285	ESTRUCTURA DH2 ISLA 1285
PRODUCT FICHE									
Annual energy consumption AEC kWh/annum (kWh)	40,1	23,8	34,4	46,7	47,8	47,8	44,7	47,8	0,0
Energy Efficiency Class	A+	A+++	A++	A	A	A	A	A	–
Fluid Dynamic Efficiency (FDEhood)	35,5	43,9	37,7	32,1	32,3	32,3	32,2	32,3	–
Fluid Dynamic Efficiency class	A	A	A	A	A	A	A	A	–
Light Efficiency (Lehood) lux/Watt	35,0	36	80	58,3	58,3	58,3	87,3	58,3	–
Lighting Efficiency class	A	A	A	A	A	A	A	A	–
Grease Filtering Efficiency (GFE-hood) %	75,62	75,1	77	86,8	83,4	83,4	77,8	83,4	–
Grease Filtering Efficiency class	C	C	C	B	C	C	C	C	–
Air flow (Qmin) m3/h	232	210	317	315	311	311	305	311	–
Air flow (Qmax) m3/h	411	625	634	631	605	605	525	605	–
Air flow (Qboost) m3/h	726	920	808	807	796	796	771	796	–
Noise (LwA) Min Speed (dB)	47,4	39	50	47	52	52	50	52	–
Noise (LwA) Max Speed (dB)	60	65	74	66	71	71	78	71	–
Noise (LwA) Boost Speed (dB)	71,1	72	74	66	71	71	78	71	–
Off mode Power (Po) W	0	0,32	–	–	–	–	–	–	–
Standby Power (Ps) W	0,32	-	0,5	1	0,6	0,6	0,7	0,6	–
Energy Efficiency Index (EEI)	41,1	26,9	36,9	49,9	50,1	50,1	47,3	50,1	0,0
Time increase actor (f)	0,7	0,4	0,6	0,8	0,8	0,8	0,8	0,8	–
Air flow at best efficiency point (Qbep) m3 / h	394	420	374	329,8	341	341	345	341	–
Air pressure at best efficiency point (Pbep) Pa	472	471	489	456	456	456	465	456	–
Electric power input at best efficiency point (Wbep) W	145,7	125	134,9	130,1	133,7	133,7	138,2	133,7	–
Nominal power of the lighting system (WL) W	4	7,5	6,6	12	12	12	6	12	–
EXTERNAL DIMENSIONS									
Width (mm)	800	900	900	1200	900	900	400	1200	–
Depth (mm)	435	450	600	600	600	600	400	600	–
Height (mm)	800-1100	1001-1331	214	305	817-1117+62	871-1171	900-1200	817-1117+62	–
ELECTRICAL FEATURES									
Motor power (W)	270	220	220	280	280	280	280	280	230
Total hood power (W)	278	228	226,6	292	292	292	286	292	292
TECHNICAL DATA									
Anti Return Valve	√	√	–	√	√	√	√	√	–
Ø Outlet (mm)	150	150	215x85	150	150	150	150	150	150
Number of Filters	1	2	2	4	2	2	1	2	2
Charcoal filter	C1RTK	C1RTK	–	(Küppers-busch has)	D4C	D4C	D4C	D4C	–
Recirculation kit	CG1 15200 L3C	CFH 15200 L3C	–	ZUB 9015	SET 1/T1	SET 1/T1	SET 1/I1	SET 1/T1	–

Model	CUERPO DPL ISLA 1185	DPL 1185 ISLA	DLV 99670 TOS BK	DLV 98660 TOS WH	DLV 98660 TOS ST	DLV 98660 TOS	DLV 98660 TOS LB	DLV 98660 TOS BK
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	49,3	0,0	23,8	43,1	43,1	43,1	43,1	43,1
Energy Efficiency Class	A	–	A+++	A+	A+	A+	A+	A+
Fluid Dynamic Efficiency (FDEhood)	32,1	–	43,9	35	35	35	35	35
Fluid Dynamic Efficiency class	A	–	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	58,3	–	36	36	36	36	36	36
Lighting Efficiency class	A	–	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	–	75,1	75,9	75,9	75,9	75,9	75,9
Grease Filtering Efficiency class	C	–	C	C	C	C	C	C
Air flow (Qmin) m3/h	331	–	210	290	290	290	290	290
Air flow (Qmax) m3/h	629	–	625	558	558	558	558	558
Air flow (Qboost) m3/h	782	–	920	696	696	696	696	696
Noise (LwA) Min Speed (dB)	54	–	39	51	51	51	51	51
Noise (LwA) Max Speed (dB)	69	–	72	70	70	70	70	70
Noise (LwA) Boost Speed (dB)	69	–	72	70	70	70	70	70
Off mode Power (Po) W	–	–	0,3	0,3	0,3	0,3	0,3	0,3
Standby Power (Ps) W	0,7	–	–	–	–	–	–	–
Energy Efficiency Index (EEI)	50,1	0,0	26,9	42,9	42,9	42,9	42,9	42,9
Time increase actor (f)	0,8	–	0,4	0,7	0,7	0,7	0,7	0,7
Air flow at best efficiency point (Qbep) m3 / h	346	–	420	384	384	384	384	384
Air pressure at best efficiency point (Pbep) Pa	464	–	471	484	484	484	484	484
Electric power input at best efficiency point (Wbep) W	139	–	125	147	147	147	147	147
Nominal power of the lighting system (WL) W	12	–	7,5	7,5	7,5	7,5	7,5	7,5
EXTERNAL DIMENSIONS								
Width (mm)	1100	1100	900	900	900	900	900	900
Depth (mm)	605	605	450	450	450	450	450	450
Height (mm)	817-1117	817-1117	1001-1331	1001-1331	1001-1331	1001-1331	1001-1331	1001-1331
ELECTRICAL FEATURES								
Motor power (W)	280	230	220	265	265	265	265	265
Total hood power (W)	292	242	228	272,5	272,5	272,5	272,5	272,5
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	3	3	2	2	2	2	2	2
Charcoal filter	D4C	–	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	SET 1/T1	–	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C

Model	DLV 69670 TOS BK	DLV 68660 TOS	DLV 68660 TOS	DLV 68660 TOS	DLV 68660 TOS	DLV 68660 TOS	DVT 98660 TBS WH	DVT 98660 TBS BK
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	22,7	42,4	42,4	42,4	42,4	42,4	38,7	38,7
Energy Efficiency Class	A+++	A+	A+	A+	A+	A+	A+	A+
Fluid Dynamic Efficiency (FDEhood)	43,3	36,5	36,5	36,5	36,5	36,5	35,1	35,1
Fluid Dynamic Efficiency class	A	A	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	52	52	52	52	52	52	69,8	69,8
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	75,9	75,9	75,9	75,9	75,9	75,9	75,9
Grease Filtering Efficiency class	C	C	C	C	C	C	C	C
Air flow (Qmin) m3/h	200	232	232	232	232	232	307	307
Air flow (Qmax) m3/h	600	410	410	410	410	410	584	584
Air flow (Qboost) m3/h	880	725	725	725	725	725	698	698
Noise (LwA) Min Speed (dB)	39	49	49	49	49	49	61	61
Noise (LwA) Max Speed (dB)	72	71	71	71	71	71	74	74
Noise (LwA) Boost Speed (dB)	72	71	71	71	71	71	74	74
Off mode Power (Po) W	0,3	0,3	0,3	0,3	0,3	0,3	–	–
Standby Power (Ps) W	–	–	–	–	–	–	0,7	0,7
Energy Efficiency Index (EEI)	26,2	42,9	42,9	42,9	42,9	42,9	41	41,0
Time increase actor (f)	0,4	0,7	0,7	0,7	0,7	0,7	0,7	0,7
Air flow at best efficiency point (Qbep) m3 / h	410	385	385	385	385	385	361	361
Air pressure at best efficiency point (Pbep) Pa	469	493	493	493	493	493	488	488
Electric power input at best efficiency point (Wbep) W	123	145	145	145	145	145	140	140
Nominal power of the lighting system (WL) W	6,5	6,7	6,7	6,7	6,7	6,7	4,2	4,2
EXTERNAL DIMENSIONS				EXTERL DIMENSIONS				
Width (mm)	600	600	600	600	600	600	900	900
Depth (mm)	450	450	450	450	450	450	412	412
Height (mm)	1001-1331	1001-1331	1001-1331	1001-1331	1001-1331	1001-1331	800-1100	800-1100
ELECTRICAL FEATURES								
Motor power (W)	220	265	265	265	265	265	280	280
Total hood power (W)	227	272,5	272,5	272,5	272,5	272,5	286	286
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	1	1	1	1	1	1	2	2
Charcoal filter	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L3C	CFH 15200 L2C	CFH 15200 L2C

Model	DVT 78660 TBS WH	DVT 78660 TBS BK	DVT 68660 TBS	DVT 68660 TBS	DVF 97670 TBS WH	DVF 97670 TBS BK	DVN 97050 TTC WH	DVN 97050 TTC BK
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	38,7	38,7	38,7	38,7	35.1	35.1	46,5	46,5
Energy Efficiency Class	A+	A+	A+	A+	A++	A++	A	A
Fluid Dynamic Efficiency (FDEhood)	35,1	35,1	35,1	35,1	37,6	37,6	29,7	29,7
Fluid Dynamic Efficiency class	A	A	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	69,8	69,8	69,8	30,2	45	45	68,1	68,1
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	75,9	75,9	75,9	751	751	65,1	65,1
Grease Filtering Efficiency class	C	C	C	C	C	C	C	C
Air flow (Qmin) m3/h	307	307	307	307	270	270	260	260
Air flow (Qmax) m3/h	584	584	584	584	400	400	485	485
Air flow (Qboost) m3/h	698	698	698	698	740	740	640	640
Noise (LwA) Min Speed (dB)	61	61	61	52	53	53	54	54
Noise (LwA) Max Speed (dB)	74	74	74	74	70	70	71	71
Noise (LwA) Boost Speed (dB)	74	74	74	74	70	70	71	71
Off mode Power (Po) W	–	–	–	–	0,5	0,5	–	–
Standby Power (Ps) W	0,7	0,7	0,7	0,7	–	–	0,5	0,5
Energy Efficiency Index (EEI)	41	41,0	41	41,0	35.7	35.7	51	51
Time increase actor (f)	0,7	0,7	0,7	0,7	6	6	0,9	0,9
Air flow at best efficiency point (Qbep) m3 / h	361	361	361	361	4.290	4.290	375	375
Air pressure at best efficiency point(Pbep) Pa	488	488	488	488	464	464	385	385
Electric power input at best efficiency point (Wbep) W	140	140	140	139,6	1.470	1.470	135	135
Nominal power of the lighting system (WL) W	4,2	4,2	4,2	4,2	2,2	2,2	3	3
EXTERNAL DIMENSIONS								
Width (mm)	700	700	600	600	898	898	898	898
Depth (mm)	412	412	412	412	409	409	325	325
Height (mm)	380	800-1100	800-1100	380	912-1172	912-1172	690-1035	690-1035
ELECTRICAL FEATURES								
Motor power (W)	280	280	280	280	270	270	230	230
Total hood power (W)	286	286	286	286	272	272	233	233
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	–	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	–	2	2	2	2	2	1	1
Charcoal filter	C1RTK	C1RTK	C1RTK	C1RTK	D11C	D11C	D9C	D9C
Recirculation kit	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	SET D11CTP	SET D11CTP	SET D13CTP	SET D13CTP

Model	DVN 77050 TTC WH	DVN 77050 TTC BK	DVN 67050 TTC WH	DVN 67050 TTC BK	DVN 94030 TTC	DVN 94030 TTC	DVN 74030 TTC	DVN 74030 TTC
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	46,5	46,5	46,5	46,5	60,2	60,2	60,2	60,2
Energy Efficiency Class	A	A	A	A	C	C	C	C
Fluid Dynamic Efficiency (FDEhood)	29,7	29,7	29,7	29,7	11,1	11,1	11,1	11,1
Fluid Dynamic Efficiency class	A	A	A	A	E	E	E	E
Light Efficiency (Lehood) lux/Watt	68,1	68,1	68,1	68,1	76,1	76,1	76,1	76,1
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	65,1	65,1	65,1	65,1	75,1	75,1	75,1	75,1
Grease Filtering Efficiency class	C	C	C	C	C	C	C	C
Air flow (Qmin) m3/h	260	260	260	260	380	380	380	380
Air flow (Qmax) m3/h	485	485	485	485	410	410	410	410
Air flow (Qboost) m3/h	640	640	640	640	425	425	425	425
Noise (LwA) Min Speed (dB)	54	54	54	54	65	65	65	65
Noise (LwA) Max Speed (dB)	71	71	71	71	67	67	67	67
Noise (LwA) Boost Speed (dB)	71	71	71	71	67	67	67	67
Off mode Power (Po) W	–	–	–	–	–	–	–	–
Standby Power (Ps) W	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5
Energy Efficiency Index (EEI)	51	51	51	51	C	C	C	C
Time increase actor (f)	0,9	0,9	0,9	0,9	1,6	1,6	1,6	1,6
Air flow at best efficiency point (Qbep) m3 / h	375	375	375	375	246	246	246	246
Air pressure at best efficiency point(Pbep) Pa	385	385	385	385	163	163	163	163
Electric power input at best efficiency point (Wbep) W	135	135	135	135	101	101	101	101
Nominal power of the lighting system (WL) W	3	3	3	3	2	2	2	2
EXTERNAL DIMENSIONS								
Width (mm)	698	698	598	598	898	898	698	698
Depth (mm)	325	325	325	325	325	325	325	325
Height (mm)	690-1035	690-1035	690-1035	690-1035	690-1035	690-1035	690-1035	690-1035
ELECTRICAL FEATURES								
Motor power (W)	230	230	230	230	140	140	140	140
Total hood power (W)	233	233	233	233	142	142	142	142
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	1	1	1	1	1	1	1	1
Charcoal filter	D9C	D9C	D9C	D9C	D9C	D9C	D9C	D9C
Recirculation kit	SET D13CTP	SET D13CTP	SET D13CTP	SET D13CTP	SET D13CTP	SET D13CTP	SET D13CTP	SET D13CTP

Model	DVN 64030 TTC	DVN 64030 TTC	DU 985	DVF 67670 TBS	DVF 67670 TBS	DPL 986 T	DPL 786 T	DPS 986
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	60,2	60,2	46,2	35.1	35.1	42,2	42,2	42,2
Energy Efficiency Class	C	C	A	A++	A++	A+	A+	A+
Fluid Dynamic Efficiency (FDEhood)	11,1	11,1	32,3	37,6	37,6	35,1	35,1	35,1
Fluid Dynamic Efficiency class	E	E	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	76,1	76,1	73,3	45	45	56,7	64,7	56,7
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,1	75,1	87,9	751	751	75,9	75,9	75,9
Grease Filtering Efficiency class	C	C	B	F	F	C	C	C
Air flow (Qmin) m3/h	380	380	315	270	270	320	320	320
Air flow (Qmax) m3/h	410	410	631	400	400	589	589	589
Air flow (Qboost) m3/h	425	425	807	740	740	722	722	722
Noise (LwA) Min Speed (dB)	65	65	56	53	53	54	54	54
Noise (LwA) Max Speed (dB)	67	67	72	70	70	69	69	69
Noise (LwA) Boost Speed (dB)	67	67	72	70	70	69	69	69
Off mode Power (Po) W	–	–	–	0,5	0,5	0,3	0,3	0,3
Standby Power (Ps) W	0,5	0,5	0,7	–	–	–	–	–
Energy Efficiency Index (EEI)	C	C	49,9	35.7	35.7	42,2	42,2	42,2
Time increase actor (f)	1,6	1,6	0,8	6	6	0,7	0,7	0,7
Air flow at best efficiency point (Qbep) m3 / h	246	246	335,2	4.290	4.290	400,6	400,6	400,6
Air pressure at best efficiency point(Pbep) Pa	163	163	445	464	464	467	467	467
Electric power input at best efficiency point (Wbep) W	101	101	128,3	1.470	1.470	148,1	148,1	148,1
Nominal power of the lighting system (WL) W	2	2	12	2,2	2,2	6	6	6
EXTERNAL DIMENSIONS								
Width (mm)	598	598	900	598	598	900	700	900
Depth (mm)	325	325	450	409	409	480	480	480
Height (mm)	690-1035	690-1035	350	912-1172	912-1172	690-1010	690-1010	690-1010
ELECTRICAL FEATURES								
Motor power (W)	140	140	280	270	270	265	265	265
Total hood power (W)	142	142	292	272	272	271	271	271
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	–	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	1	1	1	2	2	3	2	3
Charcoal filter	D9C	D9C	D4C	D11C	D11C	C1RTK	C1RTK	C1RTK
Recirculation kit	SET D13CTP	SET D13CTP	1/M	SET D11CTP	SET D11CTP	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C

Model	DPS 786	DLH 1185 T	DLH 985 T	DLH 1186 T	DLH 986 T	DLH 786 T	DLH 686 T	DSH 985
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	42,2	41,0	41,0	40,7	40,7	40,7	40,7	54,7
Energy Efficiency Class	A+	A	A	A+	A+	A+	A+	A
Fluid Dynamic Efficiency (FDEhood)	35,1	34,3	34,3	35,3	35,3	35,3	35,3	31
Fluid Dynamic Efficiency class	A	A	A	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	64,7	55,7	55,7	49,3	49,3	55,2	55,2	55,2
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	75,9	98,2	98,2	82	82	82	82	82
Grease Filtering Efficiency class	C	A	A	C	C	C	C	C
Air flow (Qmin) m3/h	320	352	352	303	303	303	303	305
Air flow (Qmax) m3/h	589	651	651	584	584	584	584	586
Air flow (Qboost) m3/h	722	760	760	701	701	701	701	735
Noise (LwA) Min Speed (dB)	54	54	54	53	53	53	53	54
Noise (LwA) Max Speed (dB)	69	72	72	72	72	72	72	72
Noise (LwA) Boost Speed (dB)	69	72	72	72	72	72	72	72
Off mode Power (Po) W	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3
Standby Power (Ps) W	–	–	–	–	–	–	–	–
Energy Efficiency Index (EEI)	42,2	47,2	47,2	42,0	42,0	42,0	42,0	53,2
Time increase actor (f)	0,7	0,8	0,8	0,7	0,7	0,7	0,7	0,9
Air flow at best efficiency point (Qbep) m3 / h	400,6	364	364	385,3	385,3	385,3	385,3	388
Air pressure at best efficiency point(Pbep) Pa	467	417	417	469	469	469	469	440
Electric power input at best efficiency point (Wbep) W	148,1	123	123	142,2	142,2	142,2	142,2	153,1
Nominal power of the lighting system (WL) W	6	7	7	6	6	6	6	6
EXTERNAL DIMENSIONS								
Width (mm)	900	1100	900	1100	900	700	600	900
Depth (mm)	480	480	480	480	480	480	480	480
Height (mm)	690-1010	670-1000	670-1000	670-1000	670-1000	670-1000	670-1000	670-1000
ELECTRICAL FEATURES								
Motor power (W)	265	280	280	265	265	265	265	280
Total hood power (W)	271	287	287	271	271	271	271	286
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	3	3	4	3	2	2	3
Charcoal filter	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C

Model	DSH 785	DSH 685	DSJ 980	DSJ 680	DG 985	DG 785	DG 685	NC 985
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	54,7	54,7	96,7	96,7	56,7	56,7	56,7	56,7
Energy Efficiency Class	A	A	C	C	A	A	A	A
Fluid Dynamic Efficiency (FDEhood)	31	31	16,4	16,4	30,5	30,5	30,5	30,5
Fluid Dynamic Efficiency class	A	A	D	D	A	A	A	A
Light Efficiency (Lehood) lux/Watt	55,2	55,2	31,7	35	65,2	77,2	73,8	65,2
Lighting Efficiency class	A	A	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	82	82	76,1	76,1	83,7	83,7	83,7	83,7
Grease Filtering Efficiency class	C	C	C	C	C	C	C	C
Air flow (Qmin) m3/h	305	305	268	268	315	315	315	315
Air flow (Qmax) m3/h	586	586	614	614	631	631	631	631
Air flow (Qboost) m3/h	735	735	–	–	807	807	807	807
Noise (LwA) Min Speed (dB)	54	54	48	48	56	56	56	56
Noise (LwA) Max Speed (dB)	72	72	–	–	72	72	72	72
Noise (LwA) Boost Speed (dB)	72	72	–	–	72	72	72	72
Off mode Power (Po) W	0,3	0,3	–	–	–	–	–	–
Standby Power (Ps) W	–	–	–	–	0,6	0,6	0,6	0,6
Energy Efficiency Index (EEI)	53,2	53,2	81,5	81,5	53,3	53,3	53,3	53,3
Time increase actor (f)	0,9	0,9	1,4	1,4	0,9	0,9	0,9	0,9
Air flow at best efficiency point (Qbep) m3 / h	388	388	363,1	363,1	403,9	403,9	403,9	403,9
Air pressure at best efficiency point(Pbep) Pa	440	440	301	301	434	434	434	434
Electric power input at best efficiency point (Wbep) W	153,1	153,1	185	185	159,4	159,4	159,4	159,4
Nominal power of the lighting system (WL) W	6	6	3	3	6	6	6	6
EXTERNAL DIMENSIONS								
Width (mm)	700	600	900	900	900	700	600	900
Depth (mm)	480	480	480	480	500	500	500	500
Height (mm)	670-1000	670-1000	670-1000	670-1000	667-997	667-997	667-997	674-1004
ELECTRICAL FEATURES								
Motor power (W)	280	280	220	220	280	280	280	280
Total hood power (W)	286	286	223	223	286	286	286	286
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	2	3	2	1	1	1	1
Charcoal filter	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C

Model	NC 785	NC 685	DQ2 985	DOS 90.1	DOS 90.1 VANILLA-BRASS	DOS 90.1 VANILLA-SILVER	DOS 90.1 ANTHRACITE-SILVER	DOS 60.1
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	56,7	56,7	44,0	68.4	68,4	68,4	68,4	68.4
Energy Efficiency Class	A	A	A	B	B	B	B	B
Fluid Dynamic Efficiency (FDEhood)	30,5	30,5	32,3	238	23,8	23,8	23,8	238
Fluid Dynamic Efficiency class	A	A	A	B	B	B	B	B
Light Efficiency (Lehood) lux/Watt	77,2	73,8	64,4	201	20,1	20,1	20,1	201
Lighting Efficiency class	A	A	A	B	B	B	B	B
Grease Filtering Efficiency (GFEhood) %	83,7	83,7	86,5	660	66	66	66	660
Grease Filtering Efficiency class	C	C	B	D	D	D	D	D
Air flow (Qmin) m3/h	315	315	315	256.0	256	256	256	256.0
Air flow (Qmax) m3/h	631	631	631	603.0	603	603	603	603.0
Air flow (Qboost) m3/h	807	807	807	–	–	–	–	–
Noise (LwA) Min Speed (dB)	56	56	56	51	51	51	51	51
Noise (LwA) Max Speed (dB)	72	72	72	–	–	–	–	–
Noise (LwA) Boost Speed (dB)	72	72	72	–	–	–	–	–
Off mode Power (Po) W	–	–	–	–	–	–	–	–
Standby Power (Ps) W	0,6	0,6	0,6	–	–	–	–	–
Energy Efficiency Index (EEI)	53,3	53,3	48,5	64.3	64,3	64,3	64,3	64.3
Time increase actor (f)	0,9	0,9	0,8	11	1,1	1,1	1,1	11
Air flow at best efficiency point (Qbep) m3 / h	403,9	403,9	335,2	2.880	288	288	288	2.880
Air pressure at best efficiency point(Pbep) Pa	434	434	445	4.740	474	474	474	4.740
Electric power input at best efficiency point (Wbep) W	159,4	159,4	128,3	1.595	159,5	159,5	159,5	1.595
Nominal power of the lighting system (WL) W	6	6	9	6.0	6,0	6,0	6,0	6.0
EXTERNAL DIMENSIONS								
Width (mm)	700	600	895	600/900	600/900	600/900	600/900	600/900
Depth (mm)	500	500	895	500	500	500	500	500
Height (mm)	674-1004	674-1004	680-1010	733-1148	733-1148	733-1148	733-1148	733-1148
ELECTRICAL FEATURES								
Motor power (W)	280	280	280	250	250	250	250	250
Total hood power (W)	286	286	289	290	290	290	290	290
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	1	1	2	2	2	2	2	2
Charcoal filter	C1RTK	C1RTK	D4C	D5C	D5C	D5C	D5C	D5C
Recirculation kit	CFH 15200 L2C	CFH 15200 L2C	SET 1/L	SET 4/D	SET 4/D	SET 4/D	SET 4/D	SET 4/D

Model	DOS 60.1 VANILLA-BRASS	DOS 60.1 VANILLA-SILVER	DOS 60.1 ANTHRACITE-SILVER	DSS 985	DSS 785	DBP 90	DBP 70	DBP 60
PRODUCT FICHE								
Annual energy consumption AEC kWh/annum (kWh)	68,4	68,4	68,4	54,6	52,4	104,1	104,1	104,1
Energy Efficiency Class	B	B	B	A	A	C	C	C
Fluid Dynamic Efficiency (FDEhood)	23,8	23,8	23,8	33	33	17,1	17,1	17,1
Fluid Dynamic Efficiency class	B	B	B	A	A	D	E	E
Light Efficiency (Lehood) lux/Watt	20,1	20,1	20,1	41,7	43,3	7	7	7
Lighting Efficiency class	B	B	B	A	A	F	F	F
Grease Filtering Efficiency (GFEhood) %	66	66	66	82,7	82,7	83,7	83,7	83,7
Grease Filtering Efficiency class	D	D	D	C	C	C	C	C
Air flow (Qmin) m3/h	256	256	256	303	303	268	268	268
Air flow (Qmax) m3/h	603	603	603	597	597	614	614	614
Air flow (Qboost) m3/h	–	–	–	760	760	–	–	–
Noise (LwA) Min Speed (dB)	51	51	51	54	54	55	55	55
Noise (LwA) Max Speed (dB)	–	–	–	73	73	–	–	–
Noise (LwA) Boost Speed (dB)	–	–	–	73	73	–	–	–
Off mode Power (Po) W	–	–	–	0,3	0,3	–	–	–
Standby Power (Ps) W	–	–	–	–	–	–	–	–
Energy Efficiency Index (EEI)	64,3	64,3	64,3	50,4	49,2	83,0	83,0	83,0
Time increase actor (f)	1,1	1,1	1,1	0,8	0,8	1,4	1,4	1,4
Air flow at best efficiency point (Qbep) m3 / h	288	288	288	418	418	358,6	358,6	358,6
Air pressure at best efficiency point(Pbep) Pa	474	474	474	446	446	330	330	330
Electric power input at best efficiency point (Wbep) W	159,5	159,5	159,5	157	157	191,8	191,8	191,8
Nominal power of the lighting system (WL) W	6,0	6,0	6,0	12	9	8,4	8,4	8,4
EXTERNAL DIMENSIONS								
Width (mm)	600/900	600/900	600/900	900	700	900	700	600
Depth (mm)	500	500	500	480	480	480	480	480
Height (mm)	733-1148	733-1148	733-1148	700-1100	700-1100	749-1049	749-1049	749-1049
ELECTRICAL FEATURES								
Motor power (W)	250	250	250	280	280	180	180	180
Total hood power (W)	290	290	290	292	289	190	190	190
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	150	150	150	150	150	150	150	150
Number of Filters	2	2	2	3	2	3	2	2
Charcoal filter	D5C	D5C	D5C	C1RTK	C1RTK	C1RTK	C1RTK	C1RTK
Recirculation kit	SET 4/D	SET 4/D	SET 4/D	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C

Model	DBB 90	DBB 70	DBB 60	INTEGRA 96750	INTEGRA 66750	FIH 16760	GFL 77650	GFL 57650
PRODUCT FICHE								
Annual energy consumption AEC kWh/annum (kWh)	62,3	62,3	62,3	55,2	55,2	37,4	49,3	49,3
Energy Efficiency Class	D	D	D	A	A	A+	A	A
Fluid Dynamic Efficiency (FDEhood)	6,9	6,9	6,9	29,2	29,2	33,3	30,7	30,7
Fluid Dynamic Efficiency class	F	F	F	A	A	A	A	A
Light Efficiency (Lehood) lux/Watt	5,9	5,9	5,9	76,1	76,1	–	126,3	126,3
Lighting Efficiency class	F	F	F	A	A	–	A	A
Grease Filtering Efficiency (GFEhood) %	73,4	73,4	73,4	75,1	75,1	75,1	86,5	86,5
Grease Filtering Efficiency class	D	D	D	C	C	C	B	B
Air flow (Qmin) m3/h	234	234	234	255	255	415	285	285
Air flow (Qmax) m3/h	380	380	380	620	620	540	559	559
Air flow (Qboost) m3/h	–	–	–	–	–	600	646	646
Noise (LwA) Min Speed (dB)	44	44	44	50	50	62	52	52
Noise (LwA) Max Speed (dB)	–	–	–	–	–	70	71	71
Noise (LwA) Boost Speed (dB)	–	–	–	–	–	70	71	71
Off mode Power (Po) W	–	–	–	0,5	0,5	0,5	–	–
Standby Power (Ps) W	–	–	–	–	–	–	0,4	0,4
Energy Efficiency Index (EEI)	93,3	93,3	93,3	52,9	52,9	43,6	53,1	53,1
Time increase actor (f)	1,8	1,8	1,8	0,9	0,9	0,8	0,9	0,9
Air flow at best efficiency point (Qbep) m3 / h	210,6	210,6	210,6	380	380	304	314,1	314,1
Air pressure at best efficiency point(Pbep) Pa	99	99	99	435	435	505	470	470
Electric power input at best efficiency point (Wbep) W	83,7	83,7	83,7	157	157	128	133,6	133,6
Nominal power of the lighting system (WL) W	10	10	10	5	5	–	7,4	7,4
EXTERNAL DIMENSIONS								
Width (mm)	900	700	600	894	894	110	712	532
Depth (mm)	480	480	480	310	310	510	284	284
Height (mm)	749-1049	749-1049	749-1049	339	339	186	316	316
ELECTRICAL FEATURES								
Motor power (W)	105	105	105	250	250	145	280	280
Total hood power (W)	115	115	115	255	255	145	288	288
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	–	√	√
Ø Outlet (mm)	150	150	150	150	150	220x90	150	150
Number of Filters	3	2	2	2	1	1	1	1
Charcoal filter	C1RTK	C1RTK	C1RTK	D9C	D9C	–	C01RTK	C01RTK
Recirculation kit	CFH 15200 L2C	CFH 15200 L2C	CFH 15200 L2C	–	–	–	-	-

Model	GFG 2	GFG2	GFH 73	GFH 55	DHI 90	CNL 9815 PLUS	CNL 6815 PLUS	CNL 6415 PLUS
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	76,7	76,2	77,6	77,6	130,2	56,6	54,5	30,3
Energy Efficiency Class	D	D	D	D	D	A	A	A
Fluid Dynamic Efficiency (FDEhood)	9,6	9,6	10,1	10,1	13,7	33,1	33,1	26,7
Fluid Dynamic Efficiency class	E	E	E	E	D	A	A	B
Light Efficiency (Lehood) lux/Watt	55,8	16,4	33,8	33,8	75	41,7	43,3	43,3
Lighting Efficiency class	A	C	A	A	A	A	A	A
Grease Filtering Efficiency (GFEhood) %	76,4	76,4	65,1	77,6	83,7	84	84	84
Grease Filtering Efficiency class	C	C	D	C	C	C	C	C
Air flow (Qmin) m3/h	171	160	156	156	295	295	295	141
Air flow (Qmax) m3/h	304	303	315	315	400	555	555	293
Air flow (Qboost) m3/h	–	–	–	–	650	730	730	385
Noise (LwA) Min Speed (dB)	53	53	53	53	48	53	53	52
Noise (LwA) Max Speed (dB)	–	–	–	–	68	70	70	69
Noise (LwA) Boost Speed (dB)	–	–	–	–	68	70	70	69
Off mode Power (Po) W	–	–	–	–	–	–	–	–
Standby Power (Ps) W	–	–	–	–	1	–	–	–
Energy Efficiency Index (EEI)	92,7	92,5	88,2	88,2	90,2	50,5	49,3	54,1
Time increase actor (f)	1,7	1,7	1,6	1,6	1,5	0,8	0,8	1
Air flow at best efficiency point (Qbep) m3 / h	168	174	187,5	187,5	402	420	420	237
Air pressure at best efficiency point(Pbep) Pa	238	232	250	250	278	465	465	264
Electric power input at best efficiency point (Wbep) W	116	117	129,1	129,1	225,8	164	164	65
Nominal power of the lighting system (WL) W	7	5	3	3	9	12	9	9
EXTERNAL DIMENSIONS								
Width (mm)	550	550	730	550	900	900	600	600
Depth (mm)	290	310	310	310	345	300/490	300/490	300/490
Height (mm)	178	178	175	175	445	274	274	184
ELECTRICAL FEATURES								
Motor power (W)	130	130	130	130	230	265	265	110
Total hood power (W)	135	135	134	134	239	277	274	119
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	120	120	120	120	150	150	150	120
Number of Filters	1	1	2	2	2	4	2	2
Charcoal filter	CNL 1C	CNL 1C	CNL 1C	CNL 1C	D4C	D1C	D1C	CNL 1C
Recirculation kit	–	–	–	–	SET 1S	-	-	–

Model	CNL 6415	CNL 9610	CNL 6610	C 9420	C 6420	C 6420	C 9310	C 8310
PRODUCT FICHE								
Annual energy consumption AEC kWh/ annum (kWh)	25,9	107,0	105,9	103,1	103,1	103,1	67,1	130,9
Energy Efficiency Class	A	C	C	D	D	D	D	E
Fluid Dynamic Efficiency (FDEhood)	26,7	17,2	17,2	8,9	8,9	8,9	8,1	5,3
Fluid Dynamic Efficiency class	B	D	D	E	E	E	E	F
Light Efficiency (Lehood) lux/Watt	42,7	33,3	42,7	4,5	4,8	4,8	4,5	0,8
Lighting Efficiency class	A	A	A	F	F	F	F	G
Grease Filtering Efficiency (GFEhood) %	74,6	72,8	72,8	72,8	72,8	72,8	72,8	72,8
Grease Filtering Efficiency class	D	D	D	D	D	D	D	D
Air flow (Qmin) m3/h	226	330	330	187	187	187	115	124
Air flow (Qmax) m3/h	312	445	445	353	353	353	218	235
Air flow (Qboost) m3/h	385	694	694	–	–	–	–	–
Noise (LwA) Min Speed (dB)	57	60	60	60	60	60	45	49
Noise (LwA) Max Speed (dB)	69	70	70	–	–	–	–	–
Noise (LwA) Boost Speed (dB)	69	70	70	–	–	–	–	–
Off mode Power (Po) W	–	–	–	–	–	–	–	–
Standby Power (Ps) W	–	–	–	–	–	–	–	–
Energy Efficiency Index (EEI)	49,1	82,7	82,4	97,7	97,7	97,7	91	107,7
Time increase actor (f)	1	1,4	1,4	1,7	1,7	1,7	1,7	1,8
Air flow at best efficiency point (Qbep) m3 / h	237	433	433	216	216	216	131,4	136
Air pressure at best efficiency point(Pbep) Pa	264	290	290	225	225	225	208	191
Electric power input at best efficiency point (Wbep) W	65	203	203	152	152	152	94,1	137
Nominal power of the lighting system (WL) W	3	5	3	12	12	12	12	56
EXTERNAL DIMENSIONS								
Width (mm)	600	900	600	900	600	600	900	–
Depth (mm)	300/490	300/490	300/490	500	500	500	500	–
Height (mm)	184	274	274	150	150	150	150	–
ELECTRICAL FEATURES								
Motor power (W)	110	230	230	188	188	188	108	130
Total hood power (W)	113	235	233	200	200	200	120	215
TECHNICAL DATA								
Anti Return Valve	√	√	√	√	√	√	√	√
Ø Outlet (mm)	120	150	150	120	120	120	120	120
Number of Filters	2	4	2	3	2	2	3	2
Charcoal filter	CNL 1C	D4C	D4C	C1R	C1R	C1R	C2R	C2R
Recirculation kit	–	-	-	-	-	-	-	-

Model	C 7310	C 6310	C 6310	TL 9310	TL 6310
PRODUCT FICHE					
Annual energy consumption AEC kWh/ annum (kWh)	130,9	67,1	67,1	78,1	78,1
Energy Efficiency Class	E	D	D	D	D
Fluid Dynamic Efficiency (FDEhood)	5,3	8,1	8,1	9,3	9,3
Fluid Dynamic Efficiency class	F	E	E	E	E
Light Efficiency (Lehood) lux/Watt	0,8	4,8	4,8	9	9
Lighting Efficiency class	G	F	F	F	F
Grease Filtering Efficiency (GFEhood) %	72,8	72,8	72,8	68	68
Grease Filtering Efficiency class	D	D	D	D	D
Air flow (Qmin) m3/h	124	128	128	160	160
Air flow (Qmax) m3/h	235	226	218	304	304
Air flow (Qboost) m3/h	–	–	–	–	–
Noise (LwA) Min Speed (dB)	49	45	45	49	49
Noise (LwA) Max Speed (dB)	–	–	–	–	–
Noise (LwA) Boost Speed (dB)	–	–	–	–	–
Off mode Power (Po) W	–	–	–	–	–
Standby Power (Ps) W	–	–	–	–	–
Energy Efficiency Index (EEI)	107,7	91	91	93,8	93,8
Time increase actor (f)	1,8	1,7	1,7	1,7	1,7
Air flow at best efficiency point (Qbep) m3 / h	136	131,4	131,4	153,8	153,8
Air pressure at best efficiency point(Pbep) Pa	191	208	208	243	243
Electric power input at best efficiency point (Wbep) W	137	94,1	94,1	111,7	111,7
Nominal power of the lighting system (WL) W	56	12	12	12	12
EXTERNAL DIMENSIONS					
Width (mm)	–	600	600	900	600
Depth (mm)	–	500	500	304-437	304-437
Height (mm)	–	150	150	181	181
ELECTRICAL FEATURES					
Motor power (W)	130	108	108	130	130
Total hood power (W)	215	120	120	146	146
TECHNICAL DATA					
Anti Return Valve	√	√	√	√	√
Ø Outlet (mm)	120	120	120	120	120
Number of Filters	3	2	2	2	2
Charcoal filter	C2R	C2R	C2R	CNL 1C	CNL 1C
Recirculation kit	-	-	-	–	–

Cold Line

Meals and memories are kept inside

WORLDWIDE **NOVELTY**

New Sommelier wine coolers

THE PERFECT PLACE **FOR YOUR WINE**

A three way proposal:

Taste your wine like never before, thanks to its perfect aging and conservation.

Enjoy the perfect wine for every occasion at the right temperature, with its multiple independent cooling zones, special for reds, whites and sparkling!

Let yourself be seduced by exquisite design. Your wine cooler is also a decorative element in your home.



Fresh veggies **for loving meals**

AND THIS WHILE YOU GIVE YOUR KITCHEN A **WELL-DESERVED STYLISH TOUCH.**

Keeping your food fresh for longer is a necessity. Our Cold Line range offers a high performing and stylish way to do it, where design is key, but not at the cost of efficiency and long-lasting functioning.

Discover our many Cold Line solutions for your kitchen.



SCAN AND
DISCOVER

Everytime. **Everywhere.**

BEAUTY NEVER GETS OLD

American Retro is born. A timeless fridge that perfectly combines the elegant aesthetics of the 50's with today's technology. The latest cold technology now with classic beauty that makes it fit harmonically in any lounge.

Its matte black finish and retro design with curve lines adapts to any space at your home as any original decorative piece. American retro stands out for its design excellence.

Everything you ever wanted on a fridge. Design with personality and a retro look, without giving up on the most advanced features inside.

American retro performs with the latest technology in cold line, and presents IonClean, Teka's innovative antibacterial system.



SCAN AND
DISCOVER

New **Crystal front door refrigerators**

PURE MATERIALS, SOPHISTICATED KITCHEN.

With a beautiful look, our Crystal Door range is designed to add an elegant touch to your kitchen, with its glassy doors and its invisible door handles, which give it a minimalistic look.

On the inside, our Crystal Door range includes our innovative IonClean technology, which eliminates odours and bacteria, VitaCare Box for independent humidity control, which keeps your veggies and fruits like the first day, and long-life no frost system which keeps your food fresh for longer. Its many features are proof that design does not need to come at the cost of superior performance.





SCAN AND
DISCOVER

Freshness and convenience in complete harmony



IonClean technology

IonClean technology creates negative ions that neutralise bacteria and bad smell particles. Air inside the fridge will be superb this way and always fresh and free of odours.

TempGuard

Our TempGuard system controls and keeps the temperature thanks to sensors located inside. Any change is automatically fixed. Your fridge always at the real temperature your food needs.

MultiZone compartment: From freezer to fridge in just one touch

Enough room to keep food cold or even freeze it, thanks to the compartment with adjustable temperature: from cold to frozen. You can set the temperature you want to from -18ºC to 7ºC and have a complete control of your food and appliance.

LongLife No Frost

Keep your food perfect: goal achieved. LongLife No Frost technology keeps every compartment at the perfect moisture level thanks to the three independent cooling circuits. Your food remains fresh for longer.

FlexiRack

Adjust the height of the door shelf by just pressing a side button.

GourmetBox

Precision is to keep food at perfect temperature.

Your food remains fresh for longer at the right temperature. The latest technology of the 0ºC box. Gourmet Box, a soft close telescopic drawer, allows you to choose the right temperature between -2 and 3ºC through a touching display at the top. Welcome to wellness.

VitaCare Box

From farm to table VitaCareBox drawer has a personalised moisture control to keep your fruit and vegetables always fresh, preserving all their vitamins and nutrients for longer.

Bar on Door

Take drinks without opening the door with just one touch. Easy access to a special compartment for drinks avoiding opening the whole refrigerator. The BarOnDoor goes beyond an intelligent design, its simplicity at its best.

10 years Warranty Inverter Motor

Silence, durability and efficiency.

Feel the peace at home. Less consumption and more silence with the long-lasting inverter compressor. We take care of stillness and quietness at your home, while saving you money. Our refrigerators and freezers ranges are designed based on efficiency. Save more with the most advanced technology.





NEW

MAESTRO RVI 30097 GBK

- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 93 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 287 / 246 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1898mm **Width** 833mm **Depth** 685mm



NEW

MAESTRO RVI 20046 GBK

- **Built-in/Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 44 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 150 / 134 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1901mm **Width** 605mm **Depth** 681mm



NEW

MAESTRO RVI 20041 GBK

- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 41 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 100 / 83 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 595mm **Width** 590mm **Depth** 563mm



NEW

MAESTRO RVI 10024 GBK

- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 24 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: N/ST
- Total capacity (Gross/net): 59 / 54 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 455mm **Width** 590mm **Depth** 557mm



NEW

MAESTRO RVF 20110 GBK

- **Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 110 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST
- Total capacity (net): 309 litres



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1850mm **Width** 910mm **Depth** 750mm



NEW

MAESTRO **RVF 10051 GBK**

- **Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 51 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (net): 159 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1256.3mm **Width** 477mm **Depth** 475mm



NEW

MAESTRO **RVF 10032 GBK**

- **Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 32 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 100 / 83 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 767mm **Width** 380mm **Depth** 585mm



NEW

MAESTRO **RVC 10008 GBK**

- **Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 8 bottles
- Front and back adjustable feet
- LED Illumination
- Climate class: SN/N
- Total capacity (net): 25 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1901mm **Width** 605mm **Depth** 681mm



NEW

MAESTRO **RVU 10008 GBK**

- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 8 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 25 / 23 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm **Width** 145mm **Depth** 549mm



NEW

MAESTRO **RVU 10020 GBK**

- **Built-in Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 20 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 66 / 58 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm **Width** 295mm **Depth** 573mm



NEW

MAESTRO **RVU 20046 GBK**

- **Built-in/Free standing Wine Cooler**
- Inner control display
- Electronic adjustable thermostat
- Capacity: 46 bottles
- Front and back adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (Gross/net): 150 / 134 litres

COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 820mm **Width** 595mm **Depth** 574mm



NEW

MAESTRO **RFD 77820 SS EU**

- **Free Standing french door refigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Gourmet box + 2 VitaCare Box drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 582 / 500 litres
- Bottle rack and ice cube tray included



NEW

MAESTRO **RFD 77820 GBK EU**

- **Urban Colors Edition**
- **Free Standing french door refigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Gourmet box + 2 VitaCare Box drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 582 / 500 litres
- Bottle rack and ice cube tray included



NEW

MAESTRO **RBF 78615 RTR**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Climate class: T/SN
- Total capacity (gross/net): 341 / 324 litres
- Bottle rack and ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1898mm **Width** 833mm **Depth** 685mm



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1898mm **Width** 833mm **Depth** 685mm



COLOR

Black Matt

EXTERNAL DIMENSIONS

Height 1901mm **Width** 605mm **Depth** 681mm



NEW

MAESTRO **RMF 77920 EU SS**

- **Free Standing side by side refrigerator**
- LongLife No Frost with 3 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 648 / 637 litres
- 2 ice cube trays and twister ice maker included



MAESTRO **RMF 99250 SS**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- Safety glass shelves
- Automatic ice maker
- On holidays function
- Fast freezing and fast cooling function
- ECO Function
- LED Illumination
- Climate class: SN/T
- Total capacity (gross/net): 820 / 713 litres
- Bottle rack included



MAESTRO **RMF 75920**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 3 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- ECO Function
- LED Illumination
- Climate class: N/T
- Total capacity (gross/net): 615 / 596 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1935mm **Width** 908mm **Depth** 775 (762)mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 2120mm **Width** 1210mm **Depth** 710mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1850mm **Width** 910mm **Depth** 750mm



TOTAL **RMF 74810 SS**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 2 safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- ECO Function
- LED Illumination
- Climate class: T/ST/N
- Total capacity (gross/net): 544 / 493 litres
- 2 Ice cube trays and twister ice maker included



NEW

MAESTRO **RLF 74925 SS EU**

- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST/T
- Total capacity (gross/net): 574 / 490 litres
- 2 ice cube trays included



NEW

MAESTRO **RLF 74920 SS EU**

- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Climate class: T
- Total capacity (gross/net): 573 / 490 litres
- 2 Ice cube trays and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1775mm **Width** 833mm **Depth** 740mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm **Width** 895mm **Depth** 774mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm **Width** 895mm **Depth** 774mm



MAESTRO **RLF 74920 WT**

- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Automatic ice maker and Automatic water dispenser
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Climate class: N/T
- Total capacity (gross/net): 573 / 490 litres



NEW

MAESTRO **RLF 74910 EU SS**

- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 587 / 510 litres
- 2 Ice cube tray and twister ice maker included



NEW

MAESTRO **RLF 74910 EU WH**

- **Free Standing side by side refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Climate class: SN/N/ST
- Total capacity (gross/net): 587 / 510 litres
- 2 Ice cube tray and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm **Width** 895mm **Depth** 745mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1788mm **Width** 895mm **Depth** 774mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1788mm **Width** 895mm **Depth** 774mm



MAESTRO **RBF 78720 SS EU**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1920mm **Width** 700mm **Depth** 712mm



MAESTRO **RBF 78720 GBK EU**

- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack included
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1920mm **Width** 700mm **Depth** 721mm



MAESTRO **RBF 78720 GWH EU**

- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Inverter motor
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 510 / 461 litres
- Bottle rack, 2 ice cube trays and twister ice maker included



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 1920mm **Width** 700mm **Depth** 721mm



MAESTRO **RBF 78620**

- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 660mm



MAESTRO **RBF 78620**

- **Urban Colors Edition**
- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

White Glass

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 660mm



MAESTRO **RBF 78630 SS EU**

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 379 / 360 litres
- Bottle rack and ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 650mm



MAESTRO **RBF 74620 SS EU**

22 L · Inverter · ION CLEAN · LED

- **Free Standing bottom freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- IonClean technology
- Outer control display
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- Safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Flexi rack
- Front adjustable feet
- ECO Function
- LED Illumination
- Reversible doors
- Climate class: T/SN
- Total capacity (gross/net): 341 / 330 litres
- Bottle rack and ice cube tray included



TOTAL **NFL 430 S**

76 L · Inverter · LED

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 360 / 326 litres
- Bottle rack and ice cube tray included



TOTAL **NFL 430 S**

76 L · Inverter · LED

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 360 / 326 litres
- Bottle rack and ice cube tray included

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1860mm **Width** 595mm **Depth** 650mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 630mm

COLOR

White

EXTERNAL DIMENSIONS

Height 2010mm **Width** 595mm **Depth** 630mm



TOTAL **NFL 345 C E-INOX EU**

Inverter · LED

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included



TOTAL **NFL 345 C WHITE EU**

Inverter · LED

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/T
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included



EASY **NFL 342 C**

Inverter · LED

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/T
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



EASY NFL 342 C

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 325 / 302 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



EASY NFL 320 C

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- 2 FreshBox drawers
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 302 / 295 litres
- Ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



EASY NFL 320

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Electronic adjustable thermostat on fridge
- FreshBox drawer
- Safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: N/ST/T
- Total capacity (gross/net): 305 / 295 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 1880mm **Width** 595mm **Depth** 635mm



NFL 460 SS

- **Free Standing bottom freezer refrigerator**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- ZeroBox drawer + 1 FreshBox drawer
- 3 safety glass shelves
- On holidays function
- Fast freezing and fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (net): 378 litres
- Bottle rack included
- Ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 2018mm **Width** 595mm **Depth** 690mm



MAESTRO RTF 15810

- **Free Standing top freezer refrigerator**
- LongLife No Frost with 2 independent circuits
- Electronic adjustable thermostat
- VitaCare Box drawer + ZeroBox drawer
- 3 safety glass shelves
- Fast freezing and fast cooling function
- Front adjustable feet
- Glass shelves in freezer
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 625 / 575 litres
- Twister ice maker and ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1860mm **Width** 840mm **Depth** 750mm



RSF 75640 SS

- **Free Standing single door freezer**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- Fast freezing and fast cooling function
- Front adjustable feet
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (gross):372 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1850mm **Width** 595mm **Depth** 618mm



RSL 75640 SS

- **Free Standing single door fridge**
- Full No Frost
- Outer control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- Safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/N/ST/T
- Total capacity (net):362 litres



MAESTRO **TS3 370 X EU**

- **Free Standing larder**
- Manual defrost
- Manual adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ T
- Total capacity (gross/net): 415 / 367 litres
- Bottle rack included



MAESTRO **TS3 370 EU**

- **Free Standing larder**
- Manual defrost
- Manual adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ T
- Total capacity (gross/net): 415 / 367 litres
- Bottle rack included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1850mm **Width** 595mm **Depth** 618mm



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1714mm **Width** 595mm **Depth** 655mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1714mm **Width** 595mm **Depth** 655mm



MAESTRO **TGF3 270 X EU**

- **Free Standing freezer**
- Full No Frost
- Manual adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 290 / 250 litres
- 2 ice cube trays included



TOTAL **TGF3 270 EU**

- **Free Standing freezer**
- Full No Frost
- Manual adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 290 / 250 litres
- 2 ice cube trays included



MAESTRO **CI3 350 NF EU**

- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Inner control display
- Electronic adjustable thermostat
- FreshBox drawer
- 3 safety glass shelves
- Fast freezing function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Bottle rack and ice cube tray included



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1714mm **Width** 595mm **Depth** 655mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1714mm **Width** 595mm **Depth** 655mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1776mm **Width** 540mm **Depth** 545mm



TOTAL **CI3 330 NF EU**

- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Manual adjustable thermostat
- FreshBox drawer
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 262 litres
- Bottle rack and ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL **CI3 342 EU**

- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inner control display
- Manual adjustable thermostat
- 2 FreshBox drawer
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 285 / 271 litres
- Bottle rack and 2 ice cube trays included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL **TKI4 350 SD UK**

- **Built-in bottom freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- 4 safety glass shelves
- FreshBox drawers
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 265 / 265 litres
- Ices cube tray and bottle rack included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL **TKI4 325 DD EU**

- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Inner control display
- Electronic adjustable thermostat
- FreshBox drawers + ZeroBox drawer
- 3 safety glass shelves
- Fast freezing function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Ice cube tray and bottle rack included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL **TKI4 325 EU**

- **Built-in bottom freezer refrigerator**
- No Frost in freezer
- Inverter motor
- Manual adjustable thermostat
- 2 FreshBox drawers
- 5 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 275 / 255 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL **TKI4 215 EU**

- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 4 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 210 / 175 litres
- Ice cube tray and bottle rack included



COLOR

White

EXTERNAL DIMENSIONS

Height 1215mm **Width** 540mm **Depth** 545mm



TOTAL TKI2 300 EU WH

- **Built-in top freezer refrigerator**
- Manual defrost
- Inner control display
- Electronic adjustable thermostat
- 2 FreshBox drawers
- 4 safety glass shelves
- Fast cooling function
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 315 / 309 litres
- Bottle rack included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL TGI2 200 NF EU

- **Built-in freezer**
- Full No Frost
- Inner control display
- Electronic adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/ST
- Total capacity (gross/net): 220 / 196 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 1775mm **Width** 540mm **Depth** 545mm



TOTAL TKI3 150 EU

- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 135 / 126 litres



COLOR

White

EXTERNAL DIMENSIONS

Height 866mm **Width** 545mm **Depth** 545mm



TOTAL TKI3 130 EU

- **Built-in top freezer refrigerator**
- Manual defrost
- Manual adjustable thermostat
- FreshBox drawers
- 2 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 121 / 110 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 866mm **Width** 545mm **Depth** 545mm



TOTAL TKI3 145 D EU

- **Built-in table top fridge**
- Manual defrost
- Manual adjustable thermostat
- 3 safety glass shelves
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 130 / 128 litres



COLOR

White

EXTERNAL DIMENSIONS

Height 818mm **Width** 595mm **Depth** 545mm



TOTAL TGI2 120 D EU

- **Built-in freezer**
- Manual defrost
- Inner control display
- Electronic adjustable thermostat
- Fast freezing function
- Front adjustable feet
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 96 / 87 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 818mm **Width** 595mm **Depth** 545mm



TOTAL TFI3 130 D EU

Inverter · 90 · LED

- **Built-in table top refrigerator**
- Manual defrost
- Manual adjustable thermostat
- 2 safety glass shelves
- Mini freezer included
- Front adjustable feet
- LED Illumination
- Reversible doors
- Climate class: SN/T
- Total capacity (gross/net): 125 / 107 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 818mm **Width** 595mm **Depth** 545mm



EASY TS1 130 EU

Inverter

- **Free Standing table top fridge**
- Manual defrost
- Manual adjustable thermostat
- Freshbox drawers
- Safety glass shelves
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 136 / 133 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 553mm **Depth** 574mm



EASY TS1 135

Inverter

- **Free Standing table top refrigerator**
- Manual defrost
- Manual adjustable thermostat
- Safety glass shelves
- Mini freezer included
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross): 102 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 501mm **Depth** 540mm



EASY TG1 80 EU

Inverter

- **Free Standing table top freezer**
- Manual defrost
- Manual adjustable thermostat
- Front adjustable feet
- Reversible doors
- Climate class: N/ST
- Total capacity (gross/net): 94 / 84 litres
- Ice cube tray included



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 553mm **Depth** 574mm

Model	RVI 30097 GBK	RVI 20046 GBK	RVI 20041 GBK	RVI 10024 GBK	RVF 20110 GBK	RVF 10051 GBK
Product information sheet						
Enegy efficiency class	-	-	-	-	-	-
Annual consumption (KWh/year)	162	140	142	100	147	133
Total Gross Capacity (litres)	287	140	100	59	309	160
Refrigerator compartment capacity (litres)	-	-	-	-	-	-
Chilling compartment capacity (litres)	-	-	-	-	-	-
Freezer compartment capacity (litres)	-	-	-	-	-	-
Freezer clasification (stars)	-	-	-	-	-	-
No frost in refrigeration compartment	-	-	-	-	-	-
No frost no chiller	-	-	-	-	-	-
No frost in chiller compartment	-	-	-	-	-	-
Temperature rise time (autonomy)	-	-	-	-	-	-
Freezing capacity (kg/24h)	-	-	-	-	-	-
Climate class	N/ST	N/ST	N/ST	N/ST	SN/N/ST	SN/N/ST
Noise level (dB)	38	39	38	37	43	40
Type of installation	Built-in	Built-in	Built-in	Built-in	Built-in/Free standing	Free-standing
Electrical features						
Power rate (W)	180	100	100	85	140	93
Defrost element power (W)	-	-	-	-	-	-
Energy consumption (Kw/day)	0,444	0,384	0,389	0,274	0,678	0,609

Model	RVF 10032 GBK	RVC 10008 GBK	RVU 10008 GBK	RVU 10020 GBK	RVU 20046 GBK
Product information sheet					
Enegy efficiency class	-	-	-	-	-
Annual consumption (KWh/year)	89		133	98	145
Total Gross Capacity (litres)	100	25	25	66	150
Refrigerator compartment capacity (litres)	-	-	-	-	-
Chilling compartment capacity (litres)	-	-	-	-	-
Freezer compartment capacity (litres)	-	-	-	-	-
Freezer clasification (stars)	-	-	-	-	-
No frost in refrigeration compartment	-	-	-	-	-
No frost no chiller	-	-	-	-	-
No frost in chiller compartment	-	-	-	-	-
Temperature rise time (autonomy)	-	-	-	-	-
Freezing capacity (kg/24h)	-	-	-	-	-
Climate class	SN/N/ST	SN/N	N/ST	N/ST	N/ST
Noise level (dB)	42	39	39	39	39
Type of installation	Free-standing	Free-standing countertop	Built-in	Built-in/Free standing	Built-in/Free standing
Electrical features					
Power rate (W)	80	70	70	74	100
Defrost element power (W)	-	-	-	-	-
Energy consumption (Kw/day)	0,406		0,364	0,268	0,397

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	French door	French door	Refrigerator	Bottom freezer	Refrigerator	Bottom freezer	Bottom freezer	Side by Side
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free standing	Free standing	Free standing	Free standing	–	–	–	Free standing
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	–	–	–	1
Overall dimensions								
Height (mm)	1898	1898	1901	1935	–	–	–	1765
Width (mm)	833	833	605	905	–	910	–	897
Depth (mm)	685	685	681	775	–	750	–	761
Total volume (dm3 or l)	535	535	330	636	–	–	–	516
EEI	100	100	99,80%	100	–	–	–	99,7
Energy efficiency class	E	E	E	E	A++	–	DOE	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	41	41	43	–	–	–	41
Airborne acoustical noise emission class	C	C	C	D	–	–	–	C
Annual energy consumption (kWh/a)	314	314	250	339	–	–	–	318
Climate class	SN/N/ST/T	SN/N/ST/T	T/SN	SN/N/ST/T	–	–	–	SN/N/ST/T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	10	10	10	–	–	–	10
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	43	–	–	–	43
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	Fresh food	Fresh food	Fresh food	FRESH FOOD	–	–	–	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	348	348	229,6	441	–	–	–	334
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	4	4	4	–	–	–	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	–	–	–	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	1	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	75	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	0.12	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	1	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	1	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	4 STAR	4 STAR	4-star	4 STARS	–	–	–	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	187	187	100,6	195	–	–	–	154
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-18	-18	-18	-18	–	–	–	≤-18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	12	12	8,4	15	–	–	–	14
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	–	–	–	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	2,1	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	138	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	0.15	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	1,1	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	1	–	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	2 STARS
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	25

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	A
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	1 STAR
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	3
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	A
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	LED	LED	LED	–	–	–	LED
Light source (a) (b) Energy efficiency class	–	–	F	–	–	–	–	G
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A++	A++	A++	A++	A+	DOE	A++
Annual consumption (KWh/year) (2)	333	333	263	380	–	481	507	322
Total Gross Capacity (L)	582	582	341	648	820	615	544	574
Refrigerator compartment capacity (L)	304	304	230	455	466	422	327	334
Chilling compartment capacity (L)	31	31	22	–	–	–	–	–
Freezer compartment capacity (L)	165	165	94	182	247	174	156,7	156

Model	RFD 77820 SS EU	RFD 77820 GBK EU	RBF 78615 RTR	RMF 77920 EU SS	RMF 99250 SS	RMF 75920	RMF 74810 SS	RLF 74925 SS EU
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	√	√	√	√	√	√	√	√
No frost in chiller	√	√	√	√	–	√	√	√
No frost in freezer compartment	√	√	√	√	√	√	√	√
Temperature rise time (autonomy) (3)	15	15	10	16	13	13	15	7 (6 AT 1/3/2021)
Freezing Capacity (Kg/24h)	13	13	8	15	13	18	18	14
Climate class	SN/T	N/T	SN/T	N/T	SN/T	N/T	T□ST□N	SN/T
Noise level (dB)	41	41	41	43	48	45	45	41
ELECTRICAL FEATURES								
Power Rate (W)	250	250	197	175	391	268	/	188
Defrost element power (W)	250	250	145	262	430	246	230	240
Energy consumption (Kw/day)	0,92	0,92	0,72	1,04	–	1,32	1,39	0,88

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Side by Side	Side by Side	Side by Side	Side by Side	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free standing	–	Free standing	Free standing	FREE STANDING	FREE STANDING	FREE STANDING	FREE STANDING
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	–	1	1	1	1	1	1
Overall dimensions								
Height (mm)	1765	–	1765	1765	1920	1920	1920	2010
Width (mm)	897	895	897	897	700	700	700	595
Depth (mm)	761	745	761	761	712	712	721	650
Total volume (dm3 or l)	516	–	532	532	481	481	481	366,7
EEI	99,8	–	125	125	99,10%	100%	99,10%	99,2
Energy efficiency class	E	–	F	F	E	E	E	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	–	41	41	41	41	41	41
Airborne acoustical noise emission class	C	–	C	C	C	C	C	C
Annual energy consumption (kWh/a)	317	–	401	401	287	287	287	250,1
Climate class	SN/N/ST/T	–	SN/N/ST	SN/N/ST	SN/T	SN/T	SN/T	T/SN
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	–	10	10	10	10	10	10
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	–	38	38	43	43	43	43
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	–	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	334	–	335	335	344	344	344	266,1
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	≥0□≤+4	–	4	4	4	4	4	>4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	8,3	–	–	8,3
Compartment 1 - Defrosting type (UE 2019/2017)	A	–	A	A	A	A	A	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	4
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	75	75	75	75
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	0,12	0,12	0,12	0,12
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 2 - Type (UE 2019/2017)	4 STARS	–	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	154	–	181	181	137	137	137	100,6

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	≤-18	–	-18	-18	-18	-18	-18	<18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	14	–	10	10	9	9	9	9
Compartment 2 - Defrosting type (UE 2019/2017)	A	–	A	A	A	A	A	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	-18	–	-18
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	2,1	2,1	2,1	2,1
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	138	138	138	138
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	0,15	0,15	0,15	0,15
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	1,1	1,1	1,1	1,1
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	1	1	1	1
Compartment 3 - Type (UE 2019/2017)	2 STARS	–	2 STAR	2 STAR	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	25	–	16	16	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	-12	-12	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	A	–	A	A	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	1 STAR	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	3	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	A	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	RLF 74920 SS EU	RLF 74920 WT	RLF 74910 EU SS	RLF 74910 EU WH	RBF 78720 SS EU	RBF 78720 GBK EU	RBF 78720 GWH EU	RBF 78620
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	–	LED	LED	LED	LED	LED	–
Light source (a) (b) Energy efficiency class	G	–	G	G	–	F	F	–
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A++	A+	A+	A++	A++	A++	A++
Annual consumption (KWh/year) (2)	322	322	405	405	321	321	321	274
Total Gross Capacity (L)	573	573	587	587	510	510	510	379
Refrigerator compartment capacity (L)	334	334	335	335	333	333	333	266
Chilling compartment capacity (L)	–	–	–	–	24	24	24	22
Freezer compartment capacity (L)	156	156	175	175	128	128	128	94
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	√	√	√	√	√	√	√	√
No frost in chiller	√	√	–	–	√	√	√	√
No frost in freezer compartment	√	√	√	√	√	√	√	√
Temperature rise time (autonomy) (3)	7	7	10	10	24	24	24	18
Freezing Capacity (Kg/24h)	14	14	9	9	9	9	9	8
Climate class	T	N/T	SN/N/ST	SN/N/ST	SN/T	SN/T	SN/T	SN/T
Noise level (dB)	41	43	41	41	41	41	41	42
ELECTRICAL FEATURES								
Power Rate (W)	188	188	130	130	206	206	206	162
Defrost element power (W)	240	240	240	240	185	185	185	145
Energy consumption (Kw/day)	0,88	0,88	1,11	1,11	0,88	0,88	0,88	0,75

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	FREE STANDING	FREE STANDING	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	1	1	1	1
Overall dimensions								
Height (mm)	2010	2010	1860	2010	2010	1880	1880	1880
Width (mm)	595	595	595	595	595	595	595	595
Depth (mm)	650	650	650	635	635	630	630	630
Total volume (dm3 or l)	366,7	366	330	330	330	310	310	310
EEI	99,2	79,20%	99,8	99,59	99,59	100	100	100
Energy efficiency class	E	D	E	E	E	E	E	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	41	37,5	41	43	43	42	42	42
Airborne acoustical noise emission class	C	C	C	D	D	D	D	D
Annual energy consumption (kWh/a)	250,1	250,94	249,7	231	231	235	235	235
Climate class	T/SN	T/SN	T/SN	N/T	N/T	N/ST	N/ST	N/ST
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	10	10	10	16	16	16	16	16
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	38	38	38	38	38
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	266,1	266	230	247	247	224,4	224,4	224,4

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	>4	4	>4	≥0□≤+4	≥0□≤+4	4	4	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	8,3	8,2	8	–	–	–	–	–
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	A	A	A	A
Compartment 1 - Target temperature (°C) (UE 2019/2017)	4	–	4	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	75	75	75	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	0,12	0,12	0,12	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS	4 STARS
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	100,6	101	101	83	83	85,6	85,6	85,6
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	<18	-18	<18	≤-18	≤-18	-18	-18	-18
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	9	8	–	3,89	3,89	3,89	3,89	3,89
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	A	A	A	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	-18	–	-18	–	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	2,1	2,1	2,1	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	138	138	138	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	0,15	0,15	0,15	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	1,1	1,1	1,1	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	1	1	1	–	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	RBF 78620	RBF 78630 SS EU	RBF 74620 SS EU	NFL 430 S	NFL 430 S	NFL 345 C E-INOX EU	NFL 345 C WHITE EU	NFL 342 C
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	–	LED	–	LED	LED	LED	LED	LED
Light source (a) (b) Energy efficiency class	–	F	–	F	F	F	F	F
PRODUCT FICHE								
Category	7	7	7	7	7	7	7	7
Energy efficiency class (1)	A++	A+++	A++	A++	A++	A++	A++	A++
Annual consumption (KWh/year) (2)	274	182	263	231	231	245	245	245
Total Gross Capacity (L)	379	379	341	360	360	325	325	325
Refrigerator compartment capacity (L)	266	266	230	245	245	224	224	224
Chilling compartment capacity (L)	22	22	22	–	–	–	–	–
Freezer compartment capacity (L)	94	94	101	76	76	78	78	78
Freezer classification (stars)	4	4	4	4	4	4	4	4
No frost in refrigeration compartment	√	√	√	√	√	√	√	√
No frost in chiller	√	√	√	–	–	–	–	–
No frost in freezer compartment	√	√	√	√	√	√	√	√
Temperature rise time (autonomy) (3)	18	18	10	15 (9 AT 1/3/2021)	15 (9 AT 1/3/2021)	15	15	15
Freezing Capacity (Kg/24h)	8	8	8	4	4	4	4	4
Climate class	SN/T	SN/T	T/SN	N/ST/T	N/ST/T	N/T	N/T	N/T
Noise level (dB)	42	42	42	41	41	40	40	41
ELECTRICAL FEATURES								
Power Rate (W)	162	162	197	150	150	85	85	85
Defrost element power (W)	145	145	145	190	190	170	170	170
Energy consumption (Kw/day)	0,75	0,50	0,72	0,64	0,64	0,61	0,61	0,61

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Top Freezer	Top Freezer	Top Freezer	Top Freezer
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free standing	Free standing	Free standing	Free standing	–	Free standing	Free standing	Free-Standing
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	–	1	1	1
Overall dimensions								
Height (mm)	1880	1880	1880	2018	–	1850	1850	1714
Width (mm)	595	595	595	595	840	595	595	595

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Depth (mm)	630	630	630	690	750	618	618	655
Total volume (dm3 or l)	310	310	310	378	–	273	362	367
EEI	100	124,8	124,8	79,7	–	99,7	99,6	41,7
Energy efficiency class	E	F	F	D	–	E	E	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	42	43	43	41	–	41	41	38
Airborne acoustical noise emission class	D	D	D	C	–	C	C	C
Annual energy consumption (kWh/a)	235	293	293	212	–	245	118	148,1
Climate class:	N/ST	N/ST	N/ST	SN/N/ST/T	–	SN/N/ST/T	SN/N/ST/T	SN-T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	16	16	16	10	–	10	10	5
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	38	38	38	43	–	43	43	43
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	FRESH FOOD	FRESH FOOD	FRESH FOOD	FRESH FOOD	–	4-star	FRESH FOOD	Fresh food
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	224,4	224	224	256	–	259	362	367
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	0≤+4	0≤+4	≥0□≤+4	–	≥0, ≤+4 or ≤-18	≥0, ≤+4	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	12,4	–	A
Compartment 1 - Defrosting type (UE 2019/2017)	A	A	A	A	–	A	A	–
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	4 STARS	4 STARS	4 STARS	–	–	2-star	–	–
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	85,6	86	86	–	–	14	–	–
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-18	≤-18	≤-18	–	–	≥0, ≤+4 or ≤-12	–	–
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	3,89	3,89	3,89	–	–	–	–	–
Compartment 2 - Defrosting type (UE 2019/2017)	A	A	A	A	–	A	–	–
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	4 STARS	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	122	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	≤-18	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	8,5	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	LED	LED	LED	–	–	LED	LED
Light source (a) (b) Energy efficiency class	F	F	F	G	–	–	G	G
PRODUCT FICHE								
Category	7	7	7	7	7	–	–	1
Energy efficiency class (1)	A++	A+	A+	D	A+	E	E	A+
Annual consumption (KWh/year) (2)	245	292	292	212	462	245	118	145
Total Gross Capacity (L)	325	302	305	378	625	273	362	415
Refrigerator compartment capacity (L)	224	224	224	256	435	–	362	367
Chilling compartment capacity (L)	–	–	–	–	34	–	–	–
Freezer compartment capacity (L)	78	78	78	122	140	273	–	–
Freezer classification (stars)	4	4	4	4	4	4	–	–
No frost in refrigeration compartment	√	√	√	√	√	–	√	–
No frost in chiller	–	–	–	√	√	–	–	–
No frost in freezer compartment	√	√	√	√	√	√	–	–
Temperature rise time (autonomy) (3)	15	15	15	12	17	8	–	–
Freezing Capacity (Kg/24h)	4	4	4	8,5	10	12,4	–	–
Climate class	N/T	N/ST/T	N/ST/T	SN/N/ST/T	SN/T	SN/N/ST/T	SN/N/ST/T	SN/T
Noise level (dB)	41	41	41	41	44	41	41	38
ELECTRICAL FEATURES								
Power Rate (W)	85	100	100	130	193	–	–	75
Defrost element power (W)	170	170	170	170	220	200	–	–

Model	NFL 342 C	NFL 320 C	NFL 320	NFL 460 SS	RTF 15810	RSF 75640 SS	RSL 75640 SS	TS3 370 X EU
Energy consumption (Kw/day)	0,61	0,78	0,78	0,58	1,27	0,67	0,32	0,40

Model	TS3 370 EU	TGF3 270 X EU	TGF3 270 EU	CI3 350 NF EU	CI3 330 NF EU	CI3 342 EU	TKI4 350 SD UK	TKI4 325 DD EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Top Freezer	Top Freezer	Top Freezer	Refrigerator	Refrigerator	Refrigerator	Refrigerator	Refrigerator
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	Free-Standing	Free-Standing	Free-Standing	Built-in	BUILT-IN	BUILT-IN	Built-in	BUILT-IN
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	1	1	1	1
Overall dimensions								
Height (mm)	1714	1714	1714	1776	1775	1775	1775	1775
Width (mm)	595	595	595	540	540	540	540	540
Depth (mm)	655	655	655	545	545	545	545	545
Total volume (dm3 or l)	367	256	256	262	262	271	365	262
EEI	41,7	41,9	41,9	32,9	41,9	41,9	41,9	32.9
Energy efficiency class	F	F	F	E	F	F	F	E
Airborne acoustical noise emissions (dB(A) re 1 pW)	38	39	39	38	38	37	37 dBA	38
Airborne acoustical noise emission class	C	C	C	C	C	C	C	C
Annual energy consumption (kWh/a)	148,1	299	299	224	280	281	287	224
Climate class	SN-T	SN/T	SN/T	SN-ST	SN/ST	SN-ST	SN/ST	SN-ST
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	5	-15	-15	-5	5	-5	5	-5
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	43	43	38	38	38	38	38
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	Fresh food	4-star	4-star	Fresh food	Fresh food	Fresh food	Fresh food	Fresh food
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	367	256	256	193	193	193	163	193
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	-20	-20	4	2 Celsius	2 Celsius	2 Celsius	4
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	A	16,5	16,5	A	A	M	A	A
Compartment 1 - Defrosting type (UE 2019/2017)	–	A	A	–	–	–	–	–
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	–	–	–	4-star	4-star	4-star	4-star	4-star
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	–	–	–	69	69	78	102	69.0 liters
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	-18	2 Celsius	2 Celsius	2 Celsius	-18 Celsius
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	3,2	3,2	3,6	4,7	3,2
Compartment 2 - Defrosting type (UE 2019/2017)	–	–	–	A	A	M	M	A
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	YES
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	TS3 370 EU	TGF3 270 X EU	TGF3 270 EU	CI3 350 NF EU	CI3 330 NF EU	CI3 342 EU	TKI4 350 SD UK	TKI4 325 DD EU
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED	–	–	LED on Ceiling	LED on Ceiling	LED on Ceiling	LED on Ceiling	LED on Ceiling
Light source (a) (b) Energy efficiency class	G	–	–	–	–	–	–	–
PRODUCT FICHE								
Category	1	8	8	7	7	7	7	7
Energy efficiency class (1)	A+	A+	A+	A++	A+	A+	A+	A++
Annual consumption (KWh/year) (2)	145	307	307	240	286	282	291	240
Total Gross Capacity (L)	415	290	290	275	275	285	265	275
Refrigerator compartment capacity (L)	367	–	–	186	193	193	163	186

Model	TS3 370 EU	TGF3 270 X EU	TGF3 270 EU	CI3 350 NF EU	CI3 330 NF EU	CI3 342 EU	TKI4 350 SD UK	TKI4 325 DD EU
Chilling compartment capacity (L)	–	–	–	19	–	–	–	19
Freezer compartment capacity (L)	–	250	250	69	69	78	102	69
Freezer classification (stars)	–	4	4	4	4	4	4	4
No frost in refrigeration compartment	–	–	–	–	–	–	–	–
No frost in chiller	–	–	–	–	–	–	–	–
No frost in freezer compartment	–	√	√	√	√	–	–	√
Temperature rise time (autonomy) (3)	–	18	18	13	13	20	14	13
Freezing Capacity (Kg/24h)	–	16	16	3,5	4	4	4,8	3,5
Climate class	SN/T	SN/T	SN/T	SN/ST	SN/ST	SN/ST	SN/ST	SN/ST
Noise level (dB)	38	39	39	38	38	37	37	38
ELECTRICAL FEATURES								
Power Rate (W)	75	90	90	125	115	100	90	125
Defrost element power (W)	–	175	175	120	120	–	–	120
Energy consumption (Kw/day)	0,40	0,84	0,84	0,66	0,79	0,77	0,80	0,66

Model	TKI4 325 EU	TKI4 215 EU	TKI2 300 EU WH	TGI2 200 NF EU	TKI3 150 EU	TKI3 130 EU	TKI3 145 D EU	TGI2 120 D EU
Product information sheet (UE 2019/2017)								
Type of refrigerating appliance	Refrigerator	Refrigerator	Top Freezer	Top Freezer	Top Freezer	Top Freezer	Built-under	Built-under
Low-noise appliance	–	–	–	–	–	–	–	–
Design type	BUILT-IN	BUILT-IN	BUILT-IN	BUILT-IN	BUILT-IN	BUILT-IN	BUILT-IN	BUILT-IN
Wine storage appliance	–	–	–	–	–	–	–	–
Other refrigerating appliance	1	1	1	1	1	1	1	1
Overall dimensions								
Height (mm)	1775	1215	1775	1775	866	866	818	818
Width (mm)	540	540	540	540	545	545	595	595
Depth (mm)	545	545	545	545	545	545	545	545
Total volume (dm3 or l)	271	175	309 liters	220	126	110	130	94
EEI	32,9	41,9	41,9	41,9	32,7	32,7	32	39,8
Energy efficiency class	E	F	F	F	F	E	E	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	35	35	36	39	29	35	35	36
Airborne acoustical noise emission class	B	B	C	C	A	B	B	C
Annual energy consumption (kWh/a)	225	190	142	298	114,25	141	92	219
Climate class:	SN-ST	SN-ST	SN-T	SN-ST	SN-T	SN-T	SN-T	SN-T
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	5	5	5	-15	5	5	5	-15
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	38	38	43	38	43	43	43	43
Winter setting	–	–	–	–	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	Fresh food	Fresh food	Fresh food	4-star	Fresh food	Fresh food	Fresh food	–
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	193	156	309	220	126	97	128	–
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	3	3	4	-19	4	4	4	–
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	A	A	A	10	A	A	A	–
Compartment 1 - Defrosting type (UE 2019/2017)	–	–	–	A	–	–	–	–
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	4-star	4-star	–	–	–	4-star	–	–
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	78	19	–	–	–	13	–	94

Model	TKI4 325 EU	TKI4 215 EU	TKI2 300 EU WH	TGI2 200 NF EU	TKI3 150 EU	TKI3 130 EU	TKI3 145 D EU	TGI2 120 D EU
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	3 Celsius	3 Celsius	–	–	–	-20	–	-20
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	3,6	2	–	–	–	2,6	–	4,9
Compartment 2 - Defrosting type (UE 2019/2017)	M	M	–	–	–	M	–	M
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	YES
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	TKI4 325 EU	TKI4 215 EU	TKI2 300 EU WH	TGI2 200 NF EU	TKI3 150 EU	TKI3 130 EU	TKI3 145 D EU	TGI2 120 D EU
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–	–	–	–	–
Light source parameters (a) (b):								
Light source (a) (b) Type of light source	LED on Ceiling	Stat Bulb (LED)	Stat Bulb (LED)	–	LED	LED	LED	–
Light source (a) (b) Energy efficiency class	–	–	–	–	G	G	G	–
PRODUCT FICHE								
Category	7	7	1	8	1	7	1	8
Energy efficiency class (1)	A++	A+	A+	A+	A++	A++	A++	A+
Annual consumption (KWh/year) (2)	221	211	146	301	94	141	92	183
Total Gross Capacity (L)	285	210	315	220	135	121	130	96
Refrigerator compartment capacity (L)	193	156	309	–	126	97	128	–
Chilling compartment capacity (L)	–	–	–	–	–	–	–	–
Freezer compartment capacity (L)	78	19	–	196	–	13	–	87
Freezer classification (stars)	4	4	–	4	–	4	–	4
No frost in refrigeration compartment	–	–	–	–	–	–	–	–
No frost in chiller	–	–	–	–	–	–	–	–
No frost in freezer compartment	–	–	–	√	–	–	–	–
Temperature rise time (autonomy) (3)	20	16	–	13	–	9	–	19
Freezing Capacity (Kg/24h)	4	2	–	10	–	2	–	6
Climate class	SN/ST	SN/ST	SN/T	SN/ST	SN/T	SN/ST	SN/T	SN/T
Noise level (dB)	35	35	36	39	35	35	35	36
ELECTRICAL FEATURES								
Power Rate (W)	120	65	110	110	75	65	65	75
Defrost element power (W)	–	–	–	150	–	–	–	–
Energy consumption (Kw/day)	0,61	0,58	0,40	0,83	0,26	0,40	0,25	0,50

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TG1 80 EU
Product information sheet (UE 2019/2017)				
Type of refrigerating appliance	Built-under	Table top	Table top	Table top
Low-noise appliance	–	–	–	–
Design type	BUILT-IN	Free standing	Free standing	Free standing
Wine storage appliance	–	–	–	–
Other refrigerating appliance	1	1	1	1
Overall dimensions				
Height (mm)	818	845	845	845
Width (mm)	595	553	501	553
Depth (mm)	545	574	540	574
Total volume (dm3 or l)	107	131	98	83
EEI	31,2	125	123	125
Energy efficiency class	F	F	F	F
Airborne acoustical noise emissions (dB(A) re 1 pW)	37	39	39	41
Airborne acoustical noise emission class	C	C	C	C
Annual energy consumption (kWh/a)	181,04	113	172	205
Climate class	SN-T	N/ST	N/ST	N/ST
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable	5	16	16	16
Maximum ambient temperature (°C), for which the refrigerating appliance is suitable	43	38	38	38
Winter setting	–	–	–	–
Compartment 1 - Type (UE 2019/2017)	Fresh food	FRESH FOOD	FRESH FOOD	4 STARS
Compartment 1 - Compartment Volume (L) (UE 2019/2017)	92	131	84	83
Compartment 1 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	4	4	4	-18

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TG1 80 EU
Compartment 1 - Freezing capacity (kg/24h) (UE 2019/2017)	A	–	–	4
Compartment 1 - Defrosting type (UE 2019/2017)	–	A	A	M
Compartment 1 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 1 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 1 - Nc (UE 2019/2017)	–	–	–	–
Compartment 1 - Mc (UE 2019/2017)	–	–	–	–
Compartment 1 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 1 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 2 - Type (UE 2019/2017)	–	–	4 STARS	–
Compartment 2 - Compartment Volume (L) (UE 2019/2017)	15	–	14	–
Compartment 2 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	-20	–	-18	–
Compartment 2 - Freezing capacity (kg/24h) (UE 2019/2017)	2,5	–	2	–
Compartment 2 - Defrosting type (UE 2019/2017)	M	–	M	–
Compartment 2 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 2 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 2 - Nc (UE 2019/2017)	–	–	–	–
Compartment 2 - Mc (UE 2019/2017)	–	–	–	–
Compartment 2 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 2 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 3 - Type (UE 2019/2017)	–	–	–	–
Compartment 3 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 3 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 3 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 3 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 3 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 3 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 3 - Nc (UE 2019/2017)	–	–	–	–
Compartment 3 - Mc (UE 2019/2017)	–	–	–	–
Compartment 3 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 3 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 4 - Type (UE 2019/2017)	–	–	–	–
Compartment 4 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 4 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 4 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 4 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 4 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 4 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 4 - Nc (UE 2019/2017)	–	–	–	–
Compartment 4 - Mc (UE 2019/2017)	–	–	–	–

Model	TFI3 130 D EU	TS1 130 EU	TS1 135	TG1 80 EU
Compartment 4 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 4 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Compartment 5 - Type (UE 2019/2017)	–	–	–	–
Compartment 5 - Compartment Volume (L) (UE 2019/2017)	–	–	–	–
Compartment 5 - Recommended temperature setting for optimised food storage (°C) (UE 2019/2017)	–	–	–	–
Compartment 5 - Freezing capacity (kg/24h) (UE 2019/2017)	–	–	–	–
Compartment 5 - Defrosting type (UE 2019/2017)	–	–	–	–
Compartment 5 - Target temperature (°C) (UE 2019/2017)	–	–	–	–
Compartment 5 - Thermodynamic parameter (rc) (UE 2019/2017)	–	–	–	–
Compartment 5 - Nc (UE 2019/2017)	–	–	–	–
Compartment 5 - Mc (UE 2019/2017)	–	–	–	–
Compartment 5 - Defrost factor (Ac) (UE 2019/2017)	–	–	–	–
Compartment 5 - Built-in factor (Bc) (UE 2019/2017)	–	–	–	–
Light source parameters (a) (b):				
Light source (a) (b) Type of light source	LED	LED	LED	–
Light source (a) (b) Energy efficiency class	G	–	–	–
PRODUCT FICHE				
Category	7	1	7	8
Energy efficiency class (1)	A++	A+	A++	A+
Annual consumption (KWh/year) (2)	138	117	131	176
Total Gross Capacity (L)	125	136	102	94
Refrigerator compartment capacity (L)	92	133	84	–
Chilling compartment capacity (L)	–	–	–	–
Freezer compartment capacity (L)	15	–	14	84
Freezer classification (stars)	4	–	4	4
No frost in refrigeration compartment	–	–	–	–
No frost in chiller	–	–	–	–
No frost in freezer compartment	–	–	–	–
Temperature rise time (autonomy) (3)	10	–	15	20
Freezing Capacity (Kg/24h)	2	–	2	6
Climate class	SN/T	ST/N	ST/N	ST/N
Noise level (dB)	37	39	39	39
ELECTRICAL FEATURES				
Power Rate (W)	65	70	70	70
Defrost element power (W)	–	–	–	–
Energy consumption (Kw/day)	0,38	0,32	0,36	0,48

SINKS

Quality, technology and innovation above all

Every day we work to better understand your needs and create new solutions to help, all by finding new possibilities in the kitchen.

Teka devotes itself to top quality

Teka sinks are manufactured the same way a chef perfects his recipes: with the very best ingredients. The most popular material for kitchen sinks today is stainless steel: non-porous, superbly hygienic, rust-free, heat resistant and extremely durable. The stainless steel used in the manufacturing of our sinks contains the necessary amounts of chromium and nickel to create a product that is extremely resistant to denting, noise and temperature changes. Made to last a lifetime! The highest quality materials, together with the best design and functionality, make Teka sinks the silent protagonists in any kitchen.

More than
just a sink

Lifetime Warranty

More than 90 years of experience in the manufacturing of sinks allows us to offer the best guarantee

Teka sinks are defined by their top quality, durability, extremely resistant austenitic stainless steel, ergonomic design, functionality, hassle free installation and excellent service. They are made in Europe and all our factories have the highest quality certifications and are environment friendly.

Sinks with unlimited lifetime warranty

At Teka, we are so confident in our quality standards that we offer an unlimited lifetime warranty on all of our stainless steel kitchen sink models for you to be completely at ease. Visit teka.com for more information.



* Warranty only applicable for residential products. Fitting excluded. All product exchanges and returns require Teka's express approval. Tap and accessories excluded..

SilentSmart,
the invisible protagonist

50% less noise: maximum comfort and well-being

Is the kitchen sink one of the source of irritating noise that affects your family? RS15 Series are the best in their class. They feature a design and low-noise component to make them extremely quiet. The sound-dampening pads are their best partner. They, together with their special distribution, can reduce noise when water falls during operation, ensuring your comfort and convenience all day.

SILENTSMART TECHNOLOGY

A pure work of art, RS15 Series

If you want to enjoy your meaningful moments in an avant-garde kitchen, start by choosing a sink by Teka; it will provide your kitchen with a touch of character.

Discover everything it has to offer.

A touch of distinction and class for your kitchen

RS15 Series is characterized by:

- Teka Radius 15 offers a clean design that embodies modernity.
- The integrated manufacturing process stands for environment friendly and efficient production.
- Sinks made with high stainless steel quality, AISI 304, that grants durability and allows easy cleaning.
- An elegant design with more capacity: bowls with a depth of 20 cm!
- Deeper, more possibilities. Teka sinks allow you to wash any kitchenware even the biggest pots!
- A new SQ valve to gently cover the square basket waste, providing a refined and attractive touch in the kitchen.
- Just decide which one suits you, RS15 Series sinks range is recognized by its flexible installation: undermount, top, flush and inset.
- All the product range comes with lifetime warranty and the new SilentSmart system, which reduces water dripping sound by 50%

LIFETIME WARRANTY

SILENTSMART TECHNOLOGY

Outstanding design

PVD finish

The new PVD sinks adapt to the new trends with bright and attractive colors. They reach the perfect balance between design and robustness under two unexpected collections: Brass and Titanium.



SILENTSMART TECHNOLOGY



Undermount



Flush mount



Top mount

A unique contemporary touch to your kitchen that offers:

- **Top quality finish.** Thanks to PVD treatment, physical vapor deposition, the natural hardness of stainless steel is increased, allowing an easy maintenance and cleaning. The color of the material is obtained by the evaporation of the metal that adheres to the stainless steel surface, creating a layer in color.
- **Perfect combinations.** The new colors incorporate a wide variety of kitchen taps to get the perfect ambiance with a guaranteed design.
- **A touch of distinction and class for your kitchen.** Just decide which one suits you better. This sink is recognized by its flexible installation: top, flush or undermount installation.
- **Details that make the difference.** The new SQ Valve is designed to cover the waste with its square-shaped decorative lid, maintaining the elegance of your sink.
- **Bowls with a depth of 20 cm.**

PureClean,
Extra hygiene and cleanliness with the new waterproof treatment

Our new PureClean treatment gives you a clean and dry surface, preventing the build up of bacteria in your sink. In addition to the antiseptic benefit of stainless steel, with this coating, lime, dirt, and all the particles that previously remained in the sink can be drawn away, giving you a cleaner and more hygienic product.

Anti-fingerprint, an impeccable result.

With the premium SofTexture finish that provides an anti-fingerprint surface, with a matte look that fits perfectly with the latest trends in kitchen design.

Design, a touch of sophistication through a cleaner and modern design.

Its RS15 radius makes it easy to clean and drain the water. The decorative elements elegantly cover the base of the sink. Greater capacity with a depth of 20cm.



Diamond Series,
the jewel of the kitchen

Diamond sinks are the best solution to combine with the rest of Teka glass domestic appliances.

Discover all the new possibilities that Diamond Series offers you:

- Black or white, one bowl, two bowls, one bowl and drainer... what is your choice?
- Different shapes and sizes available to choose the best sink that suits your style.
- With the same quality as a hob, the safety tempered glass is resistant to impacts, high temperatures and temperature changes.
- Diamonds Series are born with elegant and pure lines that offer a modern design. The straight lines aligned with the new automatic square-shaped SQ valve add personality to your kitchen.
- Without forgetting the tranquility offered by the Lifetime warranty and the new SilentSmart system.

LIFETIME WARRANTY
SILENTSMART TECHNOLOGY



DIAMOND RS15 1B 1D 86



DIAMOND RS15 1B 1D 86 WHITE



DIAMOND RS15 2B 86



DIAMOND RS15 2B 1D

FlexLinea,
a series with multiple possibilities

FlexLinea sinks offer distinction
and versatility at all levels.



FlexLinea, a series of sinks that satisfies all tastes

Flexibility is one of the main priorities for Teka, that´s why this series has been developed.

It offers a wide variety of different sink compositions in different sizes, all of them with overflow and squared waste, to offer a look according to current trends, along with the easy-cleaning radius 15.

A sink you can install in all kind of countertops thanks to its triple mount installation option: undermount, top mount of flush mount.

All the series comes with lifetime warranty and SilentSmart system which reduces water dripping sound by 50% .

They are the best of their kind, the integrated manufacturing process stands for environmentally friendly and efficient production.

Enjoy the peacefulness offered by the lifetime warranty and the new SilentSmart system.



Undermount



Top mount



Flush mount



Zenit Series, multifunction workstation

Zenit Series are distinguished by their versatility, and, above all, because they bring order in your kitchen.

More than just a sink

Zenit is not simply another series of sinks. It is a food preparation area with ergonomic accessories perfect to cut, wash, cook, serve, and... enjoy! Its new square-shaped SQ valve combines with the attractive straight lines that bring personality and design to your kitchen, with a professional look and the peace of mind offered by the lifetime guarantee and the new SilentSmart system.

Zenit Cooking Set

Teka has developed an exclusive cooking set that includes:

- 3 ceramic dishes of different sizes suitable for ovens, microwaves and dishwashers.
- Bamboo chopping board.
- Set of silicone lids that allow you to preserve food.
- The square-designed inox soap dispenser, An inox colander that stands on the bowl rim.
- A popup waste match perfectly with Teka sinks.





Tegranite+, high quality

Teka Tegranite+ sinks have evolved into a work area for kitchen lovers that look for innovation, practicality and functionality in the kitchen.

Stone, Forsquare and **Square** are the series for our new Tegranite+ products. They were made with high quality Quartz, a material on the rise. 80% Quartz combined with acrylic resins to obtain a hardened material very resistant to thermal shocks, impacts and dirt. In addition, it is available in a wide range of colors. Quality and color... you can choose!

- **Scratch-proof surface:** high resistance surface to high temperatures and violent shocks.
- **Color intensity:** Excellent UV resistance and long color durability. Its specific method in coloring granite-particles provides higher resistance against decoloring.
- **Hygiene:** The material is non-porous, its surface is very easy to clean and leaves no place for bacteria.
- **Food safe:** Additionally, Tegranite+ have an anti-bacterial protection enriched by silver ions which reject bacterial microorganisms.
- **Easy to clean:** Tegranite+ features an odorless and stain-resistant finish. Cleaning up couldn't be any easier or faster!
- **High-resistant packaging** to minimize breakage. The sink is suspended and fully protected inside a twin double-box, creating a safety perimeter to avoid impacts.

Teka only endorses sinks made of innovative materials, that have great durability and are easy to clean.




Metallic Black


Black Carbon


Dark Grey


White


Sandbeige


Metallic Grey


Topasbeige


Black


Stone Grey


Avena Beige


Bright Cream


White

Universe,
unique personality

The new Universe series was born with details in mind, offering the best solution with a unique and avant-garde design. It stands out for its variety, functionality and the beauty of its surface.

Wide variety of solutions for your kitchen: the new Universe series offers a range of compositions, sizes and finishes to choose the sink that best suits your lifestyle.

Greater capacity for utensils with buckets up to 195 mm deep.

LIFETIME
WARRANTY

Valid for all stainless steel sinks. See conditions at teka.com

StarBright, comfort and fashion together

The new series of StarBright sinks offers a timeless style to your kitchen, adapting easily to your space thanks to its functional and contemporary design.

Flexibility in your kitchen

Deciding whether to place the drainer on the right or left will no longer be a problem - you can choose where to locate the drainer for your sink thanks to the different compositions and sizes offered by this new range. In addition, because of its design, water flows away easily, meaning the sink's condition will be better looked after and it will last for much longer.

LIFETIME
WARRANTY

Valid for all stainless steel sinks. See conditions at teka.com

Stainless Steel finishes, a long time durability

As experts in the work of stainless steel, you can choose your sink between these finishes.

Polished: an elegant finish that can be found in a large number of Teka sinks. The steel is subjected to various processes of both manual and mechanical polishing, obtaining a product with a lasting shine and easy cleaning. A sink that is impervious to water stains and calcium deposits.





Natural: deep drawing process produces an uniform pattern of satin finish lines on the surface and a natural transition: from the initial brightness of sink's top to the matt finish of the bowl where stainless steel has been stretched to its limits.





Micro-textured: those with a rough surface in high relief on the surface of the sink that combines perfectly with the aluminized finishes of the kitchen.





Customizable sinks, different compositions in a single model

Our experience allows us to offer a wide range of compositions in our products, different alternatives to offer you a sink with everything you need to make household tasks easier.

Reversible

Sinks with two installation versions, right or left. Thanks to the symmetry of the product, choose the position that suits you better.



Disposition

Choose the number of buckets for your new sink, with or without a drainer.



Automatic

A practical system that takes care of drainage through a button on the surface of the sink, allowing the container to be emptied without contact with hot water, detergent or small food residues that accumulate in the bucket. It also makes it easy to close the drain or fill the container with water.



Material

In addition to stainless steel, you will find other options such as glass and granite.



Stainless Steel



Glass



Granite

Waste

Waste is trapped by 3 ½" or 1 ½" baskets that trap food particles left over from washing or cleaning vegetables or fruits, preventing their entry into the sewer system.

Accessories

They include the necessary accessories to install the sink in an easy and simply way. You can add other accessories such as strainers, soap dispenser, cutting boards, etc.







Teka sinks, maximum installation flexibility

When choosing a sink, it is necessary to consider the style of kitchen, and what can be more functionally comfortable.

Undermount

A popular option to install with stone, granite and modern composite materials. This sink is mounted and caulked from underneath using the special clips provided. Undermounting is very easy to clean, and prevents dirt from getting stuck around or below the rim, the countertop is completely smooth and the sink looks elegant and practical. The sink is absolutely waterproof!





Top mount

A slimmer rim grants for an accurate positioning of the sink on your countertop. It is suitable for countertops of any material, and it is recommended especially for wood or laminates. Its small rim prevents water spilling onto the countertop.





Flush mount

Sink and countertop become one solid unit, free of awkward edges and corners. The rim of the bowl is milled into the countertop, the cut-out must be very accurate. The totally seamless working area is also aesthetically pleasing and easy-to-clean. Ideal for natural materials like stone where milling is not a problem.





Inset mount

The most traditional method of installation. Simply insert from above into a prepared cut-out , and the rim of the sink sits on the work surface. Teka drop-in sinks can be mounted on virtually any worktop. The sink is fastened to the worktop from underneath, with no screws or bolts showing.





Lay on

Teka lay-on sinks are only superimposed, do not need, or use clips.
The stainless steel of the sink surrounds the edge of the countertop Lay-on sinks can be delivered with wood supports at the sides (below the rim) to aid installation while providing structural reinforcement.





Tekaway,
Plug & Play

At Teka we care about offering you different solutions for all the needs that arise in your kitchen. As well as taking care of the design and quality of our sinks, we seek to go one step further: to offer a quick, easy and accessible solution.

Tekaway is a kit consisting of the sink, the tap, and accessories such as the soap dispenser, the strainer and the siphons, all in one place.



30 cm



MODEL E 1B
p.201

40 cm



FRAME FR340F-T
p.115



381.381 (15.15) 1B
p.200

45 cm



ZENIT RS15 1B 1D L 78 AUTO PRO
p.88



FLEXLINEA RS15 34.40
p.100



FLEXLINEA RS15 27.40
p.101



BE LINEA RS15 34.40
p.107



BE LINEA RS15 27.40
p.108



BE LINEA RS15 18.40
p.108



PREMIUM MAX 1B
p.120



PREMIUM 1B
p.120



STAGE 45 B 1B 1D
p.125



UNIVERSE 45 T-XP 1B 1D
p.131



STYLO 1B 1D
p.134



STYLO 1B
p.135



CLASSIC 1B ½D 650
p.143



CLASSIC 1B ½D 580
p.143



DR-80 1B 1D
p.148



DR-78 1B 1D
p.149



DR-77 1B 1D
p.150



ERC 1B
p.151



CENTROVAL 1B
p.152



BE Ø390
p.172



BE 34.40 PLUS
p.173



BE 34.45
p.174



BE 34.37
p.174



BE 28.40
p.175

45 cm



STARBRIGHT 45 E-XP 1B 1D
p.180



STARBRIGHT 45 E-XN 1B
p.181



STARBRIGHT 45 E-XN 1B RND
p.181



VITAE 45 B 1B 1D
p.187



GRAVITY 45 E-XP 1B 1D
p.189



NERISSA 50 1B 1D
p.189



NAPEA 45 1B 1D
p.190



INFANT 45 1B 1D
p.191



INFANT OB 1B 1D
p.191



INFANT OD 1B 1D
p.192



STENA 45-E 1B 1D
p.192



DEVA 45 I-CN 1B 1D
p.193



730.510 1B 1D
p.198

STONE 45 S-TG 1B 1D AUTO
p.225

STONE 45 S-TG 1B 1D AUTO
p.225

STONE 45 S-TG 1B 1D AUTO
p.226

STONE 45 S-TG 1B 1D AUTO
p.226

STONE 45 S-TG 1B 1D AUTO
p.227

STONE 45 S-TG 1B 1D AUTO
p.227

STONE 45 S-TG 1B 1D AUTO
p.228

FORSQUARE 34.40 TG AUTO
p.242

FORSQUARE 34.40 TG AUTO
p.242

FORSQUARE 34.40 TG AUTO
p.243

FORSQUARE 34.40 TG AUTO
p.243

FORSQUARE 34.40 TG AUTO
p.244

SQUARE 34.40 TG
p.260

SQUARE 34.40 TG
p.261

SQUARE 34.40 TG
p.261

SQUARE 34.40 TG
p.262

SQUARE 34.40 TG
p.262

ASTRAL 45 B-TG 1B 1D
p.272

ASTRAL 45 B-TG 1B 1D
p.272

ASTRAL 45 B-TG 1B 1D
p.273

ASTRAL 45 B-TG 1B 1D
p.273

ASTRAL 45 B-TG 1B 1D
p.274

ASTRAL 45 B-TG 1B 1D
p.274

45 cm



CENTROVAL RB 1B
p.278



CLIVO 45 B-TQ 1B 1D AUTO
p.289



TEKAWAY STYLO 1B 1D
p.298

50 cm



DIAMOND RS15 1B 1D 86 AUTO
p.82



PREMIUM 1B 1D
p.119



BE 40.40.25
p.171



CENTROVAL RB 1B
p.278



CLIVO 45 B-TQ 1B 1D AUTO
p.289



TEKAWAY DEVA 45 I-CN 1B 1D
p.299



DIAMOND RS15 1B 1D 86 AUTO
p.82



UNIVERSE 50 T-XP 1B 1D MAX
p.130



BE 40.40
p.172



CENTROVAL RB 1B
p.279



CLIVO 45 B-TQ 1B 1D AUTO
p.290



TEKAWAY DEVA 45 I-CN 1B 1D
p.300



ZENIT RS15 1B 1D L 86 AUTO PRO
p.87



UNIVERSE 50 T-XP 1B 1D PLUS
p.131



BE 40.34
p.173



CENTROVAL RB 1B
p.279



COMFOR 45 B-TQ 1B 1D AUTO
p.294



TEKAWAY STARBRIGHT 45 E-XN 1B 1D REV
p.300



FORLINEA RS15 40.40 AUTO
p.93



CLASSIC 1B 1D
p.142



STARBRIGHT 50 E-XP 1B 1D
p.179



CENTROVAL RB 1B
p.280



COMFOR 45 S-TQ 1B 1D AUTO
p.295



TEKAWAY UNIVERSE 45 T-XP 1B 1D REV
p.301



FLEXLINEA RS15 40.40
p.100



BE 42.46 D
p.170



STARBRIGHT 50 E-XP 1B
p.180



CENTROVAL RB 1B
p.280



TEKAWAY STYLO 1B
p.298



BE LINEA RS15 40.40
p.107



BE 40.40 PLUS
p.171



STARBRIGHT 45 E-XN 1B ORB
p.182

50 cm



STONE 50 B-TG 1B 1D AUTO
p.218



STONE 50 B-TG 1B 1D AUTO
p.221



CLIVO 50 S-TQ 1B AUTO
p.287

60 cm



ZENIT RS15 1B AUTO PRO
p.88



FLEXLINEA RS15 50.40 PURECLEAN
p.98

FRAME FR97SXLF
p.112

STONE 50 B-TG 1B 1D AUTO
p.218

SQUARE 40.40 TG
p.258

CLIVO 50 S-TQ 1B AUTO
p.288

FORLINEA RS15 2B 580 AUTO
p.92

FLEXLINEA RS15 50.40
p.99

FRAME FR97SHLF
p.113

STONE 50 B-TG 1B 1D AUTO
p.219

SQUARE 40.40 TG
p.258

CLIVO 50 S-TQ 1B AUTO
p.288

FORLINEA RS15 50.40 AUTO
p.93

FLEXLINEA RS15 45.40
p.99

FRAME FR60SHF
p.114

STONE 50 B-TG 1B 1D AUTO
p.219

SQUARE 40.40 TG
p.259

FLEXLINEA RS15 2B 580
p.96

BE LINEA RS15 2B 580
p.105

FRAME FR60SXF
p.114

STONE 50 B-TG 1B 1D AUTO
p.220

SQUARE 40.40 TG
p.259

FLEXLINEA RS15 50.40 BRASS
p.97

BE LINEA RS15 50.40
p.106

FRAME FR520F-T
p.115

STONE 50 B-TG 1B 1D AUTO
p.220

SQUARE 40.40 TG
p.260

FLEXLINEA RS15 50.40 TITANIUM
p.98

BE LINEA RS15 45.40
p.106

60 cm



STAGE 60 B 1½B 1D
p.124



CLASSIC MAX 1B 1D
p.142



BE 50.40
p.168



VITAE 60 B 1½B 1D
p.186



635.560 (25.22) 1B 6
p.198



STONE 60 B-TG 1½B 1D AUTO
p.208



STAGE 60 E 1½B ½D
p.125



CLASSIC 1½B 580
p.144



TU 21.17-8
p.168



PRINCESS 60 1½B 1D
p.187



635.560 (25.22) 1B 7
p.199



STONE 60 B-TG 1½B 1D AUTO
p.209



UNIVERSE 60 T-XP 1½B 1D
p.129



CLASSIC 1½B
p.144



BE 45.40.20
p.169



PRINCESS 50 1B 1D
p.188



635.560 (25.22) 1B 8
p.199



STONE 60 B-TG 1½B 1D AUTO
p.209



UNIVERSE 60 T-XP 1½B
p.129



DUETTA 1B 1D
p.151



TU 23.20 D
p.169



NERISSA 60 1½B 1D
p.188



508.533 (20.21) 1B
p.200



STONE 60 B-TG 1½B 1D AUTO
p.210



UNIVERSE 60 T-XP 1B
p.130



BE 1½B 625
p.167



BE 52.46 D
p.170



INFANT 60 1½B 1D
p.190



STONE 60 B-TG 1½B 1D AUTO
p.207



STONE 60 B-TG 1½B 1D AUTO
p.210



CLASSIC MAX 1000 1B 1D
p.139



BE 50.40 PLUS
p.167



STARBRIGHT 60 E-XP 1½B 1D
p.179



PREMIUM 1½B 1D
p.119



STONE 60 B-TG 1½B 1D AUTO
p.208



STONE 60 L-TG 1B 1D AUTO
p.214

60 cm



STONE 60 L-TG 1B 1D AUTO
p.215



STONE 60 S-TG 1B 1D AUTO
p.221



STONE 60 S-TG 1B 1D AUTO
p.224



FORSQUARE 50.40 TG AUTO
p.239

SQUARE 2B 560 TG
p.251

SQUARE 50.40 TG
p.256

STONE 60 L-TG 1B 1D AUTO
p.215

STONE 60 S-TG 1B 1D AUTO
p.222

FORSQUARE 2B 590 TG AUTO
p.234

FORSQUARE 50.40 TG AUTO
p.240

SQUARE 2B 560 TG
p.251

SQUARE 50.40 TG
p.257

STONE 60 L-TG 1B 1D AUTO
p.216

STONE 60 S-TG 1B 1D AUTO
p.222

FORSQUARE 2B 590 TG AUTO
p.235

FORSQUARE 50.40 TG AUTO
p.240

SQUARE 2B 560 TG
p.252

SQUARE 50.40 TG
p.257

STONE 60 L-TG 1B 1D AUTO
p.216

STONE 60 S-TG 1B 1D AUTO
p.223

FORSQUARE 2B 590 TG AUTO
p.235

FORSQUARE 50.40 TG AUTO
p.241

SQUARE 2B 560 TG
p.252

ASTRAL 60 B-TG 1½B 1D
p.269

STONE 60 L-TG 1B 1D AUTO
p.217

STONE 60 S-TG 1B 1D AUTO
p.223

FORSQUARE 2B 590 TG AUTO
p.236

FORSQUARE 50.40 TG AUTO
p.241

SQUARE 50.40 TG
p.255

ASTRAL 60 B-TG 1½B 1D
p.269

STONE 60 L-TG 1B 1D AUTO
p.217

STONE 60 S-TG 1B 1D AUTO
p.224

FORSQUARE 2B 590 TG AUTO
p.236

SQUARE 2B 560 TG
p.250

SQUARE 50.40 TG
p.256

ASTRAL 60 B-TG 1½B 1D
p.270

60 cm



ASTRAL 60 B-TG 1½B 1D
p.270



CLIVO 60 B-TQ 1½B 1D AUTO
p.285



ASTRAL 60 B-TG 1½B 1D
p.271



CLIVO 60 S-TQ 1½B AUTO
p.286



ASTRAL 60 B-TG 1½B 1D
p.271



CLIVO 60 S-TQ 1½B AUTO
p.286

CLIVO 60 B-TQ 1½B 1D AUTO
p.284

CLIVO 60 S-TQ 1½B AUTO
p.287

CLIVO 60 B-TQ 1½B 1D AUTO
p.284

COMFOR 60 B-TQ 1½B 1D 1D AUTO
p.294

CLIVO 60 B-TQ 1½B 1D AUTO
p.284

TEKAWAY UNIVERSE 60 T-XP 1½B 1D REV
p.302

70 cm



ASTRAL 70 E-TG 1B 2D
p.266



ASTRAL 70 E-TG 1B 2D
p.266



ASTRAL 70 E-TG 1B 2D
p.267

ASTRAL 70 E-TG 1B 2D
p.268

ASTRAL 70 E-TG 1B 2D
p.268

ASTRAL 70 E-TG 1B 2D
p.268

ASTRAL 70 E-TG 1B 2D
p.268

80 cm



DIAMOND RS15 2B 86 AUTO
p.83



DIAMOND RS15 2B 1D AUTO
p.83



ZENIT RS15 2B 1D L AUTO PRO
p.86

FLEXLINEA RS15 2B 740
p.96

FORLINEA RS15 2B 740 AUTO
p.92

FLEXLINEA RS15 2B 740
p.96

FLEXLINEA RS15 2B 740
p.96



FLEXLINEA RS15 71.40
p.97



BE LINEA RS15 2B 740
p.104

BE LINEA RS15 71.40
p.105

FRAME FR97DLF
p.112

FRAME FR97SXHLF
p.113

PREMIUM 2B 1D
p.118

PREMIUM 2B 80
p.118



UNIVERSE 80 T-XP 2B 1D
p.128



UNIVERSE 80 T-XP 2B
p.128

UNIVERSE 80 T-XP 2B
p.128

STYLO 2B
p.134

CLASSIC 2B 1D
p.140

CLASSIC 2B 80
p.140

80 cm



DR-80 2B
p.148



DR-78 2B
p.149



TU 30.18-8
p.157

BE 2B 765
p.166

TU 30.17-8
p.166

STARBRIGHT 80 E-XP 2B 1D
p.178



STARBRIGHT 80 E-XP 2B
p.178



840.560 (33.22) 2B 6
p.194



840.560 (33.22) 2B 7
p.195

840.560 (33.22) 2B 8
p.195

840.483 (33.19) 2B 6
p.196

840.483 (33.19) 2B 7
p.196



840.483 (33.19) 2B 8
p.197



E/800.440 2B
p.197



STONE 80 B-TG 2B 1D AUTO
p.204

STONE 80 B-TG 2B 1D AUTO
p.204

STONE 80 B-TG 2B 1D AUTO
p.205

STONE 80 B-TG 2B 1D AUTO
p.205



STONE 80 B-TG 2B 1D AUTO
p.206



STONE 80 B-TG 2B 1D AUTO
p.206



STONE 80 B-TG 2B 1D AUTO
p.207

FORSQUARE 2B 790 TG AUTO
p.232

FORSQUARE 2B 790 TG AUTO
p.232

FORSQUARE 2B 790 TG AUTO
p.233



FORSQUARE 2B 790 TG AUTO
p.233



FORSQUARE 2B 790 TG AUTO
p.234



FORSQUARE 72.40 TG AUTO
p.237

FORSQUARE 72.40 TG AUTO
p.237

FORSQUARE 72.40 TG AUTO
p.238

FORSQUARE 72.40 TG AUTO
p.238

FORSQUARE 72.40 TG AUTO
p.238



FORSQUARE 72.40 TG AUTO
p.239



SQUARE 2B 760 TG
p.248

SQUARE 2B 760 TG
p.248

SQUARE 2B 760 TG
p.248

SQUARE 2B 760 TG
p.249

SQUARE 2B 760 TG
p.249

SQUARE 2B 760 TG
p.250

INDEX BY CABINET

80 cm



SQUARE 72.40 TG
p.253



SQUARE 72.40 TG
p.253



SQUARE 72.40 TG
p.254



SQUARE 72.40 TG
p.254



SQUARE 72.40 TG
p.255



TEKAWAY DR-80 2B
p.299



TEKAWAY STARBRIGHT 80 E-XN 2B 1D REV
p.301



TEKAWAY UNIVERSE 80 T-XP 2B 1D REV
p.302



TEKAWAY UNIVERSE 80 T-XP 2B
p.303

90 cm



ZENIT RS15 2B 86 AUTO PRO
p.87



BE LINEA RS15 2B 860
p.104



STAGE 90 D 2B
p.124



ANGULAR 2B
p.135



CLASSIC MAX 2B 1D
p.138



CLASSIC MAX 2B
p.139



CLASSIC 2B 86
p.141



DUETTA 2B
p.150



BE 2B 780
p.156



TU 35.18-8
p.157



BE 2B 845 R
p.158



TU 33.18-R
p.158



TU 30.18-R
p.159



BE 2B 785
p.159



TU 30.20-R
p.160



TU 30.20-L
p.160



BE 2B 880 R OFFSET
p.161



BE 2B 880 L OFFSET
p.161



TU 34.18-R OFFSET
p.162



TU 34.18-L OFFSET
p.162



TU 33.18-8-R OFFSET
p.163



BE 2B D 800 R
p.163



TU 31.20 D-R
p.164



TU 31.20 D-L
p.164

90 cm



BE 74.43-20
p.165



TU 31.19-10
p.165



BAHIA 1B PLUS
p.186



DM 840.560 (33.22) 2B
p.193



DM 840.560 (33.22) 1B
p.194



STONE 90 B-TG 2B AUTO
p.211



STONE 90 B-TG 2B AUTO
p.211

STONE 90 B-TG 2B AUTO
p.212

STONE 90 B-TG 2B AUTO
p.212

STONE 90 B-TG 2B AUTO
p.213

STONE 90 B-TG 2B AUTO
p.213

STONE 90 B-TG 2B AUTO
p.214

100 cm

CLASSIC 2½B 1D
p.138

CLASSIC 2½B
p.141

TU 37.20 D
p.156

DIAMOND
SERIES

DIAMOND RS15 1B 1D 86 AUTO
MAESTRO

NEW



- Stainless steel and glass sink
- One bowl and one drainer
- Safety tempered glass with bevelled edges
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR Black Glass

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





DIAMOND RS15 1B 1D 86 AUTO
MAESTRO

NEW



- Stainless steel and glass sink
- One bowl and one drainer
- Safety tempered glass with bevelled edges
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR White Glass

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





DIAMOND RS15 2B 86 AUTO
MAESTRO

NEW



- Stainless steel and glass sink
- Two bowls
- Safety tempered glass with bevelled edges
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Black Glass

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





DIAMOND RS15 2B 1D AUTO
MAESTRO

NEW



- Stainless steel and glass sink
- Two bowls and one drainer
- Safety tempered glass with bevelled edges
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Black Glass

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





ZENIT
SERIES

ZENIT RS15 2B 1D L AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- Two bowls and one drainer
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





ZENIT RS15 1½B 1D L AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 and 140 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





ZENIT RS15 2B 86 AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





ZENIT RS15 1B 1D L 86 AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





ZENIT RS15 1B 1D L 78 AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 45 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 780mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





ZENIT RS15 1B AUTO PRO
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Inset installation
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 600mm **Width** 520mm **Depth** 200mm

INCLUDED ACCESSORIES



Bamboo Cutting Board
REF: 40199236



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





FORLINEA
SERIES

FORLINEA RS15 2B 740 AUTO
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- 2-in-1 installation possibilities: top or flush
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 740mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



TOP





FLUSH

FORLINEA RS15 2B 580 AUTO
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- 2-in-1 installation possibilities: top or flush
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 580mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



TOP





FLUSH

FORLINEA RS15 50.40 AUTO
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: top or flush
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 540mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



TOP





FLUSH

FORLINEA RS15 40.40 AUTO
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: top or flush
- Easy clean radius R15 corners
- 3½" SQ automatic basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 440mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



TOP





FLUSH

FLEXLINEA
SERIES

FLEXLINEA RS15 2B 740
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 740mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 2B 580
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 580mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 71.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 750mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 50.40 BRASS
MAESTRO

NEW



- Metallic Edition, Brass Collection
- Metallic stainless steel + PVD coat sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Brass

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 50.40 TITANIUM
MAESTRO

NEW



- Metallic Edition, Titanium Collection
- Metallic stainless steel + PVD coat sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Titanium

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



TOP





UNDERMOUNT



FLUSH

FLEXLINEA RS15 50.40 PURECLEAN
MAESTRO

NEW



- Stainless steel sink, SoftTexture finish
- One bowl
- 3-in-1 installation possibilities: top, flush or undermount
- PureClean waterproof effect
- Easy clean radius R15 corners
- Decorative SQ cover
- 3½" SQ manual basket waste and siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



TOP





UNDERMOUNT



FLUSH

FLEXLINEA RS15 50.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



TOP





UNDERMOUNT



FLUSH

FLEXLINEA RS15 45.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 490mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230



TOP





UNDERMOUNT



FLUSH

FLEXLINEA RS15 40.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 34.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



UNDERMOUNT



TOP





FLUSH

FLEXLINEA RS15 27.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 3-in-1 installation possibilities: undermount, top or flush
- Easy clean radius R15 corners
- 3½" SQ manual basket waste with siphon
- Decorative SQ cover
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 310mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012



UNDERMOUNT



TOP





FLUSH

BE LINEA
SERIES

BE LINEA RS15 2B 860
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 2B 740
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 740mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 2B 580
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 580mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 71.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 750mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 50.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 45.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 490mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 40.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 34.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Soap Dispenser
REF: 115890012





BE LINEA RS15 27.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 200 mm deep bowl
- 45 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 310mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE LINEA RS15 18.40
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Undermount installation
- Easy clean radius R15 corners
- 3½" manual basket waste with siphon
- SilentSmart, 50% less noise
- 140 mm deep bowl
- 45 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 220mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FRAME
SERIES

FRAME FR97DLF
MAESTRO



- Stainless steel sink
- Two bowls and one drainer
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 160 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 970mm **Width** 510mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260



UNDERMOUNT



FLUSH

FRAME FR97SXLF
MAESTRO



- Stainless steel sink
- One bowl and one drainer
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 180 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 970mm **Width** 510mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260



UNDERMOUNT



FLUSH

FRAME FR97SHLF
MAESTRO



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 160 and 120 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 970mm **Width** 510mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260



UNDERMOUNT



FLUSH

FRAME FR97SXHLF
MAESTRO



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 180 and 120 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 970mm **Width** 510mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260



UNDERMOUNT



FLUSH

FRAME FR60SHF
MAESTRO



- Stainless steel sink
- One bowl and one auxiliary bowl
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 160 and 120 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 595mm **Width** 510mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260





UNDERMOUNT



FLUSH

FRAME FR60SXF
MAESTRO



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: flush or undermount
- 3½" automatic basket waste with siphon
- 180 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 595mm **Width** 510mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Black Plastic Basket Frame
REF: 81180002



Soap Dispenser Frame
REF: 81180001



Multigrater Rolling
REF: 40199260





UNDERMOUNT



FLUSH

FRAME FR520F-T
MAESTRO



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: flush or undermount
- 3½" manual basket waste with siphon
- 180 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 566mm **Width** 426mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





UNDERMOUNT



FLUSH

FRAME FR340F-T
MAESTRO



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: flush or undermount
- 3½" manual basket waste with siphon
- 160 mm deep bowl
- 40 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 386mm **Width** 426mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





UNDERMOUNT



FLUSH

PREMIUM
SERIES

PREMIUM 2B 1D
MAESTRO



- Stainless steel sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





PREMIUM 2B 80
MAESTRO



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





PREMIUM 1½B 1D
MAESTRO



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 135 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





PREMIUM 1B 1D
MAESTRO



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





PREMIUM MAX 1B
MAESTRO

NEW



- Stainless steel sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 500mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230









PREMIUM 1B
MAESTRO



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual basket waste
- 185 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 465mm **Width** 440mm **Depth** 185mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230



STAGE
SERIES

STAGE 90 D 2B
MAESTRO



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Chopping Board
REF: 99112506





STAGE 60 B 1½B 1D
MAESTRO



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 130 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Chopping Board
REF: 99112506





STAGE 60 E 1½B ½D
MAESTRO



- Stainless steel sink
- One bowl, one auxiliary bowl and half drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 130 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 816mm **Width** 565mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Chopping Board
REF: 99112506





STAGE 45 B 1B 1D
MAESTRO



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Chopping Board
REF: 99112506





UNIVERSE
SERIES

UNIVERSE 80 T-XP 2B 1D
TOTAL

NEW



- Stainless steel sink, Polished finish
- Two bowls and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





UNIVERSE 80 T-XP 2B
TOTAL

NEW



- Stainless steel sink, Polished finish
- Two bowls
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





UNIVERSE 60 T-XP 1½B 1D
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl, one auxiliary bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 and 100 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





UNIVERSE 60 T-XP 1½B
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl and one auxiliary bowl, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 and 100 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





UNIVERSE 60 T-XP 1B
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl
- Inset installation
- 3½" manual basket waste and siphon
- 155 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 600mm **Width** 510mm **Depth** 155mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



UNIVERSE 50 T-XP 1B 1D MAX
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 175 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 175mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



UNIVERSE 50 T-XP 1B 1D PLUS
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 190 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 195mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



UNIVERSE 45 T-XP 1B 1D
TOTAL

NEW



- Stainless steel sink, Polished finish
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



STYLO
SERIES

STYLO 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 170 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 830mm **Width** 485mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Stylo Cutting Board

REF: 40199201



Universal Inox Colander

REF: 40199072





STYLO 2B
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste with siphon
- 170 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 828mm **Width** 485mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel

REF: 115890019



Dish Basket 320.380

REF: 40199037



Universal Soap Dispenser

REF: 115890011



STYLO 1B
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual basket waste with siphon
- 165 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 465mm **Width** 485mm **Depth** 165mm

RECOMMENDED ACCESSORIES



Stylo Cutting Board

REF: 40199201



Universal Inox Colander

REF: 40199072



Dish Basket 320.380

REF: 40199037





ANGULAR 2B
TOTAL



- Stainless steel sink
- Corner bowls
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 830mm **Width** 830mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Universal Cutting Board

REF: 115890009







CLASSIC
SERIES

CLASSIC 2½B 1D
TOTAL



- Stainless steel sink
- Two bowls, one auxiliary bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 190 and 135 mm deep bowls
- 100 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1400mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Universal Cutting Board

REF: 115890009





CLASSIC MAX 2B 1D
TOTAL



- Stainless steel sink
- Two bowls and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 200 and 190 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Universal Cutting Board

REF: 115890009





CLASSIC MAX 2B
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste with siphon
- 200 and 190 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Universal Cutting Board

REF: 115890009





CLASSIC MAX 1000 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Universal Inox Colander

REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230





CLASSIC 2B 1D
TOTAL



- Stainless steel sink
- Two bowls and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 2B 80
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste
- 190 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 2B 86
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 2½B
TOTAL



- Stainless steel sink
- Two bowls and one auxiliary bowl
- Inset installation
- 3½" manual basket waste
- 190 and 135 mm deep bowls
- 100 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC MAX 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 1B ½D 650
TOTAL



- Stainless steel sink
- One bowl and half drainer
- Inset installation
- 3½" manual basket waste
- 180 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





CLASSIC 1B ½D 580
TOTAL



- Stainless steel sink
- One bowl and half drainer
- Inset installation
- 3½" manual basket waste with siphon
- 150 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





CLASSIC 1½B 580
TOTAL



- Stainless steel sink
- One bowl and one auxiliary bowl
- Inset installation
- 3½" and 1½" manual waste
- 150 and 130 mm deep bowls
- 60 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 580mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





CLASSIC 1½B
TOTAL



- Stainless steel sink
- One bowl and one auxiliary bowl
- Inset installation
- 3½" manual basket waste with siphon
- 190 and 135 mm deep bowls
- 60 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





SPHERA
SERIES

DR-80 2B
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste
- 140 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Basket 340
REF: 40199039



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





DR-80 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 160 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 440mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Basket 340
REF: 40199039



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





DR-78 2B
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste
- 150 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 780mm **Width** 440mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



2B Space-Saving Set
REF: 61001104





DR-78 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual waste
- 150 mm deep bowl
- 45 cm base unit

COLOR Matt chrome

EXTERNAL DIMENSIONS

Length 780mm **Width** 440mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





DR-77 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 180 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 770mm **Width** 500mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





DUETTA 2B
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual basket waste
- 150 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 915mm **Width** 482mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





DUETTA 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 150 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 915mm **Width** 482mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





ERC 1B
EASY



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual basket waste
- 180 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length Ø450mm **Width** Ø450mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL 1B
EASY



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual basket waste
- 180 mm deep bowl
- 45 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length Ø510mm **Width** Ø510mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





SPACE
SERIES

TU 37.20 D
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 mm deep bowls
- 100 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 941mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 2B 780
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 779mm **Width** 464mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 30.18-8
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 779mm **Width** 464mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 35.18-8
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 911mm **Width** 470mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 2B 845 R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 845mm **Width** 470mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



TU 33.18-R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 845mm **Width** 470mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



TU 30.18-R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual waste without overflow
- 250 and 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 785mm **Width** 470mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



BE 2B 785
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 250 and 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 785mm **Width** 470mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



TU 30.20-R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 779mm **Width** 521mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Inox Colander
REF: 40199072





TU 30.20-L
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 779mm **Width** 521mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Inox Colander
REF: 40199072





BE 2B 880 R OFFSET
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 879mm **Width** 470mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 2B 880 L OFFSET
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 879mm **Width** 470mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 34.18-R OFFSET
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS
Length 879mm **Width** 470mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 34.18-L OFFSET
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS
Length 879mm **Width** 470mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 33.18-8-R OFFSET
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 200 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS
Length 839mm **Width** 464mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 2B D 800 R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 250 and 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS
Length 800mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





TU 31.20 D-R
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





TU 31.20 D-L
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 250 and 180 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





BE 74.43-20
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowl
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 787mm **Width** 482mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





TU 31.19-10
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste without overflow
- 250 mm deep bowl
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 787mm **Width** 482mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





BE 2B 765
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 765mm **Width** 450mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 30.17-8
TOTAL



- Stainless steel sink
- Two bowls
- Undermount installation
- 3½" manual basket waste without overflow
- 200 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 765mm **Width** 450mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 1½B 625
TOTAL



- Stainless steel sink
- One bowl and one auxiliary bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 and 125 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 624mm **Width** 464mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 50.40 PLUS
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 530mm **Width** 430mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 50.40
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 155 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 522mm **Width** 422mm **Depth** 155mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 21.17-8
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste without overflow
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 530mm **Width** 430mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 45.40.20
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 479mm **Width** 429mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





TU 23.20 D
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste without overflow
- 250 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 584mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 52.46 D
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 250 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 584mm **Width** 530mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 42.46 D
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 250 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 448mm **Width** 493mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 40.40 PLUS
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 435mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 40.40.25
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 250 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 435mm **Width** 435mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE Ø390
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length Ø390mm **Width** Ø390mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Wire Basket Ø370
REF: 40199038



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 40.40
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 435mm **Width** 435mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 40.34
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual waste with overflow
- 180 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 427mm **Width** 367mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





BE 34.40 PLUS
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 200 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 367mm **Width** 427mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072



BE 34.45
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 250 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 367mm **Width** 484mm **Depth** 250mm

RECOMMENDED ACCESSORIES



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





BE 34.37
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 155 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 365mm **Width** 395mm **Depth** 155mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





BE 28.40
TOTAL



- Stainless steel sink
- One bowl
- Undermount installation
- 3½" manual basket waste with overflow
- 180 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 307mm **Width** 433mm **Depth** 180mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





STARBRIGHT
SERIES

STARBRIGHT 80 E-XP 2B 1D
EASY

NEW



- Stainless steel sink, Polished finish
- Two bowls and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



STARBRIGHT 80 E-XP 2B
EASY

NEW



- Stainless steel sink, Polished finish
- Two bowls
- Inset installation
- 3½" manual basket waste and siphon
- 160 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



STARBRIGHT 60 E-XP 1½B 1D
EASY

NEW



- Stainless steel sink, Polished finish
- One bowl, one auxiliary bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 and 100 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 980mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



STARBRIGHT 50 E-XP 1B 1D
EASY

NEW



- Stainless steel sink, Polished finish
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



STARBRIGHT 50 E-XP 1B
EASY

NEW



- Stainless steel sink, Polished finish
- One bowl
- Inset installation
- 3½" manual basket waste and siphon
- 155 mm deep bowl
- 50 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 500mm **Width** 510mm **Depth** 155mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





STARBRIGHT 45 E-XP 1B 1D
EASY

NEW



- Stainless steel sink, Polished finish
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





STARBRIGHT 45 E-XN 1B
EASY

NEW



- Stainless steel sink, Matt finish
- One bowl
- Inset installation
- 3½" manual basket waste and siphon
- 155 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 465mm **Width** 440mm **Depth** 155mm

RECOMMENDED ACCESSORIES



Basket Valve Decorative Lid
REF: 40199510



Universal Soap Dispenser
REF: 115890011



Soap Dispenser
REF: 115890012





STARBRIGHT 45 E-XN 1B RND
EASY

NEW



- Stainless steel sink, Matt finish
- One bowl
- 2-in-1 installation possibilities: inset or undermount
- 3½" waste hole
- 160 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length Ø450mm **Width** Ø450mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Basket Valve Decorative Lid
REF: 40199510



Universal Soap Dispenser
REF: 115890011





TOP



UNDERMOUNT

STARBRIGHT 45 E-XN 1B ORB

EASY

NEW



- Stainless steel sink, Matt finish
- One bowl
- Inset installation
- 3½" manual basket waste and siphon
- 165 mm deep bowl
- 45 cm base unit

COLOR **Stainless Steel**

EXTERNAL DIMENSIONS

Length Ø510mm **Width** Ø510mm **Depth** 165mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Basket Valve Decorative Lid
REF: 40199510



Universal Soap Dispenser
REF: 115890011





DIVERSE
SERIES

BAHIA 1B PLUS
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 220 mm deep bowl
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 220mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



VITAE 60 B 1½B 1D
TOTAL



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 190 and 130 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072







VITAE 45 B 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 190 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Dish Basket 320.380
REF: 40199037



Universal Inox Colander
REF: 40199072





PRINCESS 60 1½B 1D
TOTAL



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" manual waste
- 150 and 120 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Soap Dispenser
REF: 115890011





PRINCESS 50 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 150 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Soap Dispenser
REF: 115890011





NERISSA 60 1½B 1D
TOTAL



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" manual waste
- 150 and 120 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Soap Dispenser
REF: 115890011





NERISSA 50 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 150 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Soap Dispenser
REF: 115890011





GRAVITY 45 E-XP 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 150 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 435mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





NAPEA 45 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 140 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





INFANT 60 1½B 1D
EASY



- Stainless steel sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" manual basket waste with siphon
- 150 and 86 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Universal Soap Dispenser
REF: 115890011





INFANT 45 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 1½" manual basket waste with siphon
- 140 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





INFANT OB 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual waste
- 140 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





INFANT OD 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 1½" manual basket waste with siphon
- 140 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 860mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Basket Valve Decorative Lid

REF: 40199510



1B Space-Saving Set

REF: 61001097





STENA 45-E 1B 1D
TOTAL



- Stainless steel sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 162 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 500mm **Depth** 162mm

RECOMMENDED ACCESSORIES



Decorative Lid

REF: 40199510



Universal Cutting Board

REF: 115890009



Glass Cutting Board

REF: 40199225





DEVA 45 I-CN 1B 1D
EASY



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 1½" manual waste
- 146 mm deep bowl
- 45 cm base unit

COLOR Matt chrome

EXTERNAL DIMENSIONS

Length 780mm **Width** 435mm **Depth** 146mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Basket Valve Decorative Lid

REF: 40199510



1B Space-Saving Set

REF: 61001097





DM 840.560 (33.22) 2B
MAESTRO

NEW



- Stainless steel sink
- Two bowls
- 2-in-1 installation possibilities: inset or undermount
- 3½" manual waste
- 204 mm deep bowls
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 560mm **Depth** 204mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Decorative Lid

REF: 40199510



Dish Basket 330x490x130 Stainless Steel

REF: 115890019



TOP





UNDERMOUNT

DM 840.560 (33.22) 1B
MAESTRO

NEW



- Stainless steel sink
- One bowl
- 2-in-1 installation possibilities: inset or undermount
- 3½" manual waste without overflow
- 203 mm deep bowl
- 90 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 560mm **Depth** 203mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Decorative Lid
REF: 40199510



Universal Inox Colander
REF: 40199072





TOP



UNDERMOUNT

840.560 (33.22) 2B 6
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 153 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 560mm **Depth** 153mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





840.560 (33.22) 2B 7
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 178 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 560mm **Depth** 178mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





840.560 (33.22) 2B 8
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 204 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 560mm **Depth** 204mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





840.483 (33.19) 2B 6
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 153 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 483mm **Depth** 153mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



2B Space-Saving Set
REF: 61001104





840.483 (33.19) 2B 7
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 178 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 483mm **Depth** 178mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



2B Space-Saving Set
REF: 61001104





840.483 (33.19) 2B 8
TOTAL



- Stainless steel sink
- Two bowls
- Inset installation
- 3½" manual waste without overflow
- 204 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 483mm **Depth** 204mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



2B Space-Saving Set
REF: 61001104





E/800.440 2B
EASY



- Stainless steel sink
- Two bowls
- Inset installation
- 1½" manual basket waste
- 140 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 800mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



2B Space-Saving Set
REF: 61001104



Multigrater Rolling
REF: 40199260





730.510 1B 1D
TOTAL



- Stainless steel sink
- One bowl and one drainer
- Inset installation
- 3½" manual waste without overflow
- 145 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 730mm **Width** 510mm **Depth** 145mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Basket Valve Decorative Lid

REF: 40199510



1B Space-Saving Set

REF: 61001097





635.560 (25.22) 1B 6
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual waste without overflow
- 153 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 635mm **Width** 560mm **Depth** 153mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Decorative Lid

REF: 40199510



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230





635.560 (25.22) 1B 7
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual waste without overflow
- 178 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 635mm **Width** 560mm **Depth** 178mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board

REF: 115890015



Decorative Lid

REF: 40199510



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230





635.560 (25.22) 1B 8
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual waste without overflow
- 204 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 635mm **Width** 560mm **Depth** 204mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser

REF: 115890011



Decorative Lid

REF: 40199510



Wooden Cutting Board Plus Colander 34X40 R25

REF: 40199230





508.533 (20.21) 1B
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual waste without overflow
- 165 mm deep bowl
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 508mm **Width** 533mm **Depth** 165mm

RECOMMENDED ACCESSORIES



Universal Inox Colander
REF: 40199072



Dish Basket 320.380
REF: 40199037



Universal Soap Dispenser
REF: 115890011





381.381 (15.15) 1B
TOTAL



- Stainless steel sink
- One bowl
- Inset installation
- 3½" manual waste without overflow
- 153 mm deep bowl
- 40 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 381mm **Width** 381mm **Depth** 153mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





MODEL E 1B
EASY



- Stainless steel sink
- One bowl
- Inset installation
- 1½" manual basket waste
- 150 mm deep bowl
- 30 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 280mm **Width** 405mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



1B Space-Saving Set
REF: 61001097



Soap Dispenser
REF: 115890012





STONE
SERIES

STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 80 B-TG 2B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 1160mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 B-TG 1½B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 140 mm deep bowls
- 60 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 90 B-TG 2B AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 90 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 L-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 1000mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037



STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037



STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037



STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037



STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 50 B-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 860mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 60 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 780mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Dark Grey

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Metallic Grey

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





STONE 45 S-TG 1B 1D AUTO

MAESTRO

NEW



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR **White**

EXTERNAL DIMENSIONS

Length 650mm **Width** 510mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Decorative Lid
REF: 40199510



Dish Basket 330x490x130 Stainless Steel
REF: 115890019



Dish Basket 320.380
REF: 40199037





FORSQUARE
SERIES

FORSQUARE 2B 790 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Black**

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FORSQUARE 2B 790 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Stone Grey**

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FORSQUARE 2B 790 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Bright Cream**

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FORSQUARE 2B 790 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Avena Beige**

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FORSQUARE 2B 790 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





FORSQUARE 2B 590 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 590mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 2B 590 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 590mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 2B 590 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 590mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 2B 590 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 590mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 2B 590 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Inset installation
- 3½" automatic basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 590mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 72.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 72.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 72.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 72.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 72.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 50.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 570mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 50.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 570mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 50.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 570mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 50.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 570mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 50.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 570mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Wooden Cutting Board Plus Colander 34X40 R25
REF: 40199230





FORSQUARE 34.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 410mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 34.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 410mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 34.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 410mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 34.40 TG AUTO
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 410mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





FORSQUARE 34.40 TG AUTO

MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR **Artic White**

EXTERNAL DIMENSIONS

Length 410mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE
SERIES

SQUARE 2B 760 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Black**

EXTERNAL DIMENSIONS

Length 760mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





SQUARE 2B 760 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Stone Grey**

EXTERNAL DIMENSIONS

Length 760mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





SQUARE 2B 760 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Bright Cream**

EXTERNAL DIMENSIONS

Length 760mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





SQUARE 2B 760 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR **Avena Beige**

EXTERNAL DIMENSIONS

Length 760mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





SQUARE 2B 760 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowls
- 80 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 760mm **Width** 435mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Dish Basket 320.380
REF: 40199037



Soap Dispenser
REF: 115890012



Basket Valve Decorative Lid
REF: 40199510





SQUARE 2B 560 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 560mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 2B 560 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 560mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 2B 560 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 560mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 2B 560 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 560mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 2B 560 TG
MAESTRO

NEW



- Tegranite+ sink
- Two bowls
- Undermount installation
- 3½" manual basket waste with siphon
- 200 and 155 mm deep bowls
- 60 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 560mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 72.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 72.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 72.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 72.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 72.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 80 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 50.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 50.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072



SQUARE 50.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072



SQUARE 50.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072



SQUARE 50.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 60 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 540mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072



SQUARE 40.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 40.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 40.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 40.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 40.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 50 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 440mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 34.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Black

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 34.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Stone Grey

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 34.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Bright Cream

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 34.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Avena Beige

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





SQUARE 34.40 TG
MAESTRO

NEW



- Tegranite+ sink
- One bowl
- Undermount installation
- 3½" manual basket waste with siphon
- 200 mm deep bowl
- 45 cm base unit

COLOR Artic White

EXTERNAL DIMENSIONS

Length 380mm **Width** 440mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Soap Dispenser
REF: 115890012



Universal Inox Colander
REF: 40199072





ASTRAL
SERIES

ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 70 E-TG 1B 2D
TOTAL



- Tegranite+ sink
- Corner bowls
- Inset installation
- 3½" automatic basket waste
- 205 and 120 mm deep bowls
- 70 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 1002mm **Width** 500mm **Depth** 205mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 60 B-TG 1½B 1D
TOTAL



- Tegranite+ sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 and 145 mm deep bowls
- 60 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 780mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR **Carbon**

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR **Metallic Black**

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR **Topasbeige**

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR **Sandbeige**

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





ASTRAL 45 B-TG 1B 1D
TOTAL



- Tegranite+ sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste
- 200 mm deep bowl
- 45 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length 650mm **Width** 500mm **Depth** 200mm

RECOMMENDED ACCESSORIES



Wooden Chopping Board
REF: 40199227



Colander Inox
REF: 40199052



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





SPHERA TG
SERIES

CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR Metallic Black

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR Sandbeige

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR White

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CENTROVAL RB 1B
TOTAL



- Tegranite+ sink
- One bowl
- Inset installation
- 3½" automatic basket waste
- 184 mm deep bowl
- 45 cm base unit

COLOR Carbon

EXTERNAL DIMENSIONS

Length ø510mm **Width** ø510mm **Depth** 184mm

RECOMMENDED ACCESSORIES



Round Cutting Board
REF: 40199203



Wire Basket Ø370
REF: 40199038



Universal Soap Dispenser
REF: 115890011





CLIVO
SERIES

CLIVO 60 B-TQ 1½B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 800mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 B-TQ 1½B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 800mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 B-TQ 1½B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 800mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 B-TQ 1½B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl, one auxiliary bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Marble White

EXTERNAL DIMENSIONS

Length 800mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 S-TQ 1½B AUTO
EASY

NEW



- Tequartz sink
- One bowl and one auxiliary bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 610mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 S-TQ 1½B AUTO
EASY

NEW



- Tequartz sink
- One bowl and one auxiliary bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 610mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 60 S-TQ 1½B AUTO
EASY

NEW



- Tequartz sink
- One bowl and one auxiliary bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 and 110 mm deep bowls
- 60 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 610mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 50 S-TQ 1B AUTO
EASY

NEW



- Tequartz sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 50 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 490mm **Width** 455mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 50 S-TQ 1B AUTO
EASY

NEW



- Tequartz sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 50 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 490mm **Width** 455mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 50 S-TQ 1B AUTO
EASY

NEW



- Tequartz sink
- One bowl
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 50 cm base unit

COLOR Topasbeige

EXTERNAL DIMENSIONS

Length 490mm **Width** 455mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 45 B-TQ 1B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 45 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 780mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 45 B-TQ 1B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 45 cm base unit

COLOR Alugraumetallic

EXTERNAL DIMENSIONS

Length 780mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Wooden Chopping Board
REF: 40199227



Dish Basket 330x490x130 Stainless Steel
REF: 115890019





CLIVO 45 B-TQ 1B 1D AUTO

EASY

NEW



- Tequartz sink
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 190 mm deep bowl
- 45 cm base unit

COLOR **Topasbeige**

EXTERNAL DIMENSIONS

Length 780mm **Width** 495mm **Depth** 190mm

RECOMMENDED ACCESSORIES



Soap Dispenser

REF: 115890012



Wooden Chopping Board

REF: 40199227



Dish Basket 330x490x130 Stainless Steel

REF: 115890019





COMFOR
SERIES

COMFOR 60 B-TQ 1½B 1D 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl, one auxiliary bowl and one drainer
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- Inset installation
- Reversible drainer
- 3½" automatic basket waste with overflow and siphon
- 170 and 95 mm deep bowls
- 60 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 440mm **Width** 760mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Multigrater Rolling
REF: 40199260





COMFOR 45 B-TQ 1B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl and one drainer
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- Inset installation
- 3½" automatic basket waste with siphon
- 170 mm deep bowl
- 45 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 760mm **Width** 440mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Multigrater Rolling
REF: 40199260





COMFOR 45 S-TQ 1B 1D AUTO
EASY

NEW



- Tequartz sink
- One bowl and one drainer
- Excellent UV resistance against decoloring
- Bacteria-free surface very easy to clean
- Inset installation
- 3½" automatic basket waste with siphon
- 170 mm deep bowl
- 45 cm base unit

COLOR Onyx black

EXTERNAL DIMENSIONS

Length 620mm **Width** 440mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Soap Dispenser
REF: 115890012



Universal Soap Dispenser
REF: 115890011



Multigrater Rolling
REF: 40199260





TEKAWAY

TEKAWAY STYLO 1B
EASY



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 995 Chrome and Soap dispenser included
- One bowl
- Inset installation
- 3½" manual basket waste
- 165 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 465mm **Width** 485mm **Depth** 165mm

RECOMMENDED ACCESSORIES



Stylo Cutting Board
REF: 40199201



Universal Inox Colander
REF: 40199072



Dish Basket 320.380
REF: 40199037





TEKAWAY STYLO 1B 1D
EASY



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 995 Chrome and Dish basket included
- One bowl and one drainer
- Inset installation
- 3½" manual basket waste
- 170 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 830mm **Width** 485mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Stylo Cutting Board
REF: 40199201



Universal Inox Colander
REF: 40199072





TEKAWAY DR-80 2B
EASY

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 915 Chrome included
- Two bowls
- Inset installation
- 3½" manual basket waste without overflow
- 140 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 840mm **Width** 440mm **Depth** 140mm

RECOMMENDED ACCESSORIES



Basket 340
REF: 40199039



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510





TEKAWAY DEVA 45 I-CN 1B 1D
EASY



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Matt finish
- Kitchen tap ML 913 included
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 150 mm deep bowl
- 45 cm base unit

COLOR Matt chrome

EXTERNAL DIMENSIONS

Length 780mm **Width** 435mm **Depth** 150mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





TEKAWAY DEVA 45 I-CN 1B 1D
EASY



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Matt finish
- Kitchen tap IN 915 Chrome included
- One bowl and one drainer
- Inset installation
- 3½" automatic basket waste with siphon
- 146 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 780mm **Width** 435mm **Depth** 146mm

RECOMMENDED ACCESSORIES



Universal Soap Dispenser
REF: 115890011



Basket Valve Decorative Lid
REF: 40199510



1B Space-Saving Set
REF: 61001097





TEKAWAY STARBRIGHT 45 E-XN 1B 1D REV
EASY

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Matt finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





TEKAWAY STARBRIGHT 80 E-XN 2B 1D REV
EASY

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Matt finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- Two bowls and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





TEKAWAY UNIVERSE 45 T-XP 1B 1D REV
TOTAL

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- One bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowl
- 45 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009





TEKAWAY UNIVERSE 60 T-XP 1½B 1D REV
TOTAL

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- One bowl, one auxiliary bowl and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 160 and 100 mm deep bowls
- 60 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1000mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



TEKAWAY UNIVERSE 80 T-XP 2B 1D REV
TOTAL

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- Two bowls and one drainer, reversible
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 1160mm **Width** 500mm **Depth** 160mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009



TEKAWAY UNIVERSE 80 T-XP 2B
TOTAL

NEW



- Plug & Play: Sink + Tap + Accessories
- Stainless steel sink, Polished finish
- Kitchen tap IN 915 Chrome and Soap dispenser included
- Two bowls
- Inset installation
- 3½" manual basket waste and siphon
- 170 mm deep bowls
- 80 cm base unit

COLOR Stainless Steel

EXTERNAL DIMENSIONS

Length 790mm **Width** 500mm **Depth** 170mm

RECOMMENDED ACCESSORIES



Bamboo Chopping Board
REF: 115890015



Universal Inox Colander
REF: 40199072



Universal Cutting Board
REF: 115890009









TAPS





The perfect **partner**

Sinks can be described using endless adjectives. They can be robust, elegant, powerful, etc. But, they are nothing without their counterpart: The Tap. From professional to economical ranges, Teka manufactures taps created with imagination and designs them to last. Now, enjoy your time with the perfect kitchen pair.

OPERA ICO 915, sleek stylish line

An exclusive, fresh and state-of-the-art design, focused on making an essential part of the kitchen, the tap, more functional. The revolutionary concept of open spout with its 5 aerators means a significant water saving, optimizing water flow.

A tap with personality to fit the style of your kitchen and to add a professional design to it, with its striking look. Nobody will remain indifferent to this tap.





Outstanding design

PVD finish

Our new taps are part of the Metallic Edition and are recognized for their refined lines, soft angles and stylised curves.



The color of the material is obtained by the evaporation of the metal that adheres to the surface of the tap creating a color layer.

·**Avant-garde design.** The tap design based on pure lines provides a unique contemporary touch to your kitchen.

·**Metallic beauty: Brass and Titanium.** Comes in exclusive colors in PVD. The gold metallic decoration gives a luxurious appearance, while titanium is the latest decoration trend.

·**Perfect combination.** The colors Brass and Titanium match perfectly with the new PVD kitchen sinks.

·**Top quality finish.** The PVD treatment - physical vapor deposition - allows an easy maintenance and cleaning.

·**Anti-fingerprint finish.** A special coating creates a barrier that prevents the intrusion of oxygen and moisture and makes the tap resistant to fingerprints.

· **Smooth as silk.** Thanks to the high resistance of the ceramic disks used in our cartridges, the tap moves smoothly and gently which helps to increase its lifespan.



ICT 915 Titanium



ICT 915 Brass



ICC 915 Titanium



ICC 915 Brass



ICO 915 Titanium



ICO 915 Brass



FOT 995 Titanium



FOT 995 Brass

TekaPure®, **Purifies water in depth**

Water free of impurities, the particles will be trapped in the filter.

• Eliminates up to 95% of unpleasant water taste and odour.

• Removes the taste of chlorine and organic impurities.

• Filter operating capacity: 5800 litres or 1 year. Average water consumption per family of 4 people = 4.380 l/year (3 l/day per person).

• Quick and easy replacement of the cartridge system.

• The filter system takes up very little space under the sink, making it suitable for small spaces.

• Filter cartridge replacement available.

• Filter with NSF sanitary certification. System tested and Certified by NSF International according to ANSI/ NSF Standard 42 for reduction of Chlorine Class I, taste and odour.


TEKA



Overcome barriers

The best place to place the sink and the kitchen tap is in front of the window, if space permits. Opening or closing the window with a high spout tap ahead, is no longer a problem. Aura AUK 983, the single-lever retractable mixer tap from Teka, allows you to hide or extract your high spout whenever necessary so that nothing stumbles in your way. Thanks to its 2 positions, Aura offers maximum flexibility in the kitchen.



Teka ceramic discs

Longer taps life

All Teka cartridges use sintered ceramic discs with high resistance. These discs all have porous surfaces which retain grease longer, helping to achieve smoother, gentler movements which help to prolong the life of the taps. The operating gear is insulated from water giving therefore continuous lubrication.

Ceramic cartridge. Greater durability.

Temperature limiter

Save the energy used to heat the water with the temperature regulator that is incorporated into the cartridge.

Water saving

The cartridge incorporates an adjustable flow gauge to save water every time you use the mixer.

Anti-Scalding

Forget about scalding caused by water at high temperatures. We take care of you and your loved ones.



* Not all taps have temperature and flow regulators in the cartridge.

Professional



INX 939
p.322



IN 939
p.324



ARK 937
p.326



MY 174
p.322



MY1
p.324



GO 939
p.326



FOT 999
p.322



MY COMPACT
p.324



IN 934
p.326



FOT 939
p.323



IC 939
p.325



IN 934 N
p.327



FO 939
p.323



ARK 999
p.325



FO 999
p.323



ARK 939
p.325

High Spout



ICO 915
p.330



IC 915
p.332



ICC 915
p.334



ICO 915
p.330



IC 915
p.332



ICC 915
p.334



ICO 915
p.330



ICT 915
p.332



E-PURE ELECTRONIC EP 937
p.336



SE 915
p.331



ICT 915
p.333



E-PURE ELECTRONIC EP 915
p.336



IC 915
p.331



ICT 915
p.333



OS 210
p.336



IC 915
p.331



ICC 915
p.333



OS 206
p.337

High Spout



OS 200
p.337



ARK 938
p.339



VTK 938
p.341



FO 997
p.343



FO 915
p.345



FOT 995
p.347



AUK 983
p.338



ARK 938
p.340



MT EXT
p.342



FO 997
p.344



FO 915
p.346



FOT 995
p.348



FO 985
p.338



ARK 938
p.340



ARN 938
p.342



FO 937
p.344



FOT 990
p.346



FOT 995
p.348



MTP 984
p.338



ARK 938
p.340



MTP 938
p.342



FO 937
p.344



FOT 994
p.346



FOT 995
p.348



MZ 938
p.339



ARK 938
p.341



FO 997
p.343



FO 915
p.345



FOT 995
p.347



FOT 995
p.349



ARK 938I
p.339



IN 938
p.341



FO 997
p.343



FO 915
p.345



FOT 995
p.347



FOT 995
p.349

High Spout



INX 914
p.349



SP 995
p.351



GO 915
p.353



IN 995
p.355



IN 995
p.357



IN 914
p.359



INX 915
p.350



SP 995
p.352



VITA 915
p.354



IN 995
p.356



IN 995
p.358



IN 914
p.360



FRAME
p.350



SP 995
p.352



ARK 915
p.354



IN 995
p.356



IN 995
p.358



IN 912
p.360



RT 915
p.350



SP 995
p.352



MTP 995
p.354



IN 995
p.356



IN 995
p.358



MN
p.360



SP 995 I
p.351



GO 994
p.353



MTP 994
p.355



IN 995
p.357



IN 995
p.359



SP 995
p.351



GO 914
p.353



MTP 915
p.355



IN 995
p.357



IN 915
p.359

Low Spout



MTP 978
p.364



AUK 978
p.366



AUK 913
p.368



MTP 913
p.370



MB2 024
p.374



MTP 978
p.364



AUK 978
p.366



MTP 993
p.369



IN 913
p.371



IN 024
p.374



MTP 978
p.364



MS1 PULL-OUT
p.366



MTP 913
p.369



MS1
p.371



MTP 025
p.374



MTP 978
p.365



MTN 979
p.367



MTP 913
p.369



ML
p.371



MTP 978
p.365



IN 993
p.368



MTP 913
p.370



ML
p.372



VTK 978
p.365



INN 913
p.368



MTP 913
p.370



MED 913
p.372





PROFESSIONAL



INX 939
MAESTRO



MY 174
MAESTRO



NEW

FOT 999
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- Made of stainless steel of high quality AISI 304
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower with stop function. 1 function: Shower spray
- Double fixing system to avoid any lever effect on the sink. On-wall and sink fixation
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic for better protection and easy cleaning
- 3/8" flexible inlet pipes

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower with stop function. 1 function: Shower spray
- Extra spout to fill recipients
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic for better protection and easy cleaning
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes







COLOR

Stainless Steel

COLOR

Chrome

COLOR

Chrome







NEW

FOT 939
MAESTRO



- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic for better protection and easy cleaning
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome

FO 939
MAESTRO



- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome

FO 999
MAESTRO



- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 939
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- High resistant flexible spring
- Stainless steel flexible hose
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Chrome



MY1
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic for better protection and easy cleaning
- 3/8" flexible inlet pipes



COLOR

Chrome



MY COMPACT
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout 360°
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- High resistant flexible spring
- Flexible stainless steel pipe with plastic coating (protection and easy cleaning)
- Cartridge with ceramic discs and adjustable flow and temperature
- 3/8" flexible inlet pipes



COLOR

Chrome



IC 939
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 999
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower with stop function. 1 function: Shower spray
- Extra spout to fill recipients
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic for better protection and easy cleaning
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 939
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- Ergonomic handle
- Stainless steel flexible hose
- Easy cleaning
- Shower holder swivels independently from main spout for more comfortable use
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 937
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

GO 939
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 2 functions: normal & shower spray
- High resistant flexible spring
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 934
MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Chrome



IN 934 N

MAESTRO

- Professional kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Black





HIGH SPOUT



NEW

ICO 915
MAESTRO

- High spout kitchen tap
- Revolutionary open spout concept
- Swivel Spout
- Five anti-scale aerators
- 3/8" - 1/2" flexible inlet pipes



COLOR
Chrome



NEW

ICO 915
MAESTRO

- Metallic Edition, Brass Collection
- High spout kitchen tap
- Revolutionary open spout concept
- Swivel Spout
- Five anti-scale aerators
- 3/8" - 1/2" flexible inlet pipes



COLOR
Brass



NEW

ICO 915
MAESTRO

- Metallic Edition, Titanium Collection
- High spout kitchen tap
- Revolutionary open spout concept
- Swivel Spout
- Five anti-scale aerators
- 3/8" - 1/2" flexible inlet pipes



COLOR
Titanium



NEW

SE 915
MAESTRO

- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Purity of natural forms
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



IC 915
TOTAL

- High spout kitchen tap
- Flat design
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



IC 915
TOTAL

- High spout kitchen tap
- Flat design
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



IC 915
TOTAL

- High spout kitchen tap
- Flat design
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Black



IC 915
TOTAL

- High spout kitchen tap
- Flat design
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

White



NEW

ICT 915
TOTAL

- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Ceramic headparts
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



NEW

ICT 915
TOTAL

- Metallic Edition, Brass Collection
- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Ceramic headparts
- Surface resistant to daily use (PVD)
- 3/8" - 1/2" flexible inlet pipes



COLOR

Brass



NEW

ICT 915
TOTAL

- Metallic Edition, Titanium Collection
- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Ceramic headparts
- Surface resistant to daily use (PVD)
- 3/8" - 1/2" flexible inlet pipes



COLOR

Titanium



NEW

ICC 915
TOTAL

- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Surface resistant to daily use
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



NEW

ICC 915
TOTAL

- Metallic Edition, Brass Collection
- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Surface resistant to daily use (PVD)
- 3/8" - 1/2" flexible inlet pipes



COLOR

Brass



NEW

ICC 915
TOTAL

- Metallic Edition, Titanium Collection
- High spout kitchen tap
- Swivel Spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Surface resistant to daily use (PVD)
- 3/8" - 1/2" flexible inlet pipes



COLOR

Titanium


TEKA



NEW

E-PURE ELECTRONIC EP 937
MAESTRO

- High spout kitchen tap for filtered water
- Swivel Spout
- Anti-scale aerator
- To be installed next to filter systems (not included)
- One touch, blue LED: opens purified water flow. Automatic close after 1 minute
- Two touches, green LED: automatic close after 5 minutes
- Three touches, turn off: closes purified water flow
- Purified water flow limited to 2 l/min
- 9 V battery-operated electrovalve
- We advise installing with running water handle on the right
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

E-PURE ELECTRONIC EP 915
TOTAL

- High spout kitchen tap for filtered water
- Swivel spout
- Anti-scale aerator
- To be installed next to filter systems (not included)
- One touch, blue LED: opens purified water flow. Automatic close after 1 minute
- Two touches, green LED: automatic close after 5 minutes
- Three touches, turn off: closes purified water flow
- Purified water flow limited to 2 l/min
- 9 V battery-operated electrovalve
- We advise installing with running water handle on the right
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

OS 210
TOTAL

- High spout kitchen tap for filtered water
- Swivel spout
- Anti-scale aerator
- 2 independent waterways for unfiltered and filtered water
- Without purifier filter system
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



OS 206
TOTAL

- High spout kitchen tap for filtered water
- Swivel spout
- Anti-scale aerator
- 2 independent waterways for unfiltered and filtered water
- Without purifier filter system
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



OS 200
TOTAL

- High spout kitchen tap for filtered water
- Swivel spout
- Anti-scale aerator
- 2 independent waterways for unfiltered and filtered water
- Without purifier filter system
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



AUK 983
MAESTRO

- High spout under-window kitchen tap
- Swivel spout
- Anti-scale aerator
- Retractable and pull-out functions
- 2 positions: Extended (289 mm) and hidden (75 mm)
- Requires 2 holes of Ø35 mm
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



FO 985
TOTAL

- High spout under-window kitchen tap
- Swivel spout
- Anti-scale aerator
- Retractable and pull-out functions
- 2 positions: Extended (299 mm) and hidden (20 mm)
- Requires 2 holes of Ø35 mm
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

MTP 984
EASY

- High spout under-window kitchen tap
- Swivel spout
- Anti-scale aerator
- Folding spout: Max. height: 363 mm; Min. height: 76 mm
- Cartridge starting in cold with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 40 mm cartridge
- Easy-Quick fixation system
- 3/8" flexible inlet pipes



COLOR

Chrome



MZ 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 938I
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



ARK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

White



ARK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Carbon



ARK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Black



ARK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



IN 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Chrome



VTK 938
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MT EXT
MAESTRO

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Cartridge with adjustable flow and temperature
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



NEW

ARN 938
EASY

- High spout pull-out kitchen tap
- Low pressure cartridge
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Easy-Quick fixation system
- 3/8" flexible inlet pipes



NEW

MTP 938
EASY

- High spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes







COLOR
Chrome

COLOR
Chrome

COLOR
Chrome



FO 997
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome Black



FO 997
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome White



FO 997
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 1/2" flexible inlet pipes



COLOR

Chrome Yellow



FO 997
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 1/2" flexible inlet pipes



COLOR

Chrome Orange



FO 937
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome Black



FO 937
MAESTRO

- High spout kitchen tap
- Swivel and flexible spout
- Anti-scale aerator
- Pull-down shower 1 function: aerated spray
- High resistant flexible rubber tube
- Stainless steel flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome White



FO 915
TOTAL

- High spout kitchen tap
- Minimalistic design
- High swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



FO 915
TOTAL

- High spout kitchen tap
- Minimalistic design
- High swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



FO 915
TOTAL

- High spout kitchen tap
- Minimalistic design
- High swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome White



FO 915
TOTAL

- High spout kitchen tap
- Minimalistic design
- High swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome Black



NEW

FOT 990
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



NEW

FOT 994
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome

NEW



FOT 995
TOTAL

- Metallic Edition, Brass Collection
- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome Brass

NEW



FOT 995
TOTAL

- Metallic Edition, Titanium Collection
- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome Titanium



NEW

FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome Black



NEW

FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome White



NEW

FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Stone Grey



NEW

FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Steam Grey



NEW

FOT 995
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

London brick brown



INX 914
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Made of stainless steel of high quality AISI 304
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



INX 915
TOTAL

INOX | AISI 304

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Made of stainless steel of high quality AISI 304
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



FRAME
TOTAL

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

RT 915
TOTAL

- High spout kitchen tap
- Retro style
- Swivel spout
- Anti-scale aerator
- White ceramic handle
- Easy-Quick fixation system
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



SP 995 I
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Stainless Steel



SP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



SP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Carbon



SP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



SP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Sandbeige



SP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Topasbeige



NEW

GO 994
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Ceramic headparts
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



NEW

GO 914
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Ceramic headparts
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



NEW

GO 915
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Ceramic headparts
- 3/8" - 1/2" flexible inlet pipes



COLOR

Chrome



VITA 915
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ARK 915
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

MTP 995
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- 35 mm cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" flexible inlet pipes



COLOR

Chrome



MTP 994
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Chrome



MTP 915
EASY

- High spout kitchen tap
- Cast swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Black



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

White



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Blue



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Grey



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Pink



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Yellow



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Orange



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Carbon



IN 995
EASY

- High spout kitchen tap
- Minimalistic design
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Sandbeige



IN 915
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- 35 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Easy-Quick fixation system
- 3/8" certified flexible inlet pipes



COLOR

Chrome



IN 914
EASY

- High spout kitchen tap
- Cast swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 914
EASY

- High spout kitchen tap
- Cast swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Water flow limited to 5 l/min
- 3/8" flexible inlet pipes



COLOR

Chrome



IN 912
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MN
EASY

- High spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome







LOW SPOUT



MTP 978
MAESTRO

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Extra resistant flexible hose
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MTP 978
MAESTRO

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Extra resistant flexible hose
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Carbon



MTP 978
MAESTRO

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Extra resistant flexible hose
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



MTP 978
MAESTRO

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Extra resistant flexible hose
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Sandbeige



MTP 978
MAESTRO

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Extra resistant flexible hose
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Topasbeige



VTK 978
TOTAL

- Low spout pull-out kitchen tap
- Cast swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- 3/8" flexible inlet pipes



COLOR

Chrome



AUK 978
TOTAL

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



AUK 978
TOTAL

- Low spout pull-out kitchen tap
- Swivel spout
- Anti-scale aerator
- Pull-out 1 function: normal
- Extra resistant flexible hose
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



MS1 PULL-OUT
TOTAL

- Low spout pull-out kitchen tap
- Cast swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- Cartridge with adjustable flow and temperature
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

MTN 979

EASY

- Low spout pull-out kitchen tap
- Low pressure cartridge
- Swivel spout
- Anti-scale aerator
- Pull-out 2 functions: normal & shower spray
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



NEW

IN 993
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- 40 mm cartridge
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" certified flexible inlet pipes



COLOR

Chrome



NEW

INN 913
EASY

- Low spout kitchen tap
- Low pressure cartridge
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



AUK 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MTP 993
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MTP 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MTP 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Carbon



MTP 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Metallic Black



MTP 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Sandbeige



MTP 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Topasbeige



IN 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MS1
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ML
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



ML
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Topasbeige



MED 913
EASY

- Low spout kitchen tap
- Swivel spout
- Anti-scale aerator
- Gerontological handle
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- 3/8" flexible inlet pipes



COLOR

Chrome



MB2 024
EASY

- Wall mounted kitchen tap
- Cast swivel spout 200 mm
- Anti-scale aerator
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Cartridge with ceramic discs of high resistance
- Equipped with noise reducers



COLOR

Chrome



IN 024
EASY

- Wall mounted kitchen tap
- Swivel spout 180 mm
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Equipped with noise reducers



COLOR

Chrome



MTP 025
EASY

- Wall mounted kitchen tap
- Swivel spout 200 mm
- Anti-scale aerator
- Cartridge with ceramic discs of high resistance
- Highly precise temperature control
- Greater handling sensitivity with smoother movements
- Equipped with noise reducers



COLOR

Chrome

Dishwashers

Caring for your loved ones
through pure hygiene

Your time is **what really matters**

We believe in constantly finding ways to make life more meaningful. Because of this, we help you get rid of those chores that you want to get over with, so that you can dedicate your time to what really matters.

With our Dishwashers you will find not only the freedom to forget about doing the dishes after lunch, but also the most intuitive and efficient way to do so.

Discover all the possibilities and let us do the job for you.



Built-in and free installation solutions, both with the highest performance

It doesn't matter the type of dishwasher you are looking for. We have a solution for you. Our built-in and free installation options will certainly fit the needs of any kitchen.

WORLDWIDE **NOVELTY**

New **Dishwashers Series**

DESIGNED FOR **THOSE WHO DEMAND MORE**

Efficient design and persistent hygiene come together to bring the ultimate dishwasher to you, with higher speed and better performance, offering the finest care to your kitchenware, in both, built-in and free-standing installation options.

With its IonClean technology, which eliminates 99.9% of bacteria and microorganisms, safety and health come first. Its Whisper Program keeps your dishwasher quiet while the magic happens. In fact, our Built-in model is so silent, that a little red light on is what will let you know that the dishwasher is performing.

Flexibility, speed and performance are these model's banners. And of course, more magic: choose your preferred detergent type, and your dishwasher will do the rest, automatic door opening at the end of the cycle to finish the dishes drying process, and SmartSensor, which will adjust the washing parameters depending on the amount of dirt on your dishes.

Stay amazed.



SCAN AND **DISCOVER**

Clever technology for the finest hygiene



SmartSensor

This innovative system identifies through sensors the dirtiness level of your kitchenware and adjusts the washing parameters based on this. Optimal results in each cycle.

MultiCleaner

Use any kind of detergent you like, pods or powder, as your Dishwasher will adapt to either with the MultiCleaner system.

PremiumDry

A perfect finishing is achieved thanks to an excellent performance with minimum consumption. At the end of each cycle, the PremiumDry system will automatically open the Dishwasher door to complete the dishes drying process.

3rd Cutlery Tray

Your cutlery perfectly clean and with no food traces, thanks to our new wider and more flexible tray. Move and set its mobile parts to adjust to your needs in every cycle.

Beam on Floor

Our Dishwasher are so silent, that we have included a beam of light*, so that you can identify when it is working. When the light beam is off, it means your Dishwasher is done with your dishes.

* Depending on the model.

Delivering technology **to keep you safe**

IonClean technology

Our IonClean technology* guarantees the highest hygiene through negative ions, eliminating bacteria and neutralizing the common odours.

Hygiene program

Sterilise your dishes with our Hygiene program*. Eliminate all kinds of bacteria and allergens, thanks to the high temperature of this special program.

Inverter Motor

Last generation inverter motor*. Its technology and resistance guarantee minimum energy consumption, a significant noise decrease, and long-lasting performance.



* Depending on the model.



MAESTRO **DFS 76850 WH**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Sliding Detergent drawer
- Column installation



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 76850 SS**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 76810 WH**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- Sliding extra tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 76810 SS**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- Sliding extra tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, ExtraDry, IonClean, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 46750 WH**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 50°, 55°, 60°, 65°, 70°C
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Sliding Detergent drawer
- Column installation



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 46750 SS**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 50°, 55°, 60°, 65°, 70°C
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 46710 WH**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70° C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



TOTAL **DFS 46710 SS**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 26650 WH**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 26650 SS**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 26610 WH**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 12 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65° C
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 26610 SS**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 12 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65° C
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 598mm **Depth** 600mm



MAESTRO **DFS 74850 WH**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 6
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, Extra-Dry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



MAESTRO **DFS 74850 SS**

- **PremiumCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 6
- Washing temperatures: 50°, 55°, 60°, 65°, 72°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, Extra-Dry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Sliding Detergent drawer
- Column installation



MAESTRO **DFS 44750 WH**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry, IonClean, AlternativeWash
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm



TOTAL **DFS 44750 SS**

- **ExpertCare series**
- **Free standing Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- FlexiSet 2 lower basket
- Special functions: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry, IonClean, AlternativeWash
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



MAESTRO **DFS 24650 WH**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation



MAESTRO **DFS 24650 SS**

- **HomeCare series**
- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 60°, 65°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Sliding Detergent drawer
- Column installation

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm



DISHWASHERS



MAESTRO **DFS 24610 WH**

- **Free standing Dishwasher**
- Electronic control panel
- Capacity: 9 plate settings
- Washing programs: 6
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- FlexiSet 2 lower basket
- Special programs: GlassCare, Intensive program, ECO program, 1-Hour, Whisper program
- Special functions: Half load, Express, ExtraDry
- AquaSafe safety system
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Sliding Detergent drawer
- Column installation



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 448mm **Depth** 600mm



MAESTRO **DSI 76850 SS**

- **PremiumCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 8
- Washing temperatures: 50°, 55°, 65°, 65°, 70°C
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, Hygienic, PreWash
- Special functions: Express, PowerWash, Extra-Dry, AlternativeWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 44 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815mm **Width** 598mm **Depth** 570mm



TOTAL **DSI 46750 SS**

- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Beam on floor
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815mm **Width** 598mm **Depth** 570mm



MAESTRO **DSI 46750 SS**

- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 13 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 50°, 55°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Beam on floor
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815mm **Width** 598mm **Depth** 570mm



TOTAL **DSI 44700 SS**

- **ExpertCare series**
- **Partially integrated Dishwasher**
- Electronic control panel with display
- Capacity: 9 plate settings
- Washing programs: 7
- Washing temperatures: 45°, 55°, 60°, 65°, 70°C
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 2 lower basket
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, Whisper program, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 815mm **Width** 448mm **Depth** 570mm



MAESTRO **DFI 76950**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- PremiumDry automatic opening system
- MultiFlex 3 cutlery tray
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 1 lower basket
- Fast program: 30 minutes
- Special programs: DualCare, GlassCare, Auto-Clean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, IonClean
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 42 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 598mm **Depth** 550mm



TOTAL **DFI 46950 XL**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, Auto-Clean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Beam on floor
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- SlidingDoor installation system
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 861mm **Width** 598mm **Depth** 550mm



TOTAL **DFI 46950**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 15 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, Auto-Clean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Beam on floor
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- SlidingDoor installation system
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 598mm **Depth** 550mm



TOTAL **DFI 46900**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, AutoClean,
- AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 598mm **Depth** 550mm



TOTAL **DFI 46700**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 14 plate settings
- Washing programs: 7
- Washing temperatures: 35°, 40°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 4 lower basket
- Fast programs: 30 minutes
- Special programs: AutoClean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 46 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 598mm **Depth** 550mm



MAESTRO **DFI 74910**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 11 plate settings
- Washing programs: 9
- Washing temperatures: 35°, 40°, 45°, 50°, 65°, 70°C
- Motor Inverter
- PremiumDry automatic opening system
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- FlexiSet 1 lower basket
- Fast programs: 30 minutes
- Special programs: GlassCare, DualCare, Auto-Clean, AutoProgram, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, PowerWash
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Third sprayer
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 45 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 448mm **Depth** 550mm



TOTAL **DFI 44700**

- **Built-in Dishwasher**
- Electronic control panel with display
- Capacity: 10 plate settings
- Washing programs: 7
- Washing temperatures: 35°, 40°, 50°, 65°, 70°C
- Motor Inverter
- SmartSensor measure the level of dirtiness
- MultiCleaner Sensor
- Fast programs: 30 minutes
- Special programs: AutoClean, Intensive program, ECO program, 1-Hour, PreWash
- Special functions: Half load, Express, ExtraDry
- AquaStop and AquaSafe safety systems
- Low salt and rinse indicator
- Push-up adjustable upper basket
- Delay timer: 1-24 hours
- Noise level: 47 dBA
- Adjustable back feet from front
- Sliding Detergent drawer
- Column installation



COLOR

Black

EXTERNAL DIMENSIONS

Height 818mm **Width** 448mm **Depth** 550mm



TOTAL **LP2 140 EU**

- **Free standing table top Dishwasher**
- Electronic control panel with display
- Capacity: 6 plate settings
- Washing programs: 6
- Washing temperatures: 40°, 45°, 50°, 60°, 65°, 70°C
- Fast programs: 30 minutes
- ECO program
- AquaSafe safety system
- Low salt and rinse indicator
- Delay timer: 1-24 hours
- Noise level: 49 dBA
- Adjustable back feet from front



COLOR

White

EXTERNAL DIMENSIONS

Height 438mm **Width** 550mm **Depth** 500mm

Model	DFS 76850 WH	DFS 76850 SS	DFS 76810 WH	DFS 76810 SS	DFS 46750 WH	DFS 46750 SS	DFS 46710 WH
Product information sheet (UE 2019/2017)							
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–
Model identifier: (UE 2019/2017)	DFS 76850 WH	DFS 76850 SS	DFS 76810 WH	DFS 76810 SS	DFS 46750 WH	DFS 46750 SS	DFS 46710 WH
Rated capacity (ps) (UE 2019/2017)	14	14	14	14	14	14	14
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,8	59,8	59,8	59,8	59,8	59,8	59,8
Depth (cm) (UE 2019/2017)	60	60	60	60	60	60	60
Energy Efficiency Index (EEI) (UE 2019/2017)	43,9	43,9	49,9	49,9	49,9	49,9	55,9
Energy Efficiency class (UE 2019/2017)	C	C	D	D	D	D	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,747	0,747	0,849	0,849	0,849	0,849	0,951
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9,8	9,8	10	10	11	11	11
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3.18	3.18	3.18	3.18	3.18	3.18	3.40
Type (UE 2019/2017)	–	–	–	–	–	–	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	42	42	44	44	46	46	47
Airborne acoustical noise emission class (UE 2019/2017)	B	B	B	B	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017							
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,747	0,747	0,849	0,849	0,849	0,849	0,951
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15
Electrical connection							
Power rate (V)	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100	2.100	2.100
Rated current (A)	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800
Inverter motor	1	1	–	–	–	–	–
Circulation Motor Type	BLDC	BLDC	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	BLDC	BLDC	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	150	150	150	150	150	150	150
Water connections							
Hot water maximum temperature (ºC)	30	30	30	30	30	30	30
Water inlet hose length (m)	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Water outlet hose length (m)	1.38	1.38	1.38	1.38	1.38	1.38	1.38

Model	DFS 46710 SS	DFS 26650 WH	DFS 26650 SS	DFS 26610 WH	DFS 26610 SS	DFS 74850 WH	DFS 74850 SS	DFS 44750 WH
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–	–
Model identifier: (UE 2019/2017)	DFS 46710 SS	DFS 26650 WH	DFS 26650 SS	DFS 26610 WH	DFS 26610 SS	DFS 74850 WH	DFS 74850 SS	DFS 44750 WH
Rated capacity (ps) (UE 2019/2017)	14	13	13	12	12	10	10	10
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,8	59,8	59,8	59,8	59,8	44,8	44,8	44,8
Depth (cm) (UE 2019/2017)	60	60	60	60	60	60	60	60
Energy Efficiency Index (EEI) (UE 2019/2017)	55,9	55,9	55,9	61,9	61,9	49,9	49,9	55,9
Energy Efficiency class (UE 2019/2017)	E	E	E	F	F	D	D	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,951	0,937	0,937	1,021	1,021	0,674	0,674	0,755
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	11	11	11	11,5	11,5	8	8	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3:40	3:50	3:50	3:50	3:50	3:18	3:18	3:55
Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	47	49	49	49	49	44	44	47
Airborne acoustical noise emission class (UE 2019/2017)	C	C	C	C	C	B	B	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,951	0,937	0,937	0,96	0,96	0,674	0,674	0,755
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15	15
Electrical connection								
Power rate (V)	220	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100	2.100	2.100	2.100
Rated current (A)	8	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	1800
Inverter motor	–	–	–	–	–	–	–	–
Circulation Motor Type	rmal	rmal	rmal	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	150	150	150	150	150	150	150	150
Water connections								
Hot water maximum temperature (ºC)	30	30	30	30	30	30	30	30
Water inlet hose length (m)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Water outlet hose length (m)	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38

Model	DFS 44750 SS	DFS 24650 WH	DFS 24650 SS	DFS 24610 WH	DSI 76850 SS	DSI 46750 SS	DSI 46750 SS	DSI 44700 SS
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–	–
Model identifier: (UE 2019/2017)	DFS 44750 SS	DFS 24650 WH	DFS 24650 SS	DFS 24610 WH	DSI 76850 SS	DSI 46750 SS	DSI 46750 SS KSA	DSI 44700 SS
Rated capacity (ps) (UE 2019/2017)	10	9	9	9	14	13	#¡REF!	9
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	81,5	81,5	81,5	81,5
Width (cm) (UE 2019/2017)	44,8	44,8	44,8	44,8	59,8	59,8	59,8	44,8
Depth (cm) (UE 2019/2017)	60	60	60	60	57	57	57	57
Energy Efficiency Index (EEI) (UE 2019/2017)	55,9	55,9	55,9	61,9	49,9	55,9	55,9	55,9
Energy Efficiency class (UE 2019/2017)	E	E	E	F	D	E	E	E
Cleaning performance index (IC) (UE 2019/2017)	1,13	1,13	1,13	1,13	1,13	1,13	1,13	1,13
Drying performance index (ID) (UE 2019/2017)	1,07	1,07	1,07	1,07	1,07	1,07	1,07	1,07
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0,755	0,704	0,704	0,78	0,849	0,937	0,937	0,704
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9	9	9	9,5	10	11	11	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	3:55	3:55	3:55	3:55	3:18	3:50	3:50	3:55
Type (UE 2019/2017)	–	–	–	–	–	–	–	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	47	47	47	49	44	47	#¡REF!	47
Airborne acoustical noise emission class (UE 2019/2017)	C	C	C	C	B	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0,49	0,49	0,49	0,49	0,49	0,49	0,49	0,49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Delay start (W) (if applicable) (UE 2019/2017)	1	1	1	1	1	1	1	1
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	0,755	0,704	0,704	0,78	0,849	0,937	0,937	0,704
Does standby mode include the display of information? (UE 2019/2017)	1	1	1	1	1	1	1	1
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	/	/	/	/	/	/	/	/
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	15	15	15	15	15	15	15	15
Electrical connection								
Power rate (V)	220	220	220	220	220	220	220	220
Frequency (Hz)	50	50	50	50	50	50	60	50
Minimum Nominal Power (W)	1760	1760	1760	1760	1760	1760	1760	1760
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100	2.100	2.100	2.100
Rated current (A)	8	8	8	8	8	8	8	8
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	1800
Inverter motor	–	–	–	–	–	–	–	–
Circulation Motor Type	rmal	rmal	rmal	rmal	rmal	rmal	rmal	rmal
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	Stad
Plug Type	EU	EU	EU	EU	EU	EU	UK	EU
Conecting wire (cm)	150	150	150	150	150	150	150	150
Water connections								
Hot water maximum temperature (ºC)	30	30	30	30	30	30	30	30
Water inlet hose length (m)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Water outlet hose length (m)	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38

Model	DFI 76950	DFI 46950 XL	DFI 46950	DFI 46900	DFI 46700	DFI 74910	DFI 44700	LP2 140 EU
Product information sheet (UE 2019/2017)								
Supplier's address (UE 2019/2017)	–	–	–	–	–	–	–	C/ CAJO, 17 / 39011 / SANTANDER / ESPAÑA
Model identifier: (UE 2019/2017)	DFI 76950	DFI 46950 XL	DFI 46950	DFI 46900	DFI 46700	DFI 74910	DFI 44700	LP2 140 EU
Rated capacity (ps) (UE 2019/2017)	15	15	15	14	14	11	11	10
Height (cm) (UE 2019/2017)	82	82	82	82	82	82	82	82
Width (cm) (UE 2019/2017)	60	60	60	60	60	45	45	45
Depth (cm) (UE 2019/2017)	55	55	55	55	55	55	55	55
Energy Efficiency Index (EEI) (UE 2019/2017)	49.9	55.9	55.9	55.9	55.9	55.9	55.9	–
Energy Efficiency class (UE 2019/2017)	D	E	E	E	E	E	E	F
Cleaning performance index (IC) (UE 2019/2017)	1.13	1.13	1.13	1.13	1.13	1.13	1.13	–
Drying performance index (ID) (UE 2019/2017)	1.07	1.07	1.07	1.07	1.07	1.07	1.07	–
Energy consumption in kWh (per cycle), based on the eco program (UE 2019/2017)	0.861	0.965	0.965	0.951	0.951	0.805	0.755	0.61
Water consumption in litres (per cycle), based on the eco program (UE 2019/2017)	9.5	9.5	9.5	9.5	9.5	8.7	8.7	9
Duration of the eco program (Tt) (h:min) (UE 2019/2017)	4:05	4:05	4:05	3:40	3:40	3:04	3:59	–
Type (UE 2019/2017)	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	–
Airborne acoustical noise emissions (dB(A) re 1 pW) (UE 2019/2017)	42	42	46	46	46	45	45	44
Airborne acoustical noise emission class (UE 2019/2017)	B	C	C	C	C	C	C	C
Power consumption in off-mode (Po) (W) (UE 2019/2017)	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.49
Power consumption in standby mode (Psm) (W) (UE 2019/2017)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	–
Delay start (W) (if applicable) (UE 2019/2017)	1.90	1.90	1.90	1.90	1.90	1.90	1.90	–
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	24	24	24	24	24	24	24	24
Technical documentation (UE) 2019/2017								
Standard programme energy consumption (SPEC) (kWh/cycle) (UE 2019/2017)	1.7	1.7	1.7	1.7	1.7	1.4	1.4	–
Does standby mode include the display of information? (UE 2019/2017)	–	–	–	–	–	–	–	–
Power consumption in standby mode (Psm) in condition of networked standby (if applicable) (W) (UE 2019/2017)	–	–	–	–	–	–	–	–
Power consumption in delay start (Pds) (if applicable) (W) (UE 2019/2017)	–	–	–	–	–	–	–	–
Duration of the Left-on Mode (Tl) (min) (EP) (UE 2019/2017)	5	5	5	5	5	5	5	–
Electrical connection								
Power rate (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50	50
Minimum Nominal Power (W)	1800	1800	1800	1800	1800	1800	1800	1280
Maximum Nominal Power (W)	2.100	2.100	2.100	2.100	2.100	2.100	2.100	1.280
Rated current (A)	10	10	10	10	10	10	10	–
Power of heating element (W)	1800	1800	1800	1800	1800	1800	1800	–
Inverter motor	1	1	1	1	1	1	1	–
Circulation Motor Type	BLDC	BLDC	BLDC	BLDC	BLDC	BLDC	BLDC	–
Discharge Motor Type	Stad	Stad	Stad	Stad	Stad	Stad	Stad	–
Plug Type	EU	EU	EU	EU	EU	EU	EU	EU
Conecting wire (cm)	–	–	–	–	–	–	–	–
Water connections								
Hot water maximum temperature (ºC)	–	–	–	–	–	–	–	–
Water inlet hose length (m)	–	–	–	–	–	–	–	–
Water outlet hose length (m)	–	–	–	–	–	–	–	–

Outdoor products

Making great memories out of the little moments





NEW

MAESTRO **T-BBQ 4100 G**

- **Gas Barbeque**
- Ultra fast ignition
- Additional lateral burner
- Cast iron grill with anti-stick coating
- Max nominal power: 16.41 kW
- Type of Gas: LPG



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 1197mm **Width** 1395mm **Depth** 576mm



NEW

TOTAL **T-BBQ 3100 G**

- **Gas Barbeque**
- Ultra fast ignition
- Additional lateral burner
- Cast iron grill with anti-stick coating
- Max nominal power: 13.19 kW
- Type of Gas: LPG



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 1165mm **Width** 1218mm **Depth** 589mm



Small appliances

Finding greatness in everything





EASY **GRANDCHEF FSO 424**

- **Conventional free standing oven**
- Compact design
- 4 cooking functions
- Wide temperature range from 40°C to 220°C
- 1300 W grill function
- HydroClean system
- Mechanical controls
- Timer up to 90 minutes
- Removable double glass door for safety and cleanliness
- Included grill and baking tray
- LED inside light
- XXL capacity: 46 litres



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 332mm **Width** 532mm **Depth** 459mm

SMALL APPLIANCES



SCAN AND
DISCOVER



NEW

TOTAL **ELITEGRILL**

- **Multifunction free installation electric Grill**
- 5x3 cooking functions
- Cooking functions: Steak, Hot Dog, Fish, Sandwich, Hamburger (well done, medium and rare finish)
- Frontal electronic control with knobs
- 1000 W top heating and bottom heating elements
- Temperature regulator 150 – 230 ºC
- Thickness adjustment
- Warming indication lamp
- Temperature indicator
- Inside oil tray
- Non-stick coating detachable plate
- Maximum nominal power 2000 W
- 80 cm connection wire



COLOR

Black Glass

EXTERNAL DIMENSIONS

Height 168mm **Width** 356mm **Depth** 347mm



SCAN AND
DISCOVER

Model	GRANDCHEF FSO 424
INNER CAVITY DIMENSIONS	
Heigth (mm)	237,5
Width (mm)	397
Depth (mm)	390
ELECTRICAL FEATURES	
Maximum Nominal Power (W)	1.650
Bottom Heating Element (W)	875
Grill (W)	1.500
Maxigrill (W)	–
Turbo (W)	–
Multifunction motor (W)	–
Inner Light (W)	18
Cooling fan motor (W)	–
Cable connection lenght (cm)	110
SAFETY SYSTEMS	
Automatic disconnection security system	–
Children safety	–
Grill protection	–
Full glazed door	2
CLEANING SYSTEMS	
Hydroclean ECO	√
Hydroclean PRO	–
Pyrolytic	–
Crystal Clean Enamel	√
ENERGY EFFICIENCY	
Energy Efficiency Class	–

Model	ELITEGRILL
INNER CAVITY DIMENSIONS	
Heigth (mm)	168
Width (mm)	356
Depth (mm)	347
ELECTRICAL FEATURES	
Maximum Nominal Power (W)	2.000
Bottom Heating Element (W)	1.000
Top Heating Element (W)	1.000
Power Rate (V)	220
Frequency (Hz)	50
Plug	√
Cable connection lenght (cm)	80
FEATURES	
Temperature Regulator (ºC)	150 - 230
Automatic Programs	5x3
Thickness adjustment	√
Warming indication lamp	√
Temperature Indicator	√
Oil tray inside	√
Non-stick coating detachable plate	√

SMALL APPLIANCES

SMALL APPLIANCES

Laundry

The scent and softness of clean clothes
reminds us of the best stages of life



The most **absolute care**

A product range designed to care for your clothes and those of your loved ones.

Feel the soft and smooth touch of your clothes on the skin and enjoy the fresh smell of your laundry. Teka laundry range takes the best care of your clothes and brings a unique aroma to your whole home. The smell of freshness you can still remember from every Sunday morning when you were a child. The feeling of wearing brand new clothes that were just washed for the very first time and made you feel better, protected and comfortable to face a new day. Imagine getting such a feeling every time you do your laundry.



Hygienic and **sterilized clothes**

Take advantage of programs and functions especially designed to provide the highest hygiene and sterilization, while caring for your clothes. Eliminate 99.9% of bacteria and allergens.

Antiallergies program

The Antiallergies program is perfect to eliminate dirt and lower the risk of allergic reactions. Reduce any allergen that may be present in your cloth from pollen, mites, fungi or animal fur.

With the Allergy UK Seal of Approval, we certificate the elimination of 99.9% of allergens, the main cause for skin allergies.

Steam function

An extra blow of hygiene. The steam eliminates germs, viruses and bacteria, and permits a fluffier laundry result with fewer wrinkles.

Stain type function

Every stain requires special care. Eliminate several types of common stains, such as those from coffee, sweat or oil. Your clothes as clean as the first day.

SoftCare drum

The easiest way to break water resistance. The innovating Softcare design of the drum, made of dozens of small cubes, improves the gentle care of your laundry during washing, drying and spinning, even caring for your most delicate wool clothes.



Highest performance always

Our new models have been designed with the latest laundry technology, taking complete advantage of its functionality to achieve the most efficient wash.

WASHING MACHINES

T-inverter motor

More efficiency and durability, with noise levels of only 50 dBs.

Smartwash

Ensure the minimum consumption with our smart system, which adjusts the washing parameters to the load.

SprayWash system

Better washing performance with the extra upper water outlet with detergent from the top of the washing machine, for a perfect recirculation system.

DRYERS

ExcellentDry sensor

Delicate care for your clothes. Sensors control temperature and humidity to guarantee a perfectly dry result.

4DFilter

A 4 layer filter designed to catch fluff and remains, with an easy access for a deep cleaning.



A day with savings, **a day with joy**

SAVE TIME

High speed programs and features, for you to save your time for the really important things.

MyCycle

Choose your favourite program, type of clothes, temperature, speed, and more. Your washing machine will memorize your parameters for whenever you need them, designed just for you.

WASHING MACHINES

Super fast: 12-minute program

A light wash in only 12 minutes for those in a hurry.

SpeedWash function

Booster function to reduce the programs' washing times.

WASHER DRYERS

Wash&Dry 29 minutes

Wash and dry your clothes in only 29 minutes.

DRYERS

Shirts 12 minutes

Get them dry in record time.

SAVE ENERGY

Stay sustainable while giving up on nothing.

ECO3Plus

Our new laundry appliances incorporate several saving systems for sustainability. Last generation motors and smart solutions to drastically reduce the water and energy consumption. Our new Dryers' R290 coolant is an alternative natural solution with minimum environmental impact.

WASHING MACHINES

Live ECO system

Control and visualize the water and energy consumption of every program with the control bars on the display.



MAESTRO **WMT 70945 WH**

- **PremiumCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 9 kg
- 15 washing programs
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Steam, Anti-allergies, Stain type, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 618mm



MAESTRO **WMT 70840 WH**

- **PremiumCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Easy ironing, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 593mm



MAESTRO **WMT 70840 SS**

- **PremiumCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Easy ironing, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 593mm



TOTAL **WMT 40840 WH**

- **ExpertCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs. ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Easy ironing, Delay timer, Speed wash, Extra rinse, Anti-allergies
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 563mm



TOTAL **WMT 40840 SS**

- **ExpertCare series**
- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Extra rinse, Anti-allergies mode
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 563mm



TOTAL **WMT 40820 WH**

- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



TOTAL **WMT 40720 WH**

- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



TOTAL **WMT 40720 SS**

- **ExpertCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



EASY **WMT 10820 WH**

- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Anti-allergies, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



EASY **WMT 10710 WH**

- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Anti-allergies mode
- Special functions: Delay timer, Anti-allergies, Extra rinse
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



EASY **WMT 10610 WH**

- **HomeCare series**
- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 6 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate
- Special functions: Delay timer, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 533mm



MAESTRO **TKD 1491 EXP**

- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 9 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm





MAESTRO **TKD 1481 SS EXP**

- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm



MAESTRO **TKD 1481 EXP**

- **Free standing Washing Machine**
- Inverter motor
- Electronic control panel with display
- Washing capacity: 8 kg
- 16 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm



TOTAL **TK5 1480 EXP**

- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm



TOTAL **TK5 1470 EXP**

- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 7 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport program
- Special functions: Delay timer, Speed wash, Extra rinse
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 495mm



TOTAL **TK5 1060 EXP**

- **Free standing Washing Machine**
- Electronic control panel with display
- Washing capacity: 6 kg
- 15 washing programs
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport
- Special functions: Speed wash, Delay timer, Extra rinse
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 32 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 400mm



MAESTRO **LI5 1481 EU**

- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 820mm **Width** 596mm **Depth** 570mm



TOTAL LI5 1280 EU

8 Kg

- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1200 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 820mm **Width** 596mm **Depth** 570mm



TOTAL LI5 1080 EU

8 Kg

- **Built-in Washing Machine**
- Electronic control panel
- Washing capacity: 8 kg
- 15 washing programs
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Delay timer function
- SmartWash system
- Maximum spinning speed: 1000 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 30 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 820mm **Width** 596mm **Depth** 570mm



MAESTRO WDT 71040 WH

10 Kg | 6 Kg | A

- **PremiumCare Series**
- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Speed wash, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 597mm **Depth** 582mm



MAESTRO LSI5 1481 EU

8 Kg | A

- **Built-in Washer-Dryer**
- Electronic control panel
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Stain type function
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 35 cm wide porthole door



COLOR

White

EXTERNAL DIMENSIONS

Height 820mm **Width** 596mm **Depth** 570mm



MAESTRO TKD 1510 WD SS EXP

10 Kg | 7 Kg | A

- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 7 kg
- Washing programs: 16
- Drying programs: 6
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Easy iron, Quick Wash & Dry
- Special functions: Delay timer, Speed wash, Easy ironing, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1500 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR

Stainless Steel

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm



MAESTRO TKD 1510 WD EU EXP

10 Kg | 7 Kg | A

- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 10 kg
- Drying capacity: 7 kg
- Washing programs: 16
- Drying programs: 6
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, Easy iron, Quick Wash & Dry
- Special functions: Delay timer, Speed wash, Easy ironing, Extra rinse
- Condenser heat pump
- Maximum spinning speed: 1500 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 595mm **Depth** 565mm



MAESTRO **TK5 1480 WD UAE**

8 Kg

- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 9 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 15 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Anti-allergies, Extra rinse, Stain type
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



TOTAL **TK3 1490 WD**

9 Kg | 6 Kg | A

- **Free standing Washer-Dryer**
- Electronic control panel with display
- Washing capacity: 9 kg
- Drying capacity: 6 kg
- Washing programs: 11
- Drying programs: 4
- Fast program: 12 minutes
- Special programs: ECO mode, Wool care, Delicate, AllergySafe, Quick Wash & Dry, Gentle Dry
- Special functions: Delay timer, Anti-allergies, Extra rinse, Stain type
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- Balance control system
- SoftCare drum
- Delay timer: 1-24 hours
- 33 cm wide porthole door



MAESTRO **LSI5 1481 EU EXP**

8 Kg | A

- **Built-in Washer-Dryer**
- Electronic control panel
- Washing capacity: 8 kg
- Drying capacity: 5 kg
- Washing programs: 13
- Drying programs: 2
- Fast program: 14 minutes
- Special programs: ECO mode, Delicate
- Special functions: Delay timer, Stain type, Time dry
- Condenser heat pump
- Maximum spinning speed: 1400 RPM
- Automatic water regulation
- Automatic door lock safety system
- Child lock
- SoftCare drum
- Delay timer: 1-24 hours
- 35 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 850mm **Width** 600mm **Depth** 570mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 597mm **Depth** 582mm

COLOR

White

EXTERNAL DIMENSIONS

Height 820mm **Width** 596mm **Depth** 570mm



MAESTRO **SCT 70810 WH**

8 Kg

- **PremiumCare series**
- **Free Standing Dryer**
- Condensed drying technology
- ExcellentDry sensor
- Electronic control panel with display
- Drying capacity: 8 kg
- Drying programs: 15
- Fast program: 12/29 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport, Baby Care, Refresh, Express
- Express: 29 minutes
- Shirts: 12 minutes
- Special functions: Delay timer, Easy ironing, Delicate, Drying level, Time Dry
- Child lock
- SoftCare drum
- Delay timer: 1-23 hours
- 47 cm wide porthole door
- Reversible door



MAESTRO **SHT 70820 WH**

8 Kg | A++

- **PremiumCare series**
- **Free Standing Dryer**
- Condensed heat pump drying technology
- ExcellentDry sensor
- Electronic control panel with display
- Drying capacity: 8 kg
- Drying programs: 15
- Fast program: 20/34 minutes
- Special programs: ECO mode, Wool care, Delicate, Sport, Baby Care, Refresh, Express
- Express: 34 minutes
- Shirts: 20 minutes
- Special functions: Delay timer, Easy ironing, Delicate, Drying level, Time Dry
- Child lock
- SoftCare drum
- Delay timer: 1-23 hours
- 47 cm wide porthole door
- Reversible door



MAESTRO **TKS 893 H**

8 Kg | A+++

- **Free Standing Dryer**
- Condensed heat pump drying technology
- ExcellentDry sensor
- Electronic control panel
- Drying capacity: 8 kg
- Drying programs: 16
- ECO mode program
- Delay timer: 1-23 hours
- 48 cm wide porthole door

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 609mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 596mm **Depth** 609mm

COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 595mm **Depth** 640mm



MAESTRO **TKS 850 C**

8 Kg

- **Free Standing Dryer**
- Condensed drying technology
- ExcellentDry sensor
- Electronic control panel
- Drying capacity: 8 kg
- Drying programs: 16
- Fast program: 45 minutes
- ECO mode program
- Delay timer: 1-24 hours
- 50 cm wide porthole door



COLOR

White

EXTERNAL DIMENSIONS

Height 845mm **Width** 595mm **Depth** 615mm

Model	WMT 70945 WH	WMT 70840 WH	WMT 70840 SS	WMT 40840 WH	WMT 40840 SS	WMT 40820 WH	WMT 40720 WH	WMT 40720 SS
Product information sheet (UE 2019/2017)								
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	9	8	8	8	8	8	7	7
Dimensions								
Height (cm) (UE 2019/2017)	84,5	84,5	84,5	84,5	84,5	84,5	84,5	84,5
Width (cm) (UE 2019/2017)	59,6	59,6	59,6	59,6	59,6	59,6	59,6	59,6
Depth (cm) (UE 2019/2017)	61,8	59,3	59,3	56,3	56,3	53,3	53,3	53,3
Consumption and efficiency								
EEIW for the eco 40-60 programme (UE 2019/2017)	60	60	60	69	69	80	80	80
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	B	B	B	C	C	D	D	D
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1,04	1,04	1,04	1,04	1,04	1,04	1,04	1,04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	5	5	5	5	5	5	5
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0,57	0,545	0,545	0,627	0,627	0,727	0,69	0,69
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	50	48	48	48	48	48	45	45
Maximum temperature inside the treated textile								
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	45	41	41	46	46	50	50	50
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	32	32	32	31	31	27	27	27
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	24	25	25	25	25	23	23	23
Remaining moisture content								
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53	53
Spin speed								
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1330	1330	1330	1330	1330	1120	1120	1120
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	B	B	B
Eco 40-60 programme duration								
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:48:00	3:31:00	3:31:00	3:35:00	3:35:00	3:38:00	3:28:00	3:28:00
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:54:00	2:48:00	2:48:00	2:48:00	2:48:00	2:40:00	2:40:00	2:40:00
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:25:00	2:28:00	2:28:00	2:30:00	2:30:00	2:40:00	2:40:00	2:40:00
Other								
Type (UE 2019/2017)	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	75	75	75	76	76	77	78	78
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	C	C	C
Off-mode (W) (UE 2019/2017)	0,5	1	1	1	1	1	1	1
Standby mode (W) (UE 2019/2017)	0,5	1	1	1	1	1	1	1

Model	WMT 70945 WH	WMT 70840 WH	WMT 70840 SS	WMT 40840 WH	WMT 40840 SS	WMT 40820 WH	WMT 40720 WH	WMT 40720 SS
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	2	2	2	2	2	2	2	2
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	WMT 10820 WH	WMT 10710 WH	WMT 10610 WH	TKD 1491 EXP	TKD 1481 SS EXP	TKD 1481 EXP	TK5 1480 EXP	TK5 1470 EXP
Product information sheet (UE 2019/2017)								
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	8	7	6	9	8	8	8	7
Dimensions								
Height (cm) (UE 2019/2017)	84.5	84.5	84.5	87.5	87.5	87.5	85	85
Width (cm) (UE 2019/2017)	59.6	59.6	59.6	68	68	68	59.5	59.5
Depth (cm) (UE 2019/2017)	53.3	53.3	53.3	66	66	66	56.5	49.5
Consumption and efficiency								
EEIW for the eco 40-60 programme (UE 2019/2017)	80	80	80	59.9	60	60	91	91
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	D	D	D	B	B	B	E	E
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1.04	1.04	1.04	1.04	1.04	1.04	1.04	1.04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	5	5	5	5	5	5	5
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0.727	0.69	0.648	0.57	0.545	0.545	0.827	0.784
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	48	45	43	49	48	48	48	45
Maximum temperature inside the treated textile								
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	49	50	44	34	34	34	38	39
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	36	27	36	34	29	29	33	35
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	22	23	26	21	21	21	25	24
Remaining moisture content								
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	62	62	62	53	53	53	53	53
Spin speed								
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1000	1000	1000	1400	1400	1400	1400	1400
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	C	C	C	B	B	B	B	B
Eco 40-60 programme duration								
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:38:00	3:28:00	3:13:00	3:48:00	3:38:00	3:38:00	3:28:00	3:28:00
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:48:00	2:40:00	2:34:00	2:54:00	2:48:00	2:48:00	2:24:00	2:24:00

Model	WMT 10820 WH	WMT 10710 WH	WMT 10610 WH	TKD 1491 EXP	TKD 1481 SS EXP	TKD 1481 EXP	TK5 1480 EXP	TK5 1470 EXP
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:48:00	2:40:00	2:32:00	2:54:00	2:48:00	2:48:00	2:24:00	2:24:00
Other								
Type (UE 2019/2017)	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	76	76	76	76	76	76	80	80
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	B	B	B	B	B	B	C	C
Off-mode (W) (UE 2019/2017)	1	1	1	0.5	0.5	0.5	0.5	0.5
Standby mode (W) (UE 2019/2017)	1	1	1	1	1	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	–	2	2	–	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–	–

Model	TK5 1060 EXP	LI5 1481 EU	LI5 1280 EU	LI5 1080 EU
Product information sheet (UE 2019/2017)				
Rated capacity for the eco 40-60 programme (kg) (UE 2019/2017)	6	8	8	8
Dimensions				
Height (cm) (UE 2019/2017)	85	82	82	82
Width (cm) (UE 2019/2017)	59.5	60	60	60
Depth (cm) (UE 2019/2017)	40	53	53	53
Consumption and efficiency				
EEIW for the eco 40-60 programme (UE 2019/2017)	91	51.9	80	80
Energy efficiency class for the eco 40-60 programme (UE 2019/2017)	E	A	D	D
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1.04	1.04	1.04	1.04
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5	4.9	4.9	4.9
Energy consumption based on the eco 40-60 programme (kWh/cycle) (UE 2019/2017)	0.737	0.472	0.727	0.727
Water consumption based on the eco 40-60 programme (L/Cycle) (UE 2019/2017)	43	44	44	44
Maximum temperature inside the treated textile				
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	41	37	39	39
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	33	30	36	36
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	20	24	27	27
Remaining moisture content				
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	62	53	53	62
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	62	53	53	62
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	62	53	53	62
Spin speed				
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1000	1351	1151	951

Model	TK5 1060 EXP	LI5 1481 EU	LI5 1280 EU	LI5 1080 EU
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1000	1351	1151	951
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1000	1351	1151	951
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	C	53	53	62
Eco 40-60 programme duration				
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:18:00	218	218	218
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	2:36:00	168	168	168
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	2:36:00	168	168	168
Other				
Type (UE 2019/2017)	Free standing	Built-in	Built-in	Built-in
Airborne acoustical noise emissions in the spinning phase for the eco 40-60 programme (dB(A) re 1 pW) (UE 2019/2017)	80	75	75	74
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme (UE 2019/2017)	C	B	B	B
Off-mode (W) (UE 2019/2017)	0,5	0,5	0,5	0,5
Standby mode (W) (UE 2019/2017)	1	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	–	–	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–

Model	WDT 71040 WH	TKD 1510 WD SS EXP	TKD 1510 WD EU EXP	TK5 1480 WD UAE	TK3 1490 WD	LSI5 1481 EU	LSI5 1481 EU EXP
Product information sheet (UE 2019/2017)							
Rated capacity for the wash and dry cycle (Kg) (UE 2019/2017)	10/6 kg	7	7	5	9/6 kg	5	5
Rated capacity for the eco 40-60 programme (Kg) (UE 2019/2017)	10 kg	10	10	8	9 kg	8	8
Height (cm) (UE 2019/2017)	84,5	85	85	85	84,5	82	82
Width (cm) (UE 2019/2017)	59,7	89,5	89,5	60	59,7	60	60
Depth (cm) (UE 2019/2017)	58,2	56,5	56,5	57	58,2	53	53
Energy efficiency index							
Energy Efficiency Index EEIW for the eco 40-60 programme (UE 2019/2017)	69	60	60	91	69	52	52
Energy Efficiency Index EEIWD for the wash and dry cycle (UE 2019/2017)	82	67	67	82	82	67	67
Energy efficiency class							
Energy efficiency class EEIW for the eco 40-60 programme (UE 2019/2017)	C	B	B	E	C	A	A
Energy efficiency class EEIWD for the wash and dry cycle (UE 2019/2017)	E	D	D	E	E	D	D
Washing efficiency index							
Washing efficiency index for the eco 40-60 programme (UE 2019/2017)	1,04	1,04	1,04	1,04	1,04	1,04	1,04
Washing efficiency index JW for the wash and dry cycle (UE 2019/2017)	1,04	1,04	1,04	1,04	1,04	1,04	1,04
Rinsing effectiveness							
Rinsing effectiveness for the eco 40-60 programme (g/kg) (UE 2019/2017)	5,0	5	5	5	5,0	4,9	4,9
Rinsing effectiveness JR for the wash and dry cycle (g/kg) (UE 2019/2017)	5,0	5	5	5	5,0	4,9	4,9
Consumption							
Energy consumption per washing cycle, using the eco 40-60 programme at a combination of full and partial loads (kWh/Kg) (UE 2019/2017)	0.682	0.593	0.593	0.827	0.656	0.472	0.472
Energy consumption per wash and dry cycle, using the eco 40-60 programme at a combination of full and partial loads (kWh/Kg) (UE 2019/2017)	3.767	3.43	3.43	3.259	3.767	2.661	2.661
Water consumption per washing cycle, using the eco 40-60 programme at a combination of full and partial loads (L/Cycle) (UE 2019/2017)	52	52	52	48	50	44	44
Water consumption per wash and dry cycle, using the eco 40-60 programme at a combination of full and partial loads (L/Cycle) (UE 2019/2017)	90	100	100	80	90	75	75
Maximum temperature inside the treated textile							
Maximum temperature inside the treated textile for the eco 40-60 programme at rated washing capacity (°C) (UE 2019/2017)	49	38	38	38	44	37	37
Maximum temperature inside the treated textile for the eco 40-60 programme at half capacity (°C) (UE 2019/2017)	28	36	36	33	30	30	30
Maximum temperature inside the treated textile for the eco 40-60 programme at quarter capacity (°C) (UE 2019/2017)	23	23	23	25	23	24	24
Remaining moisture content							
Remaining moisture content for the eco 40-60 programme at rated washing capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at half capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Remaining moisture content for the eco 40-60 programme at quarter capacity (%) (UE 2019/2017)	53	53	53	53	53	53	53
Spin speed							
Spin speed for the eco 40-60 programme at rated washing capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351

Model	WDT 71040 WH	TKD 1510 WD SS EXP	TKD 1510 WD EU EXP	TK5 1480 WD UAE	TK3 1490 WD	LSI5 1481 EU	LSI5 1481 EU EXP
Spin speed (rpm) for the eco 40-60 programme at half capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351
Spin speed (rpm) for the eco 40-60 programme at quarter capacity (RPM) (UE 2019/2017)	1400	1500	1500	1400	1400	1351	1351
Spin-drying efficiency class for the eco 40-60 programme (UE 2019/2017)	B	1500	1500	1400	B	B	B
Eco 40-60 programme duration							
Eco 40-60 programme duration at rated washing capacity (h:min) (UE 2019/2017)	3:59	3:59	3:59	3:38	3:49	3:38	3:38
Eco 40-60 programme duration at half capacity (h:min) (UE 2019/2017)	3:00	3:00	3:00	2:48	2:54	2:48	2:48
Eco 40-60 programme duration at quarter capacity (h:min) (UE 2019/2017)	3:00	3:00	3:00	2:48	2:54	2:48	2:48
Wash and dry cycle duration							
Wash and dry cycle duration at rated washing capacity (h:min) (UE 2019/2017)	9:00	9:40	9:40	7:30	9:00	9:10	9:10
Wash and dry cycle duration at half capacity (h:min) (UE 2019/2017)	5:00	7:00	7:00	5:30	5:00	5:10	5:10
Other							
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW) (UE 2019/2017)	77	80	80	80	77	75	75
Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity (UE 2019/2017)	C	C	C	C	C	B	B
Type (UE 2019/2017)	Free-standing	Free-standing	Free-standing	Free-standing	Free-standing	built-in	built-in
Off-mode (W) (UE 2019/2017)	1	1	1	1	1	1	1
Standby mode (W) (UE 2019/2017)	1	–	–	–	1	1	1
Delay start (W) (if applicable) (UE 2019/2017)	4	4	4	4	4	4	4
Networked standby (W) (if applicable) (UE 2019/2017)	2	–	–	–	2	–	–
Minimum duration of the guarantee offered by the supplier (UE 2019/2017)	2	2	2	2	2	2	2
This product has been designed to release silver ions during the washing cycle (UE 2019/2017)	–	–	–	–	–	–	–

Model	SCT 70810 WH	SHT 70820 WH	TKS 893 H	TKS 850 C
PRODUCT FICHE				
Drying capacity (kgs)	8	8	8	8
Drying technology	Condenser	CONDENSER HEAT PUMP	CONDESER HEAT PUMP	Condenser
Energy Efficiency Class (1)	B	A++	A+++	B
Energy consumption per year (kWh) (2)	561	235	176	561
Condensation efficiency (4)	B	B	B	B
BUILT IN DOOR MEASUREMENTS				
Height (mm)	–	–	–	–
Width (mm)	–	–	–	–
POWER SUPPLY				
Voltage (V)	220-240	220-240	220-240	220-240
Nominal Power heating element (W)	2.500	500	–	2.500

Water Heaters

Your warm shower will embrace you

SCAN AND
DISCOVER

Comfort and reliability. **Warm showers always.**

Teka electric water heaters are ready to cover your home needs: from 15 to 100 litres, vertical and horizontal installation, or even inside a kitchen if you choose our reduced depth heaters.

Imagine the cozy feeling of arriving home after a long day. Things seem better after a long and relaxing shower or even a bath, because our water heaters not only work right in time, but also save energy during every use.



When you thought a warm shower **could not get any better**

Smart series

Discover our Smart Series, with its habits-based adapting system, which considers your usage habits and adapts its parameters accordingly, to maximize efficiency and convenience.

Electronic Smart Control

The water heater incorporates an automatic and continuous temperature adjustment based on consumption habits and hot water needs. The electronic smart models have improved the temperature control (tolerance 1º).

Slim Heaters

Place it wherever you need to. Teka Slim heaters keep all the functionality in less space, ready to fit in any room, like a kitchen cabinet. They also have a double hot water tank to reduce that time you usually have to wait to get hot water running again.

Versatility

In Teka, we know every home is different. And so are the needs of our users. Double installation heaters can be vertical or horizontal, to fit the space you have at home.

More convenient and **long-lasting than ever**

Durability and quality

The stainless steel heater inside the tank has double protection to keep from corrosion and rusting for a longer life. It is also covered with a special sapphire polish for extra durability, as well as the tank, with a triple polish.

Teka electric heaters are well-known for their high-quality materials. With a high-resistance tank that has even improved protection for longer durability. We do trust in our products because we do know what they are made of, and that is why we can offer a 5-year warranty for all the tanks. 27% thicker magnesium anodes to prevent corrosion of the tank. Warranty of durability and reliability.

Overheating protection

Our electric heaters are protected against overheating, with an independent thermal disconnection system.

Dry heating protection

When the water in the tank is below the normal level, the electric heater automatically turns off to keep from overheating.

Humidity protection

Electric Teka heaters pass the protection exam against humidity IPX4, ensuring durability even in wet environments.

Earth Leakage Circuit Breaker (ELCB) device

The electric heater disconnects from power supply in just 0,01 seconds, for a complete safety warranty and to prevent problems with other appliances, as refrigerators.



NEW

MAESTRO **EWH 100 VE-D**

- **Smart series: Habits-based adapting system**
- **Vertical installation**
- Capacity: 100 litres
- Average number of users: 3-5
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 956mm **Width** 450mm **Depth** 450mm



NEW

TOTAL **EWH 80 VE-D**

- **Smart series: Habits-based adapting system**
- **Vertical installation**
- Capacity: 80 litres
- Average number of users: 2-4
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 791mm **Width** 450mm **Depth** 450mm



NEW

TOTAL **EWH 50 VE-D**

- **Smart series: Habits-based adapting system**
- **Vertical installation**
- Capacity: 50 litres
- Average number of users: 2-3
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 759mm **Width** 385mm **Depth** 385mm



NEW

TOTAL **EWH 30 VE-D**

- **Smart series: Habits-based adapting system**
- **Vertical installation**
- Capacity: 30 litres
- Average number of users: 1-2
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 606mm **Width** 340mm **Depth** 340mm



NEW

TOTAL **EWH 15 VE-D**

- **Smart series: Habits-based adapting system**
- **Vertical installation**
- Capacity: 15 litres
- Average number of users: 1-2
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

COLOR

White

EXTERNAL DIMENSIONS

Height 384mm **Width** 340mm **Depth** 340mm



MAESTRO **EWH 80 D SLIM**

- **Slim shape**
- **Vertical and horizontal installation**
- Capacity: 74 litres
- Average number of users: 2-4
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Earth leakage circuit breaker ELCB
- Power rate: 2000 W
- Isolation thickness: 18 mm
- Power levels: 2

COLOR

White

EXTERNAL DIMENSIONS

Height 900mm **Width** 570mm **Depth** 300mm


TEKA



MAESTRO **EWH 50 D SLIM**

- **Slim shape**
- **Vertical and horizontal installation**
- Capacity: 47 litres
- Average number of users: 2-3
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Earth leakage circuit breaker ELCB
- Power rate: 2000 W
- Isolation thickness: 18 mm
- Power levels: 2



TOTAL **EWH 80 H VR01**

- **Vertical and horizontal installation**
- Capacity: 73 litres
- Average number of users: 2-4
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Earth leakage circuit breaker ELCB
- Power rate: 1500 W
- Isolation thickness: 20 mm



TOTAL **EWH 50 H VR01**

- **Vertical and horizontal installation**
- Capacity: 46 litres
- Average number of users: 2-3
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Earth leakage circuit breaker ELCB
- Power rate: 1500 W
- Isolation thickness: 20 mm



EASY **EWH 100 C**

- **Vertical installation**
- Capacity: 100 litres
- Average number of users: 3-5
- Enamelled heating element
- Temperature regulation 30º - 70º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm



EASY **EWH 80 C**

- **Vertical installation**
- Capacity: 80 litres
- Average number of users: 2-4
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm



EASY **EWH 50 C**

- **Vertical installation**
- Capacity: 50 litres
- Average number of users: 2-3
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 22.50 mm



COLOR

White

EXTERNAL DIMENSIONS

Height 860mm **Width** 470mm **Depth** 250mm



COLOR

White

EXTERNAL DIMENSIONS

Height 1030mm **Width** 385mm **Depth** 385mm



COLOR

White

EXTERNAL DIMENSIONS

Height 711mm **Width** 385mm **Depth** 385mm



COLOR

White

EXTERNAL DIMENSIONS

Height 970mm **Width** 450mm **Depth** 450mm



COLOR

White

EXTERNAL DIMENSIONS

Height 805mm **Width** 450mm **Depth** 450mm



COLOR

White

EXTERNAL DIMENSIONS

Height 770mm **Width** 385mm **Depth** 385mm





EASY **EWH 30 C**

- **Vertical installation**
- Capacity: 30 litres
- Average number of users: 1-2
- Tank ultra-resistant protective polish
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm

EASY **EWH 15 C**

- **Vertical installation**
- Capacity: 15 litres
- Average number of users: 1-2
- Enamelled heating element
- Temperature regulation 30º - 75º C
- Max input pressure: 0.75 Mpa
- Thermometer
- Over-pressure protection
- Over-heating protection
- Humidity protection
- Dry-heating protection
- Power rate: 1500 W
- Isolation thickness: 20 mm





COLOR

White

EXTERNAL DIMENSIONS

Height 605mm **Width** 340mm **Depth** 340mm

COLOR

White

EXTERNAL DIMENSIONS

Height 395mm **Width** 340mm **Depth** 340mm

Model	EWH 100 VE-D	EWH 80 VE-D	EWH 50 VE-D	EWH 30 VE-D	EWH 15 VE-D
EU Regulation 812/2014					
Declared load profile	M	M	M	S	S
Water heating energy efficiency class	B	B	B	A	A
Water heating energy efficiency (nwh)	44	44	42	38	35
Annual energy consumption AEC	1161,00	1169,00	1232,00	485,00	524,00
Thermostat temperature settings Tout of the box	75	75	75	75	75
Sound power level L WA (dB)	15	15	15	15	15
EU Regulation 814/2013					
Storage Volume (V)	100	80	50	30	15
The Mixed Water at 40 °C V40	165	127	74	44	12
Water heating energy efficiency (nwh)	44	44	42	38	35
FEATURES					
Average number of users	3-5	2-4	2-3	1-2	1-2
Sapphire enameled steel tank	√	√	√	√	√
Sapphire heating element	√	√	√	√	√
Regulation of temperature (ºC)	30-75	30-75	30-75	30-75	30-75
Maximum input pressure (MPa)	0,75	0,75	0,75	0,75	0,75
Thermometer	–	–	–	–	–
Magnesium protection anode	√	√	√	√	√
Overpressure protection	√	√	√	√	√
Protection against heating	√	√	√	√	√
Dry heating protection	√	√	√	√	√
Degree of protection against humidity	IPX4	IPX4	IPX4	IPX4	IPX4
Insulation thickness (mm)	20,00	20,00	20,00	20,00	20,00
External dimensions (H/A/D) (mm)	□450*956	□450*791	□385*759	□340*606	□340*384

Model	EWH 80 D SLIM	EWH 50 D SLIM
EU Regulation 812/2014		
Declared load profile	M	M
Water heating energy efficiency class	B	B
Water heating energy efficiency nwh	39	41,3
Annual energy consumption AEC	1720,00	1243,00
Thermostat temperature settings Tout of the box	75	75
Sound power level L WA (dB)	15	15
EU Regulation 814/2013		
Storage Volume V	74	47
The Mixed Water at 40 °C V40	108	76
Water heating energy efficiency nwh	39	41,3
FEATURES		
Average number of users	2-4	2-3
Sapphire enameled steel tank	√	√
Sapphire heating element	√	√
Regulation of temperature (°C)	30-75	30-75
Maximum input pressure (Mpa)	0,75	0,75
Thermometer	–	–
Magnesium protection anode	√	√
Overpressure protection	√	√
Protection against heating	√	√
Dry heating protection	√	√
Degree of protection against humidity	IPX4	IPX4
Insulation thickness (mm)	18,00	18,00
External dimensions (H/A/D) (mm)	900×570×300	860×470×250

Model	EWH 80 H VR01	EWH 50 H VR01	EWH 100 C	EWH 80 C	EWH 50 C	EWH 30 C	EWH 15 C
EU Regulation 812/2014							
Declared load profile	M	M	M	M	M	S	XXS
Water heating energy efficiency class	C	C	C	C	C	C	B
Water heating energy efficiency nwh	36	36	36	36	36	32	34
Annual energy consumption AEC	1422,00	1418,00	1427,00	1420,00	1422,00	577,00	543,00
Thermostat temperature settings Tout of the box	75	75	75	75	75	75	75
Sound power level L WA (dB)	15	15	15	15	15	15	15
EU Regulation 814/2013							
Storage Volume V	72	46	100	80	50	30	15
The Mixed Water at 40 °C V40	86	76	110	90	76	47	26
Water heating energy efficiency nwh	36,1	36,2	36	36	36	32	34
FEATURES							
Average number of users	2-4	2-3	3-5	2-4	2-3	1-2	1-2
Sapphire enameled steel tank	√	√	√	√	√	√	√
Sapphire heating element	√	√	–	–	–	–	–
Regulation of temperature (°C)	30-75	30-75	30-75	30-75	30-75	30-75	30-75
Maximum input pressure (Mpa)	0,75	0,75	0,75	0,75	0,75	0,75	0,75
Thermometer	√	√	√	√	√	√	√
Magnesium protection anode	√	√	√	√	√	√	√
Overpressure protection	√	√	–	–	–	–	–
Protection against heating	√	√	√	√	√	√	√
Dry heating protection	√	√	√	√	√	√	√
Degree of protection against humidity	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
Insulation thickness (mm)	20,00	20,00	20,00	20,00	22,50	20,00	20,00
External dimensions (H/A/D) (mm)	□385*1030	□385*711	□450*970	□450*805	□385*770	□340*605	□340*395

Kitchen Accessories

Big things are found in the little details

SCAN AND
DISCOVER



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long-DLV / DBB / DVT / DBT INOX

COLOR

Stainless Steel



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior 675/775/975 long DM INOX / DU

COLOR

Stainless Steel



CHIMNEY EXTENSION 800 MM

- Tubecovers 800 mm for decorative bells
- Superior long-DH2 / DLH / DPL / NC2 / DG3 / SLD / DPS / DSS

COLOR

Stainless Steel



HOBS UNION KIT EFX

- Kit binding worktop.
- Exclusive design for all models: EFX.

COLOR

Stainless Steel



RECIRCULATION KITS SET 1/L

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports the engine and filters
- Activated carbon filters to keep the kitchen environment clean
- Easy installation and replacement after the accumulation of particles in the filter to make it lose purification
- Available for models of decorative hoods DQ 2

COLOR

Black



RECIRCULATION KIT SET 1/I1

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports the engine and filters
- Activated carbon filters to keep the kitchen environment clean
- Easy installation and replacement after the accumulation of particles in the filter to make it lose purification
- Available for models ISLAND CC decorative bells

COLOR

Stainless Steel



RECIRCULATION KITS SET 4/D

- MODELS HOODS:
- DOS

COLOR

Black



REGENERATIVE RECIRCULATION SET RFC 60210 01B W/ TUBE COVER

- REGENERATIVE RECIRCULATION SET RFC 60210 01B W/ TUBE COVER

COLOR

White



RECIRCULATION KIT SET 1/K

- MODELS HOODS:
- DU 90 (SET 1/K Without chimney)



REGENERATIVE CHARCOAL FILTER

- Conventional active carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for DLV, DVT 68660/78660/98660 hoods



REGENERATIVE CHARCOAL FILTER D12C (2 PIECES) DVF

- Regenerative Charcoal Filter D12C (2 pieces) DVF



REGENERATIVE CHARCOAL FILTER R1RES

- Regenerative active carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for DHT 97670 hoods

COLOR

Black



REGENERATIVE CHARCOAL FILTER+METALLIC DEFLECTOR+ADAPTER

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports the engine and filters
- Conventional active carbon filters to keep the kitchen environment clean
- Easy installation and replacement after the accumulation of particles in the filter to make it lose purification
- Available for models DVT hoods



CHARCOAL FILTER D5C

- For recirculation use

COLOR

Black Glass



CHARCOAL FILTER CNL 1C

- Activated carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended they lose cleansing power
- Available for CNL 6415 hoods

COLOR

Black



CHARCOAL FILTER D11C (2 PIECES) DVF

- Charcoal Filter D11C (2 pieces) DVF



CHARCOAL FILTER R1RFB

- Regenerative active carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for FIH 16760



CONVENTIONAL CHARCOAL FILTER+METALLIC DEFLECTOR+ADAPTER

- Regenerative active carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for DLV, DVT 68660/78660/98660 hoods



SET D11CTP (DIFUSER + CHARCOAL FILTER)

- Set D11CTP (Difuser + Charcoal filter)



SET D12CTP (UPPER COVER + CHARCOAL FILTER)

- Set D12CTP (Upper cover + Charcoal filter)



PIPE COVER DLV

- Tubecovers 800 mm for decorative bells
- Superior long- DLH, DPL, DPS, DSH, DSJ, DSS, DLV



REFRIGERATOR JUNCTION KIT TS3 370/TGF3 270

- Ligation kit refrigerators TS3 370/270 TGF3

COLOR

White



WISH 2-LEVEL TELESCOPIC SLIDES

- System Removable oven guides
- Optional guides can be installed in the furnace with chrome guides or guide systems telescopic series
- Two slide rail kit

COLOR

Stainless Steel



WISH SINGLE-LEVEL TELESCOPIC SLIDES

- System Removable oven guides
- Optional guides can be installed in the furnace with chrome guides or guide systems telescopic series
- A telescopic guide kit

COLOR

Stainless Steel



INDUCTION COOKWARE SET

- The set of nine stainless steel parts comprises:
- 1 Ø 24 cm pot
- 1 Ø 20 cm pot
- 1 Ø 16 cm pot
- 1 pan Ø 28 cm Ø 16 cm pot 1
- 4 lids.
- Suitable for induction

COLOR

Stainless Steel



C01RTK

- Conventional active carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for GFL 57650/77650 hoods



C1R

- Activated carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended they lose cleansing power
- Available for C 6420/9420 hoods
- Rectangular model

COLOR

Black



DC4

- For recirculation use
- Models hoods: DM, DEP, DBP, CMB1, DBH, DCB, DBB, DVE, DVT 60/70/90, DVT 950/650, DVT 980/780/680, DVL 90, DMR 90, DSB, DJE, DJ 980/680, DJ 950/750/650, DPS, DH2, DH 980/780/680, DHB, DH 1180/980/780/680 T, DPE 90, DPL 90, DGE, NCE, DG3, NC2, DG 950/750/650, NC 950/750/650, DF 90, DHC 90, DQ2 90, DU 90, DSB ISLA, DH2 90 ISLA, DH2 120 ISLA, DPL 110 ISLA, CC-40, DG3 Isla, DPL 90, DHI 90, GFT, GFT-800

COLOR

Black



C2R

- For recirculation use
- Models hoods: C610, C910

COLOR

Black



D1C

- Activated carbon filters for the operation of the hood in recirculation
- Periodic replacement is recommended as they lose cleansing power
- Available for decorative hoods
- Round pattern

COLOR

Black



D9C INTEGRA

- Active carbon filters for the operation of the hood in recirculation
- Periodic replacement recommended when loss of purifying power
- Available for hoods: INTEGRA 665/965
- Rectangular pattern

COLOR

Black



RECIRCULATION KIT SET D1CTP

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Activated carbon filters to keep the kitchen environment clean and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models ISLAND decorative hoods DLH 686 T/786 T/986T/1186T

COLOR

Stainless Steel



RECIRCULATION KIT SET 1/N1

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Activated carbon filters to keep the kitchen environment clean and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models of decorative bells DMR / DM / DVT / DBP / DBB / DU

COLOR

Stainless Steel



CFH 15200 L3C (DLV)

- Free installation kit DHI hood 90 (SET 1 / S)



RECIRCULATION KITS SET 1/S

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Conventional active carbon filters to keep the kitchen environment clean and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models DHI 90 hoods

COLOR

Stainless Steel



RECIRCULATION KIT SET 1/T1

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Activated carbon filters to keep the kitchen environment clean and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models of decorative bells DLH 985-1185 T / DSS / SLD / DSH / DPL 985.1 T / NC / DG

COLOR

Stainless Steel



RECIRCULATION KIT SET 1/T1

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports the engine and filters
- Activated carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models ISLAND decorative bells DG3 / DSB ISLAND / ISLA DH2 / DPL ISLAND

COLOR

Stainless Steel



SET D13CTP

- Kit Set D13XTP (DVN)



RFH 15200 L3C (DLV)

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Regenerative active carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models DLV hoods



REGENERATIVE HONEY CUMB

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Regenerative active carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Available for models DVT hoods



CUBRETUBO SUPERIOR LARGO DV /DVX

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Conventional active carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Without tube cover
- Available for models DLV, DVT hoods



CONVENTIONAL HONEY CUMB

- Conventional Honey Cumb



RFH 36100 F0A

- Recommended kits when vent to the outside is not possible
- It incorporates anchoring supports for the engine and filters
- Regenerative active carbon filters to keep the kitchen clean environment and healthy
- Easy installation and replacement after the accumulation of particles in the filter that makes it lose purification
- Without tube cover
- Available for models FIH hoods



THE STEAMBOX

- Includes two individual trays, allowing to cook several meals at the same time
- Inner grill. Ideal for cooking juicy meals, intensifying its flavours
- Extra deep tray to achieve a better diffusion and distribution of the heat
- Glass lid with an outlet valve and silicone coating for steam cooking
- All the components included in the MultiCook kit can be washed in the dishwasher

COLOR

Stainless Steel



NON-STICK ALUMINIUM TRAY KIT

- Baking sheets
- Non-stick material for easy cleaning

COLOR

Stainless Steel



TELESCOPIC GUIDES FOR 60 CM. OVENS 3 LEVELS

- 1 set telescopic standard extension (3 levels)



TELESCOPIC GUIDES FOR 60 CM. OVENS 2 LEVELS

- 1 set telescopic standard extension (2 levels)

COLOR

Stainless Steel



TELESCOPIC GUIDES FOR 60 CM. OVENS 1 LEVELS

- 1 set telescopic standard extension (1 level)

COLOR

Stainless Steel



KIT STONE PIZZA DOUBLE COOK

- Pizza Stone
- Baking Stone for Ovens
- Terracotta surface
- Dimensions: 380x330 mm

COLOR

Sandbeige



KIT STONE GRILL DOUBLE COOK

- Stone Double Cook

COLOR

Grey

KITCHEN ACCESSORIES

KITCHEN ACCESSORIES

Icon’s Key

OVENS

- 32L Capacity
- 38L Capacity
- 40L Capacity
- 41L Capacity
- 44L Capacity
- 48L Capacity
- 70L Capacity
- 72L Capacity
- 76L Capacity
- 77L Capacity
- DualClean Cleaning system
- Full Extension Telescopic Guide: 100% extraction
- HydroClean Cleaning system
- MultiCook Included for steaming
- Plus Extension Telescopic Guide
- Pyrolysis cleaning system with 3 cleaning levels
- SoftClose system por a smooth close
- SurroundTemp
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class

MICROWAVES

- 18L Capacity
- 20L Capacity
- 22L Capacity
- Ceramic base
- Defrost By Time
- Defrost By Weight
- Direct Access Menu
- Electronic Door Opening
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class

HOBS

- Auto-ignition
- Autolock
- Easy Installation system
- ExactFlame with 9 power levels
- Flex cooking zone
- MultiSlider, independ control in each cooking zone
- Power function
- Power Plus function
- Slider control
- Syncro function

HOODS

- LED light bar
- A Class in all energy label variables
- Perimeter extraction for the hob slots
- Remote Control
- Silent Eco Power
- Stop Delay Timer
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class

DISHWASHERS

- Eco Function
- Half Load
- Third Cutlery Tray
- Third Sprayer
- Eco Function
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class
- Eco Function

KEY TO ICONS

COLD LINE

- Eco Function
- Bar On Door
- Easy 90, opening on its own axis for perfect installation
- Eco Function
- Fresh Box to keep the fruits and vegetables fresh
- Full No Frost
- Gourmet Box with temperature selector between -2º and 3º
- IonClean Technology to keep the fridge free of odors and bacteria
- LED high efficiency illumination
- LongLife No Frost with independent cooling systems
- Inverter Motor
- On Holidays function
- Vitacare Box to keep fruit and vegetables with the right hunmidity control
- Zero Box, keep fish and meet fresh for longer
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class
- Eco Function

LAUNDRY

- Fingerprint Proof
- Hand Wash
- My Cycle
- Quick Cycle
- SoftCare Drum
- Washing capacity: 10kg
- Washing capacity: 6kg
- Washing capacity: 7kg
- Washing capacity: 8kg
- Washing capacity: 9kg
- Woolmark Certificate
- A Energy Class
- A+ Energy Class
- A++ Energy Class
- A+++ Energy Class

WATER HEATERS

- Dry Heating Protection
- ELCB Earth Leakage Circuit Breaker
- Electronic Smart Control
- Humidity Control
- Overheating Protection
- Slim heater
- Type of Installation

TAPS

- Anti-Scale Aerator
- High Resistance flexible spring
- Hand shower with 2 functions
- Hand shower with 1 position
- Purifier Filter
- Easy Clean